

Reynolds

NEW COLLECTION

DESIGNS FOR MEN



NEW COLLECTION

Reynolds

DESIGNS FOR MEN

Reynolds Yarns' Inc.
220 Fifth Avenue,
New York 1, N. Y.

Editor: Miriam Morrison Peake
Photographs and Lay-out by
Jack Malaise, Zurich

Abbreviations

Beg: Beginning
Ch: Chain
Dc: Double crochet
Dec: Decrease
Dp: Double-pointed (needle)
Inc: Increase
K: Knit
P: Purl
Pat: Pattern
Pss: Pass slip stitch over last stitch as if binding off
Sc: Single crochet stitch
Sl: Slip; transfer stitch from one needle to the other without knitting or purling it
Slst: Crocheted slip stitch
St: Stitch; **Sts:** Stitches
Tog: Together
Yo: Yarn over; this forms a new stitch

General Information

Markers: To mark a row, fasten a colored thread to center of row or at edge. For placing a marker on needle, slip a small ring or safety pin on needle between sts.
Measuring: Always measure straight up and down; never measure shaped edge.
Stockinette Stitch: K on right side, P on wrong side of work.
Ribbing: K the sts with k side facing you, p the sts with p side facing you.
Test Pieces: The gauge determines the size of your finished garment. The difference of 1 st in every 2" can make the garment 5 or 6 inches too large or too small. Always make the test piece and adjust size of needles if necessary, before starting the piece.
Blocking: Press carefully on wrong side through a damp cloth, taking care not to stretch pieces out of shape. Fold the back

in half and pin edges together, press to within 1" of fold, then remove pins and press center. Pin fronts and sleeves together, press. This keeps matching pieces the same size.

Seams: Pin or baste seams, try on and adjust if necessary, then sew with thread or matching yarn, taking running sts with a back-stitch every $\frac{1}{4}$ " to keep seams flat. Baste sleeve seams, baste in sleeves. Try on, adjust and sew.

Every effort has been made to have the knitting directions contained in this book accurate and complete; however we cannot be responsible for variance of individual knitters, or human or typographical errors.

Printed in Switzerland



No. 3301 (shown on front cover)

Tennis Sweater

- **Sizes:** Directions are for small size (34-36). Changes for medium size (38-40) and large size (42-44) are in parentheses.
- **Materials:** Reynolds La Madelaine or Reynolds Versailles, 8 (9-10) balls of White and 1 ball each of Red and Navy; Hero Knitting Needles, 1 pr. each No. 4 and No. 7; 1 set double-pointed needles No. 4.
- **Gauge:** Cable pattern on No. 7 needles—5 sts = 1"; 7 rows = 1".
Test Piece: With No. 7 needles cast on 28 sts. Work cable pat as for small size for 14 rows. Piece should measure $5\frac{1}{2}$ " wide and 2" long. If too small, try larger needles; if too large, try smaller needles, until correct gauge is obtained.
- **Blocking Measurements:** Chest—37 (41-44)"; width of back or front at underarm—18 $\frac{1}{2}$ (20 $\frac{1}{2}$ -22)"; width of sleeves at underarm—15 (16-17)".
- **Cable Pattern:** Multiple of 13 (14-15) sts plus 2 (4-6).
Row 1: K 4 (5-6), * p 2, k 3 (4-5), p 2, k 6. Repeat from * ending with p 2, k 3 (4-5), p 2, k 4 (5-6).

Row 2: P 4 (5-6), * k 2, p 3 (4-5), k 2, p 6. Repeat from * ending with k 2, p 3 (4-5), k 2, p 4 (5-6).

Row 3: K 4 (5-6), * p 2, k 3 (4-5), p 2, slip next 3 sts on a dp needle and hold in back of work, k next 3 sts, k 3 from dp needle. Repeat from *, ending with p 2, k 3 (4-5), p 2, k 4 (5-6).

Row 4: Repeat Row 2. **Rows 5-10:** Repeat Rows 3 and 4 three times more. Repeat these 10 rows for cable pat.

• **Back:** With White and No. 4 needles cast on 88 (98-108) sts. Work in k 1, p 1 ribbing for 2 $\frac{1}{4}$ ". Change to Navy and work in stockinette st for 4 rows; change to Red and work in stockinette st for 4 rows. Change to White and k 1 row. On the next row, purl across, increasing 5 (4-3) sts at even intervals—93 (102-111) sts. Change to No. 7 needles and work in cable pat until total length is 15 (15 $\frac{1}{2}$ -16)". Mark last row.

Armholes: Bind off 4 (5-6) sts at beg of next 2 rows, dec 1 st at each edge every other row 3 (4-5) times—79 (84-89) sts. Work even until armholes measure 8 (8 $\frac{1}{2}$ -9)" above marked row.

Neck: Work first 29 (31-33) sts, turn. Work these sts, decreasing 1 st at neck edge on every 4 rows 4 times—25 (27-29) sts.

ROW 4; REPEAT ROW 2
ROWS 5 AND 10; REPEAT ROW 1 AND 2
THREE TIMES MORE; REPEAT THESE 10
ROWS NOW CABLE PATTERN.

Shoulder: From side edge bind off 5 sts 3 times, 5 (6-7) sts twice. Slip center 21 (22-23) sts on a holder, attach yarn and work other side to correspond.

● **Front:** Work same as back until total length is 14 (14½-15)".

Neck and Armholes: Work across first 46 (51-55) sts, turn. Work the one side, shaping both edges at the same time: at neck edge, dec 1 st every 4th row 14 (15-15) times; meanwhile at side edge work even until same length as back to underarm, then bind off 4 (5-6) sts once, dec 1 st every other row 3 (4-5) times. When all shaping has been completed work even on 25 (27-29) sts until armhole measures same as on back. Shape shoulder same as for back. Attach yarn at center front; on small and large sizes only bind off center st; on all sizes work remaining 46 (51-55) sts of other side to correspond.

● **Sleeves:** With White and No. 4 needles cast on 56 (60-64) sts. Work same as back until Navy and Red stripes have been completed. Change to White and k 1 row. **Next row:** P 2 (4-0), * inc 1 st in next st, p 4 (3-3). Repeat from * to last 4 sts, inc 1 st in next st, p 3 (3-2); on large size only, inc 1 st in last st—67 (74-81) sts. Change to No. 7 needles and work in pat for 3". Working inc sts in stockinette st, inc 1 st at each edge on the next row and again every 3 (4-5)", 3 (2-1) times more—75 (80-85) sts. Work even until total length is about 19 (19½-20)", ending with same row of pat as back at underarm.

Top Shaping: Bind off 4 (5-6) sts at beg of next 2 rows. Dec 1 st at each edge every other row until 43 (44-45) sts remain, then on every row until 15 (16-17) sts remain. Bind off 3 sts at beg of next 2 rows. Bind off remaining 9 (10-11) sts.

● **Finishing:** Block pieces to measurements. Matching pats, sew shoulder, side and sleeve seams. Sew in sleeves.

Neckband: With White, dp needles and right side of work facing you, pick up 1 st at center front of neck, 62 (64-66) sts evenly along side of neck, k 21 (22-23) sts from back holder, pick up 62 (65-66) sts evenly along other side of neck—146 (152-156) sts. Divide sts on 3 needles and join. Change to Navy. **Rnd 1:** K 1 (center front st), k 2 tog, k to last 2 sts, sl 1, k 1, pss. **Rnd 2:** Knit. **Rnds 3 and 4:** Repeat Rnds 1 and 2. Change to Red and repeat these 4 rnds. Change to White. **Rnd 9:** Repeat Rnd 1—136 (142-146) sts. **Rnd 10:** K 1, p 1. Repeat from * around. **Rnd 11:** K 1, p 2 tog, * p 1, k 1. Repeat from * to last 3 sts, p 1, p 2 tog. **Rnd 12:** K 1, p 2, * k 1, p 1. Repeat from * to last 3 sts, k 1, p 2 tog. **Rnds 14 and 15:** Repeat Rnds 10 and 11. Working sts as for Rnd 12, bind off. Press.



No. 3302 (shown on page 4)

Turtleneck Pullover

● **Sizes:** Directions are for size 38. Changes for sizes 40, 42 and 44 are in parentheses.

● **Materials:** Reynolds Trovillo: 13 (14-14½) balls; Hero Knitting Needles, 1 pr. each No. 6 and No. 10½; 1 set dp needles each No. 6 and No. 10½.

● **Gauge:** Stockinette st on No. 10½ needles—3¼ sts=1"; 5 rows=1".

Test Piece: With No. 10½ needles cast on 14 sts. Work in stockinette st for 20 rows. Piece should measure 4" square. If too small, try larger needles; if too large, try smaller needles, until correct gauge is obtained.

Blocking Measurements: Chest—39 (41-43-45)"; width of back or front at underarm—19½ (20½-21½-22½)"; width of sleeves at underarm—15½ (16-16½-17)".

● **Back:** With No. 6 needles cast on 65 (69-73-77) sts. **Row 1:** K 1, * p 1, k 1. Repeat from * across. **Row 2:** P 1, * k 1, p 1. Repeat from * across. Repeat these 2 rows for 3", ending with Row 2. On the next row, work k 1, p 1 ribbing across first 30 (32-34-36) sts, inc 1 st in next st, p 1, inc 1 st in next st, p 1, inc 1 st in next st, work in p 1, k 1 ribbing to

end of row—88 (72-76-80) sts. Change to No. 10½ needles.

Row 1: K 29 (31-33-35), p 1, slip next 4 sts on a dp needle and hold in back of work, k next 4 sts, k 4 from dp needle (cable twisted), p 1, k 29 (31-33-35). **Row 2:** P 29 (31-33-35), k 1, p 8, k 1, p 29 (31-33-35). **Row 3:** K 29 (31-33-35), p 1, k 8, p 1, k 29 (31-33-35). **Row 4:** Repeat Row 2. **Rows 5-10:** Repeat Rows 3 and 4 three times more. Repeat these 10 rows for pat. Work even in pat until total length is 15 (15½-15½-16)", ending with a row on wrong side.

Raglan Armholes: Bind off 2 sts at beg of next 2 rows. **Row 3:** K 2, k 2 tog, work to last 4 sts, sl 1, k 1, pss. **Row 4:** Work in pat. Repeat Rows 3 and 4, 20 (22-23-24) times more. Slip remaining 22 (22-24-26) sts on a holder for back of neck.

● **Front:** Work same as back until armholes have been decreased to 32 (32-34-36) sts, ending with a row on right side.

Neck: P 9, turn and work these sts shaping both edges at the same time: at neck edge dec 1 st every other row 4 times; meanwhile at armhole dec 1 st every other row as before 5 times more. Slip center 14 (14-16-18) sts on a holder, attach yarn and work remaining 9 sts to correspond.

● **Sleeves:** With No. 6 needles cast on 35 (35-37) sts. Work ribbing same as for back for 3", ending with Row 2. Change to No. 10½ needles and work in stockinette st, increasing 1 st at each edge every 1", 9 (10-11-12) times—53 (55-59-61) sts. Work even until total length is 19 (19½-19½-20)", ending with a row on wrong side.

Raglan Top: Bind off 2 sts at beg on next 2 rows. Work 4 rows even, then repeat Rows 3 and 4 of back armhole shaping 19 (20-22-23) times. Slip remaining 11 sts on a holder.

● **Finishing:** Block pieces to measurements. Sew sleeves to back and front armholes, sew side and sleeve seams.

Neckband: With No. 6 dp needles and right side of work facing you, slip the first 7 (7-8-9) sts from back holder on needle, attach yarn, k 8, p 1, k remaining 6 (6-7-8) sts from holder, pick up 21 sts along side of neck, work sts from front holder in pat, pick up 21 sts along other side of neck, k remaining 5 sts on back of neck. **Turn.** There are 78 (78-82-86) sts. **Rnd 1 (wrong side):** * Work in p 1, k 1 ribbing across the 31 (31-33-35) between back and front cables ending with p 1; k 8. Repeat from * once more. Twisting cables on the next rnd and again every 10th rnd, repeat Rnd 1 for 2", change to No. 10½ dp needles and continue as before until neckband measures 5½". Bind off very loosely in pat. Press. Fold neckband in half to right side.





No. 3304 (shown at right)

Pullover with Rolled Collar

● **Sizes:** Directions are for size 40. Changes for sizes 42, 44 and 46 are in parentheses.

● **Materials:** Reynolds Monique, 12 (13-14-15) balls of Main Color (MC) and 3 (3-4-4) balls of Contrasting Color (CC); Hero Knitting Needles, 1 pr. each No. 9 and No. 11.

● **Gauge:** Stockinette st on No. 11 needles—3 sts = 1"; 4 rows = 1".

Test Piece: With No. 11 needles cast on 12 sts. Work in stockinette st for 16 rows. Piece should measure 4" square. If too small, try larger needles; if too large, try smaller needles, until correct gauge is obtained.

Blocking Measurements: Chest—40 (42-44-46)"; width of back or front at underarm—20 (21-22-23)"; width of sleeves at underarm—16 (16½-17½-18)".

● **Back:** With No. 9 needles and MC cast on 60 (64-66-70) sts. Work in k 1, p 1 ribbing for 3". Change to No. 11 needles and CC and work in stockinette st for 4 rows. Change to MC and continue even in stockinette st until total length is 15 (15-15½-15¾)". Mark last row.

Armholes: Bind off 3 sts at beg of next 2 rows. Dec 1 st at each edge every other row 3 (4-4-5) times—48 (50-52-54) sts. Work even until armholes measure 9 (9-9½-9¾)" above marked row.

Shoulders: Bind off 5 (5-8-8) sts at beg of next 6 (6-4-4) rows. Bind off remaining 18 (20-20-22) sts for back of neck.

● **Front:** Work same as back until armhole decreases have been completed—48 (50-52-54) sts.

Neck: Work first 15 (15-16-16) sts, bind off center 18 (20-20-22) sts, finish row. Work the last set of sts only until armhole measures 9 (9½-9¾-10") above marked row.

Shoulder: At side edge bind off 5 (5-8-8) sts 3 (3-2-2) times. Attach yarn at opposite

neck edge and work other side to correspond.

● **Sleeves:** With No. 9 needles and MC cast on 28 (30-32-34) sts. Work in k 1, p 1 ribbing for 3". Change to No. 11 needles and CC and work in stockinette st for 4 rows. Change to MC and continue in stockinette st, increasing 1 st at each edge every 4th row 5 times, then every 6th row 5 times—48 (50-52-54) sts. Work even until total length is 19 (19½-19¾-20)".

Top Shaping: Bind off 3 sts at beg of next 2 rows. Dec 1 st at each edge every row until 18 sts remain, then on every other row until 10 sts remain. Bind off.

● **Finishing:** Block pieces to measurements. Sew shoulder, side and sleeve seams, sew sleeves.

Collar: With CC and No. 9 needles cast on 27 (27-29-29) sts. **Row 1:** K 1, * p 1, k 1. Repeat from * across. **Row 2:** P 1, * k 1, p 1. Repeat from * across. Repeat these 2 rows until collar will reach around neck edge. Bind off in ribbing. Overlapping left end at center front, sew collar to neck.



No. 3303 (shown on page 5)

Raglan Cardigan

● **Sizes:** Directions are for small size (36-38). Changes for medium size (40-42) and large size (44-46) are in parentheses.

● **Materials:** Reynolds Monique, 13 (15-17) balls; Hero Knitting Needles, 1 pr. each No. 8 and No. 13; 4 buttons.

● **Gauge:** Pattern stitch on No. 13 needles—3 sts = 1"; 5 rows = 1".

Test Piece: With No. 13 needles cast on 9 sts. Work in pat for 15 rows. Piece should measure 3" square. If too small, try working more loosely; if too large, try working more tightly, until correct gauge is obtained.

Blocking Measurements: Chest (cardigan buttoned)—39 (43-47)"; width of back at underarm—19 (21-23)"; width of each front below neck decs (not including border)—9 (10-11)"; width of sleeve at underarm—16 (17½-19)".

● **Pattern Stitch:** Uneven number of sts. **Row 1:** K 1, * with yarn in back of work slip 1 as if to purr, k 1. Repeat from * across. **Row 2:** Purl. Repeat these 2 rows for pat.

● **Back:** With No. 8 needles cast on 57 (63-69) sts. **Row 1:** P 1, * k 1, p 1. Repeat from * across. **Row 2:** K 1, * p 1, k 1. Repeat from * across. Repeat these 2 rows for ribbing. Work in ribbing for 2", ending with Row 2. Change to No. 13 needles and work in pat until total length is 15 (15½-16)", ending with a purl row.

Raglan Armholes: Bind off 1 (2-3) sts at beg of next 2 rows. Dec 1 st at each edge on the next row, then every 4th row 3 times, every other row 15 (16-17) times. Bind off remaining 17 (19-21) sts for back of neck.

● **Right Front:** With No. 8 needles cast on 27 (31-35) sts. Work in ribbing for 2", ending with Row 2. Change to No. 13 needles and work in pat until total length is 7 (7½-8)", ending with a purl row.

Neck: Dec 1 st at beg of next row (front edge) and again every 10th (9th-8th) row until total length is 15 (15½-16)".

Raglan Armhole: Shape both edges at the same time; at neck edge continue to dec 1 st every 10th (9th-8th) row until a total of 7 (9-11) decs have been made at front edge; meanwhile at side edge, bind off 1 (2-3) sts once, dec 1 st on the next row, then every 4th row 3 times, every other row 15 (16-17) times.

● **Left Front:** Work same as right front for 7 (7½-8)", ending with a row on right side. Dec 1 st at beg of next row (front edge), and complete to correspond with right front.

● **Sleeves:** With No. 8 needles cast on 29 (31-33) sts. Work ribbing for 3", ending with Row 2. Change to No. 13 needles and work in pat, increasing 1 st at each edge every 1", 10 (11-12) times—49 (53-57) sts. Work even until total length is 19 (19½-20)", ending with a purl row.


Raglan Top: Work same as raglan armholes on back; bind off remaining 9 sts.


● **Finishing:** Sew sleeves to back and front armholes, sew side and sleeve seams.

Border: With No. 8 needles cast on 7 sts. K 6 rows (3 ridges). **Buttonhole:** K 2, bind off the next 3 sts, complete row. On the next row, cast on 3 sts over bound-off sts. Making 3 more buttonholes 2 (2½-2½)" apart, continue in garter st (k every row) until piece will reach around front and neck edges. Bind off and sew in place. Sew on buttons, press lightly.









CENTER ST

E
F
G
H
 ■ BROWN
 ■ DK. GREEN
 ■ BEIGE
 □ LT. GREEN

Armhole and Neck: At side edge bind off 5 sts once. Now dec 1 st at both ends of every other row 3 (4-4-5) times—40 (41-43-44) sts. Working armhole edge even, at neck edge continue to dec 1 st every other row 16 times more—24 (25-27-28) sts. Work even until armhole measures 9 (9½-9½-9½)″

Shoulder: From side edge bind off 6 (6-7-7) sts 3 times, 6 (7-6-7) sts once.

● **Left Front:** Work same as left front for 1″, ending with Row 2. **Buttonhole:** Starting at front edge, work 3 sts in ribbing, bind off the next 2 sts, complete row. On the next row, cast on 2 sts over bound-off sts. Continue in ribbing until piece measures 2″, ending with Row 2 and increasing 2 (1-1-2) sts on last row. On the next row, work the first 6 sts and slip them on a holder, change to No. 6 needles. Starting with center st, work Argyle pat to A (B-C-D). Complete to correspond with left front in reversed shaping.

● **Sleeves:** With No. 4 needles and Dk. Green cast on 49 (49-51-51) sts. Work ribbing same as back for 2″, ending with Row 2 and increasing 0 (2-2-4) sts evenly on last row—49 (51-53-55) sts. Change to No. 6 needles. Starting at E (F-G-H) on chart, work to

center st and back again (do not repeat center st). Keeping pat as established, inc 1 st at each edge every 1″, 16 times—81 (83-85-87) sts. Work even until total length is 19 (19½-19½-19½)″, matching large Dk. Green diamonds with those at underarm on back.

Top Shaping: Bind off 5 sts at beg of next 2 rows. Dec 1 st at each edge every other row until 43 sts remain, then on every row until 15 sts remain. Bind off.

● **Finishing:** Block pieces lightly to measurements. Sew shoulder, side and sleeve seams. Sew in sleeves.

Right Front Border: Starting at inner edge with Dk. Green and No. 4 needles, cast on 1 st, work in ribbing across sts from holder. Work these 7 sts in ribbing as before until piece will reach to center back of neck. Bind off. Sew border in place. Mark position of 6 buttons evenly spaced on border, with first one at center of ribbing and top one at base of neck shaping.

Left Front Border: Work to correspond with right front border, making 5 more buttonholes opposite markers. Join ends of borders, sew left border in place. Press lightly.

No. 3307 (shown on back cover) Brioche Rib Pullover

● **Sizes:** Directions are for size 38. Changes for sizes 40, 42 and 44 are in parentheses.
● **Materials:** Reynolds Trovillo, 14 (16-17-19) balls; Hero Knitting Needles, 1 pr. each No. 8 and No. 10.
● **Gauge:** 2½ sts=1″; 6 rows=1″.

Test Piece: With No. 11 needles cast on 15 sts. Work in Brioche pat for 12 rows. Piece should measure 6″ wide and 2″ long. If too small, try larger needles; if too large, try smaller needles, until correct gauge is obtained.

Blocking Measurements: Chest—40 (42-44-46)″; width of back or front at underarm—20 (21-22-23)″; width of sleeves at underarm—18 (18½-19-19½)″.

● **Brioche Pattern:** Uneven number of sts. **Row 1:** K 1, * k into st below next st, k 1. Repeat from * across. **Row 2:** Sl 1, * k 1, k into st below next st. Repeat from * to last 2 sts, k 1, sl 1. Repeat these 2 rows for brioche pat.

● **Back:** With No. 8 needles cast on 51 (53-55-57) sts. **Row 1:** K 1, * p 1, k 1. Repeat from * across. **Row 2:** P 1, * k 1, p 1. Repeat from * across. Repeat these 2 rows for 3″, ending with Row 1. Change to No. 10 needles and work in pat until total length is 15 (15½-15½-16)″, ending with Row 1 of pat.

Raglan Armholes: Row 1 (wrong side): K 2, p 1, work in pat as established to last 3 sts, p 1, k 2. **Row 2:** P 2, sl 1, k 1, pss, work to last 4 sts, k 2 tog, p 2. **Row 3:** Repeat Row 1. **Row 4:** P 2, k 1, work in pat to last 3 sts, k 1, p 2. Repeat these 4 rows 12 (12-13-13) times more—25 (27-29) sts. Repeat Rows 1 and 2, 3 (4-4) times. Bind off remaining 19 (19-21-21) sts.

● **Front:** Work same as back to armholes, ending with Row 1 of pat.

Raglan Armholes and Neck: Row 1 (wrong side): K 2, p 1, work in pat across next 20 (21-22-23) sts, attach another strand of yarn and bind off center 5 sts, continue in pat to last 3 sts, p 1, k 2. Working armhole decs same as on back, work both sides at the same time and dec 1 st at each neck edge every 6th row 7 (7-8-8) times.

● **Sleeves:** With No. 8 needles cast on 25 (27-29-31) sts. Work ribbing same as back for 3″. Change to No. 10 needles and work in pat, increasing 1 st at each edge every 8th row 10 times—45 (47-49-51) sts. Work even until total length is 19 (19½-19½-20)″, ending with Row 1 of pat.

Raglan Top: Work same as for raglan armholes on back. Bind off remaining 13 (13-15-15) sts.

● **Neckband:** With No. 8 needles cast on 109 (113-117-121) sts. Work in ribbing same as for back, for 2″. Bind off in ribbing.

● **Finishing:** Sew sleeves to back and front armholes. Sew side and sleeve seams. Pin bound-off edge of neckband around neck, with left end of neckband overlapping right end at center front. Sew in place. Steam lightly.

Reynolds

NEW COLLECTION

DESIGNS FOR MEN

