

CONTINENTAL ANNIVERSARY COLLECTION





Shown at left

Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Allround Wash Fit® or Wintuk Sport Yarn (2-oz. skeins) 6 (7-8)

Crochet Hooks: Afghan Size F OR SIZE TO GIVE GAUGE and Steel No. 1

Needles: 1 set dp and circular No. 3

GAUGE:

Pattern Stitch No. 1—6 sts = 1 inch, 6 rows = 1 inch

Pattern Stitch No. 2 is a variation decs and incs will be given to compensate

FINISHED MEASUREMENTS

Bust 36 (40-44) inches

Note: Back of neck is a low V.

PATTERN STITCH NO. 1: Plain afghan st (see page 88, No. 1).

PATTERN STITCH NO. 2: Worked on a multiple of 4 sts.

Note: Loop on hook always counts as first st. Vertical sts will be called bars.

Row 1: Work plain afghan st.

Row 2—First Half: Skip first bar, draw up 1 loop in each of next 3 bars, yo, skip 1 bar; rep from *, ending draw up 1 loop in each of last 3 bars.

Row 2—Second Half: Yo, draw thru 2 loops, *ch 3, (yo, draw thru 2 loops) 4 times; rep from *, ending (yo, thru 2 loops) 6 times.

Row 3-First Half: Skip first bar, draw

up loop in each of next 3 bars, slanted bar (yo of row below) and next bar; * hold ch at front, draw up loop in each of next 2 bars, slanted bar and next bar; rep from *, ending draw up loop in each of last 2 bars.

Row 3—Second Half: Work off loops as in Row 1.

Row 4—First Half: Skip first bar, draw up loop in next bar, *yo, skip 1, draw up loop in each of next 3 bars; rep from *, ending yo, skip 1, draw up a loop in each of last 5 bars.

Row 4—Second Half: (Yo, draw thru 2 bars) 3 times, *ch 3, (yo, draw thru 2 loops) 4 times; rep from * to end.

Row 5—First Half: Skip first bar, draw up loop in next bar, in slanted bar and next bar, *push ch forward, draw up loops in each of next 2 bars, in slanted bar and next bar; rep from *, ending draw up a loop in each of last 4 bars.

Row 5—Second Half: Work off loops as in Row 1.

Rep from Row 2 for pat, taking care to keep continuity when shaping.

PATTERN STITCH NO. 3: Stockinette st (K 1 row, P 1 row).

BACK: With afghan hook, chain 62 (68-74) to measure 11 (12-13) inches.

Work Pat No. 1 as follows: Draw up a loop in 2nd ch and in each ch until 26

loops on hook, work off loops. Ch 4 (5-6).

Row 2: Draw up a loop in 2nd ch and each of next 2 (3-4) ch, draw up a loop under each of the bars just worked and in each of the next 4 (5-6) ch. Work off loops. There are 4 (5-6) sts added each side. Continue in this way to add 4 (5-6) sts each side every row 8 (5-5) times more, then add 0 (4-4) sts each side of next 3 rows. There are 98 (110-122) sts in row. Dec 1 st each side (see page 88, 2a and b) every 4 rows 3 times. Work on 92 (104-116) sts until piece measures 3 (3½-4) inches at either side edge. Fasten off.

First Short Row: Mark off center 28 (40-52) sts, join yarn and work 1 row between markers. Fasten off.

2nd Short Row: Join yarn 8 sts from beg of last short row. Draw up a loop in each of these 8 sts, in the 28 (40-52) center sts and next 8 sts. Fasten off.

Continue to work 8 sts more at each side of center every row until all sts are worked.

Change to Pat St No. 2 and note that right edge will be decreased twice as many times as left edge and then increased more often than left edge to compensate for the slant in the work. Dec 1 st at right edge every 3rd row 7 times AND AT SAME TIME dec 1 st (continued on page 42)

Style No. 1002

Shown at right

Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Duet (1-oz. balls) 10 (13-16)

Crochet Hooks: Afghan Size G OR SIZE TO GIVE GAUGE and Steel No. 2 4 buttons

GAUGE: Pattern No. 1
5 sts = 1 inch, 4 rows = 1 inch
Pattern No. 2—11 sts = 2 inches

FINISHED MEASUREMENTS

Bust 37 (41-45) inches
Back at underarms 17 (19-21) inches
Back at shoulders 14 (15-16) inches
Each Front at underarm 10 (11-12) inches

PATTERN STITCH NO. 1: Worked on a multiple of 10 sts plus 5.

Note: Loop on hook always counts as first st. Vertical sts will be called bars.

Row 1: Work plain afghan st (see page 88, No. 1).

Row 2: Skip first bar, yo, skip 2nd bar, *draw loop in each of next 9 bars, yo, skip 1 bar; rep from *, ending yo, draw loop in each of last 3 bars.

Note: Always work off loops as in 2nd half of Row 1, working yo's as loops.

Row 3: Skip first bar, draw up loop in yo sp, *yo, skip 1, draw up loop in each of next 7 bars, yo, skip 1, draw up a loop in yo sp; rep from *, ending yo, skip 1, draw up loop in each of last 2 bars.

Row 4: Skip first bar, draw up loop in 2nd bar and next sp, *yo, skip 1, draw up loop in each of next 5 bars, yo, skip 1, draw up loop in sp, bar and sp; rep from *, ending yo, skip 1, draw up loop in last bar.

Row 5: Skip first bar, draw up loop in next 2 bars and sp, *yo, skip 1, draw up loop in next 3 bars, yo, skip 1, draw up loop in sp, 3 bars and sp; rep from *, ending draw up loop in last bar. Continue Pattern Stitch, following Chart on page 88.

PATTERN STITCH NO. 2: Worked on a multiple of 10 sts plus 5.

Row 1: Draw up a loop in each of 6 bars, *bring yarn forward, holding yarn at front, draw up a loop in next bar (purl st made), draw up a loop in each of 9 bars; rep from *, ending draw up a loop in each of last 7 bars. Work off loops in usual way. Rep row 1 for pat, taking care to keep continuity when shaping.

(continued on page 42)



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Allround Wash Fit * or Wintuk Sport (2-oz. skeins) 7 (9-11)

Crochet Hooks: Afghan Size F and Size G OR SIZES TO GIVE GAUGES and Steel No. 1

Needles: No. 5

Elastic for waistband

GAUGE: Pattern St No. 1 on F Hook 6 sts = 1 inch, 4 rows = 1 inch

Pattern St No. 2 on G Hook 5 sts = 1 inch, 7 rows = 2 inches

FINISHED MEASUREMENTS

Bust 34 (38-42) inches

Back 4 inches below shoulders 14 (15-16) inches

Shorts: at hipline 36 (40-44) inches

PATTERN STITCH NO. 1: Worked on a multiple of 3 sts plus 2.

Note: Loop on hook always counts as first st. Vertical sts will be called bars.

Row 1: Work plain afghan st (see page 88, No. 1).

Row 2: Skip first bar, draw up loop in next bar, *yo, skip 1 bar, draw up loop in each of next 2 bars; rep from * to end. Work off loops as in 2nd half of Row 1, working yo's as loops.

Row 3: Skip first bar, draw up loop in next bar, *yo, skip yo sp, draw up loop in each of next 2 bars; rep from * to end. Work off loops. Rep Row 3 for pat, taking care to keep continuity of pat when shaping.

PATTERN STITCH NO. 2: Plain afghan st.

Blouse

BACK: With afghan hook size F, chain 101 (113-125) to measure 17 (19-21) inches. Work Pat No. 1 to 15 inches from beg, or desired length to underarms.

Armholes: Bind off 6 (8-10) sts (by working 1 sl st in each bar or yo sp), continue pat to last 6 (8-10) sts, bind off these 6 (8-10) sts. Break yarn. Join yarn and work off loops. Dec 1 st each side (see page 88, No. 2a and b) every row 2 (3-4) times. Work on 85 (91-97) until armholes are 5 (5½-6) inches.

Neck: Pick up until there are 31 (33-35) loops on hook, join another ball of yarn, bind off center 23 (25-27) sts, pick up 31 (33-35) loops to end. Work each side with separate yarn. Bind off 3 sts from neck edges 3 times. Work on 22 (24-26) until armholes are $6\frac{1}{2}$ (7-7\frac{1}{2}) inches.

Shoulders: Bind off 7 (8-9) sts from armhole edges **every** row twice. Bind off remaining 8 sts each side.

FRONT: Work same as back to 1 inch longer than back to armholes (allowing 1 inch for bust darts).

Armholes: Shape as on back. Work on 85 (91-97) sts until armholes are 4 (4½-5) inches. Work neck, armholes and shoulders as on back.

FINISHING: Block pieces to measurements, sew 1-inch tapered bustline darts in front, then assemble. With steel hook from right side and working from left to right, work 1 row backward sc around neck edge, spacing sts to keep edge flat, join. Work a 2nd row backward sc, working between sc of first row. Work 2 rows backward sc around armholes and lower edge in same way.

Shorts

89 (99-109) to measure 18 (20-22) inches. Work plain afghan st to 6 (6½-7) inches from beg. Dec 2 sts each side on next 17 (19-21) rows. Mark for beg of crotch.

Crotch: Work on 21 (23-25) sts for 2½ inches, or desired length.

FRONT: Inc 1 st each side (see page 88, No. 2d and e) every row 7 times. Before working off loops on last row,

join a short end of yarn to last st, chain 27 (31-35), fasten off, leave chain, work off loops.

Next row: Ch 2, draw up a loop in


2nd ch, in each bar and in each of next 2 chs (2 sts added each side). Work off loops. Rep last row 2 (4-6) times. Now add 3 sts each side 3 times, then 4 sts 3 times. Work even on 89 (99-109) sts for 5½ (6-6½) inches. Bind off.

FINISHING: Block. Waistband: From right side with knitting needles, pick up 1 st in each bound-off st. Work stockinette st (K 1 row, P 1 row) for 5 rows, ending with a K row. K next row on purl side for turning ridge.

Work 5 rows more. Bind off. Work band on back in same way. Sew side seams, easing in extra length of back.

From right side, work 2 rnds sc around leg openings, holding in to desired size. Cut elastic to waist measurement and sew ends tog. Turn waistband over elastic to wrong side and sew bound-off edge to picked up row.

Shorts





Shown at left

Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Allround Wash Fit® or Wintuk Sport (2-oz. skeins)
2 A; 2 (3-3) B; 3 (3-4) C and 1 D
Crochet Hooks: Afghan Size F OR SIZE TO GIVE GAUGE, and Steel No. 1

GAUGE: 6 sts = 1 inch, 5 rows = 1 inch

FINISHED MEASUREMENTS

Bikini Top:

Bust 34 (38-42) inches

Back at underarms 16 (18-20) inches Front at underarms 18 (20-22) inches

Bikini Shorts:

Leg at lower edge 18 (20-22) inches Hipline 36 (40-44) inches

PATTERN STITCH NO. 1: Worked on an uneven number of sts. Note: Loop on hook always counts as first st. Vertical sts will be called burs.

Row 1: Work plain afghan st (see page 88, No. 1).

Row 2: Skip first bar, *P next st, K next st (see page 88, No. 5), rep from * to end. Rep Row 2 for Pat No. 1.

PATTERN STITCH NO. 2: Work plain afghan st in stripes as follows: 3 rows B, 6 rows C, *3 rows D, 6 rows B, 3 rows A, 9 rows C; rep from *.

Bikini Top

BACK: With afghan hook and A, chain 85 (97-109) to measure 14 (16-18) inches. Work Pat No. 1 for 1 inch. Work Pat No. 2, inc 1 st each side (see page 88, No. 2d and e) every 1 inch 6 times. Work on 97 (109-121) sts to 7½ (8-8½) inches from beg, or desired length to underarms.

Armholes: Bind off 3 (4-5) bars (by working sl st in each bar (see page 88, No. 3), continue pat to last 3 (4-5) bars, bind off last 3 (4-5) bars. Break yarn. Join yarn and work off loops. Dec 1 st each side every row (see page 88, No. 2a and b) 3 (5-6) times. Work on 85 (91-99) sts to 9 (9½-10) inches from beg.

Neck—Row 1: Pick up until 34 (36-38) loops are on hook, join another ball of yarn, bind off center 17 (19-23) bars, pick up loops to end. Work off loops, continue working each side with separate yarn. Bind off 7 sts from neck edges once, then 4 sts once. Dec 1 st at neck edges every row 5 times. Work on 18 (20-22) sts each side until armholes are $6\frac{1}{2}$ (7- $7\frac{1}{2}$) inches. Bind off.

FRONT: Work same as back for 1 inch. Change to Pat No. 2—Row 1: Pick up until there are 24 (27-30) loops

on hook, *inc 1 st (see page 88, No. 2f), pick up 1 loop and mark for dart st, inc 1 st, * pick up next 35 (41-47) loops, rep between *'s once, pick up loops to end. Continue Pat No. 2, inc 1 st each side 6 times as on back AND AT SAME TIME inc 1 st each side of marked sts every 2nd row twice more. Work on 109 (121-133) to same length as back to armholes.

Armholes: Bind off 5 (7-9) at beg and end of row. Dec 1 st each side every row 3 (4-5) times. Work on 93 (99-105) to same length as back to neck. NECK-Row 1: Pick up until there are 38 (40-42) loops on hook, join another ball of yarn, bind off center 17 (19-21) bars, pick up loops to end. Bind off 7 sts from neck edges once, then 4 sts once. Dec 1 st at neck edges every row 9 times. Work on 18 (20-22) to same length as back. Bind off. FINISHING: Block pieces to measurements and assemble. With A and steel hook from right side, work 1 row sc around neck, holding in to desired size, join. From same side, work 1 row backward sc (from left to right), join; fasten off. Work 2 rows sc around armholes and lower edge in same way.

(continued on page 43)

Style No. 1005

Shown at right

Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Allround Wash Fit® or Wintuk Sport (2-oz. skeins) 6 (7-8)
Crochet Hooks: Afghan Size F OR SIZE TO GIVE GAUGE and Steel No. 1 Long placket zipper

GAUGE: 5 sts = 1 inch,
5 rows = 1 inch

FINISHED MEASUREMENTS

Bust 35 (38-43) inches
Back at shoulders 14 (15-16) inches
Waist 32 (35-40) inches
Hips 37 (40-45) inches
Sleeve at underarm 13 (14-15) inches

PATTERN STITCH NO. 1

Note: Loop on hook always counts as first st. Vertical sts will be called *bars*.

Row 1: Work plain afghan st (see page 88, No. 1).

Row 2: Skip first bar, *insert hook from front to back between front and

back bar of next st, draw loop thru; rep from * to end. Work off loops as in Row 1.

Rep Row 2 for Pat No. 1.

PATTERN STITCH NO. 2: Worked on an even number of sts.

Row 1: Skip first bar,* bring yarn forward, hold in front of work, insert hook under next 2 bars, draw loop thru (P 2 tog); insert hook from front to back in sp below ch between last bar worked and next bar, draw up loop; rep from *, ending P last st. Work off loops as plain afghan st. Rep Row 1 for Pat No. 2.

BACK—Left Leg: With afghan hook, chain 46 (50-56) to measure 9 (10-11) inches. Work Pat No. 1 for 2 (2½-2½) inches. Break yarn; lay piece aside.

Right Leg: Work same as left leg; do not break yarn.

Join the 2 legs as follows: Pick up loops on right leg, pick up loops on left leg. There are 92 (100-112) loops on hook. Work off loops, Work even to 8½ (9-9½) inches from beg. Dec 1 st each side of next row (see page 88, No. 2a and b) and rep decs every 1/2 inch 5 times more. Work on 80 (88-100) sts to 11½ (12-12½) inches from beg, or desired length to waistline and mark. Work 1 inch above marker. Inc 1 st each side of next row (see page 88, No. 2d and e) and rep incs every 34 inch 3 times more. Work on 88 (96-108) sts to 18 (19-20) inches from beg, or desired length to underarms.

Armholes—Row 1: Bind off 4 sts (by working sl st in each bar—see page 88, No. 3), continue pat to last 4 bars, bind off last 4 bars. Break yarn, join and work off loops.

(continued on page 46)



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Creme de Coquette (1-oz. skeins) 15 (18-21)

Crochet Hook: Steel No. 1 OR SIZE TO GIVE GAUGE

4 button molds

GAUGE: 5 sts = 1 inch, 4 rows = 1 inch

FINISHED MEASUREMENTS

Bust 35 (39-41) inches

Back above armhole shaping 14 (15-16) inches

Lower edge 38 (42-44) inches

PATTERN STITCH

Row 1 (right side): Work dc in 3rd ch from hook and in each ch to end. Ch 1, turn.

Row 2: Work 1 sc in each dc. Ch 2, turn.

Row 3: Work dc in each sc. Ch 1, turn. Rep Rows 2 and 3 for pat.

To dec 1 dc: Yo, draw up a loop in st, draw up a loop in next st, yo and thru 2 loops, yo and thru 3 loops.

To dec 1 sc: Draw up a loop in each of 2 sts, yo and thru 3 loops on hook.

BACK: Chain 108 (119-130) to measure 19 (21-23) inches. Work pat on 106 (117-128) sts for 10 (10½-11) inches or 16 inches less than desired length to armholes. Dec 1 st each side of next row and rep decs every 2½ inches 5 times more. Work on 94 (105-116) sts to 26 (26½-27) inches from beg, or desired length to underarms, ending with dc row.

Armholes—Row 1: Work 1 sl st in each of 5 (5-8) sts, ch 1, work sc in each dc to last 5 (5-8) sts, ch 1, turn.

Row 2: Work 1 sl st in each of 3 sts, work to last 3 sts, ch 1, turn. Rep last row 0 (1-1) time. Work on 78 (83-88) sts until armholes are 2 (2½-3) inches.

Straps: Work 11 (12-13) sts, turn. Continue to work on these sts only for 11 inches or desired length. Fasten off. Skip the 56 (59-62) center sts (for neck), join yarn in next st. Work 11 (12-13) sts to same length as first strap. Fasten off.

FRONT: Chain 114 (126-136) to measure 20 (21-23) inches. Work same as back to 24 (24½-25) inches from beg.

Divide for front opening: Work 47 (53-58) sts (first side). Continue working on these sts only to 27 (27½-28) inches from beg, or 1 inch longer than back to armhole, allowing for 1-inch bust dart, ending at underarm edge.

Armhole—Row 1: Work 1 sl st in each of 4 (6-8) sts, work to end.

Row 2: Work to last 3 sts, do not work in last 3 sts, ch 1, turn.

Row 3: Work 1 sl st in each of 0 (3-3) sts, work to end. Work on 40 (41-44) sts until armhole is 2 $(2\frac{1}{2}-3)$ inches. Fasten off.

2nd Side: Skip 6 center sts of last complete row, join yarn and work 2nd side to correspond to first side.

FINISHING: Block pieces to measurements. Sew tapered bustline darts at each side of front, taking in 1 inch in fold at underarm. From right side and beg at left of left strap, work sc around left armhole, left front of neck, front opening, right front of neck and right armhole, spacing sts to keep edges flat and working 3 sc at each corner. Ch 1, turn. Work a 2nd row sc with 3 sc at corners. Mark places for 4 buttons on left front edge of opening with first marker at 7th sc below neck edge, last marker at 7th sc above beg of opening and other 2 markers spaced evenly between. Work a 3rd row sc, working button-loops on right front edge of opening opposite markers by ch-4, skip 3 sc. Work 3 rows sc on each side of each strap and on back of neck. Sew ends of straps to front under sc rows.

Buttons: Ch 2.

Rnd 1: Work 6 sc in 2nd ch from hook.
Rnd 2: 2 sc in each sc—12 sc. Rnd 3:
*Sc in 1 sc, 2 sc in next sc; rep
from * around. Continue to inc 6 sts
every rnd until piece fits over mold.
Break yarn, leaving an end for sewing.
Thread end into tapestry needle, draw
sts tog tightly to hold mold within,
secure and sew button at marked
place.



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Allround Wash Fit® or Wintuk Sport (2-oz. skeins) 6 (7-8) and 1 skein for headscarf

Needles: No. 3 and No. 6 OR SIZE TO GIVE GAUGE

1 set dp No. 3

10 buttons in matching color

GAUGE—Pattern Stitch: 15 sts = 2 inches, 15 rows = 2 inches

Stockinette Stitch: 6 sts = 1 inch, 15 rows = 2 inches

FINISHED BUST MEASUREMENT: 36 (38-42) inches

PATTERN STITCH: Multiple of 12 sts plus 3

Rows 1, 3 and 5: P 1, *K 1, P 3, K 5, P 3, rep from *, end K 1, P 1.

Rows 2, 4 and 6: K 1, *P 1, K 3, P 5, K 3, rep from *, end P 1, K 1.

Row 7: P 1, *K 1, P 3, slip next 3 sts to dp needle hold at back of work, K 2, K 3 from dp, P 3, rep from *, end K 1, P 1.

Row 8: Same as Row 2.

Rep these 8 rows for pattern.

BACK: With smaller needles, cast on 135 (147-159) sts. Rib in K 1, P 1 for 4 inches. Change to larger needles. Work in pat to 15 inches from beg, or desired length to underarm.

Armholes: Bind off 5 sts at beg next 2 rows; 2 sts at beg next 4 rows. Dec 1 st each side every 2nd row 3 times. Work on 111 (123-135) sts until armholes are $5\frac{1}{2}$ (6-6 $\frac{1}{2}$) inches, ending at armhole edge.

Neck: Work 38 (41-45) sts, place center 35 (41-45) sts on holder, join 2nd ball of yarn and work last 38 (41-45) sts. Work each side with separate ball yarn. Dec 1 st at neck edge every row 3 times. Bind off remaining 35 (38-42) sts at each side in pat.

FRONT: Work same as back until armholes are 5 (5½-6) inches, ending at armhole edge.

Neck: Work 40 (43-47) sts, place center 31 (37-41) sts on holder, join 2nd ball of yarn, work last 40 (43-47) sts. Work each side with separate ball yarn. Dec 1 st at neck edges every row 5 times. Work on remaining 35 (38-42) sts at each side until armholes are same length as back. Bind off in pat.

SLEEVES: With smaller needles, cast on 69 (73-77) sts. Rib in K 1, P 1 for 1½ inches. Change to larger needles.

Next row: Inc 1 st in first st, P 27 (29-31) sts, K 1, P 3, K 5, P 3, K 1, P to last 2 sts, inc in next st, P 1. Keeping center 13 sts in pat, inc 1 st each side every 2nd row 3 times more. Work on 77 (81-85) sts to 3 inches from beg.

Shape Cap: Bind off 5 sts at beg of next 2 rows. Dec 1 st each side every 2nd row 14 (16-18) times; every row 8 times. Bind off 2 sts at beg next 4 rows. Work pat on remaining 15 sts to same length as width of shoulder ending with wrong side row. Place sts on holder for first sleeve. On second sleeve, do not break yarn and continue as follows:

Neckband: With dp needles, work pat across 15 sleeve sts; from right side pick up 2 sts on shaped edge of back of neck, work pat across sts on holder, pick up 2 sts along other edge of neck; work pat across other sleeve; pick up 6 sts on shaped edge of front, work pat across sts on holder, pick up 6 sts along other edge. There are 112 (124-132) sts on needles. Mark to indicate beg of rnds. Join, rib in K 1, P 1, dec 6 (8-8) sts evenly spaced across straight neck edge of back and front (not across sleeves) on first rnd. Continue rib on 100 (108-116) sts for 3 inches. Bind off loosely in ribbing.

FINISHING: Seam sides of sleeve caps to back and front armholes. Top stitch saddle to front and back shoulders covering 1 row. Block, Sew buttons in place as shown.

Headscarf

GAUGE: 6 sts = 1 inch, 15 rows = 2 inches.

With smaller needles, cast on 146 sts. Rib in K 1, P 1 for 1 inch. Change to larger needles.

Row 1: Work pat over 15 sts, P 2 tog, P to last 17 sts, P 2 tog, work pat over 15 sts.

Row 2: Work pat over 15 sts, K to last 15 sts, work pat to end. Rep these 2 rows 31 times (82 sts). Keeping pat at each side, dec every row 26 times (30 sts). Place a marker between the 2 center sts. Dec 1 st each side of marker every row until 2 sts remain each side. Bind off.

Tie: With smaller needles, from right side, pick up 3 sts along side edge of rib.

Row 1: Sl 1, K 2. Rep Row 1 until tie measures 10 inches. Fasten off. Work tie at other side. Block.



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Duet (1-oz. balls) 9 (11-13) Color A and 5 (6-7) Color B

Needles: No. 5 OR SIZE TO GIVE GAUGE and No. 4 circular Grosgrain ribbon and buckle for belt

GAUGE: 6 sts = 1 inch, 8 rows = 1 inch

FINISHED MEASUREMENTS

Bust 35 (39-43) inches

Back at shoulders 15 (16-17) inches Width at lower edge 39 (43-47) inches

NOTE: Length of skirt to waistline is planned for 22 inches. Make any necessary adjustment before first dec row.

BACK: With No. 5 needles and Color A, cast on 116 (130-142) sts.

Row 1: K 11 (12-12) sts, *K 2 tog, yo, K 21 (24-27) sts, rep from *, end K 2 tog, yo, K 11 (12-12) sts.

Row 2: Purl, working each yo as a st. Rep these 2 rows for pat, keeping continuity of stripe when shaping. Work to 15 inches from beg, or 7 inches less than desired length to waistline.

Dec Row: Keeping side panels even, dec 1 st at center of each of the other 4 panels. Rep dec row every 3 inches twice more. Work on 104 (118-130) sts to 22 inches, or desired length to waist. Break Color A, join Color B and continue in pat to 7 (7½-8) inches above waistline, or desired length to underarm.

Armholes: Bind off 4(6-8) sts at beg next 2 rows. Dec 1 st each side every 2nd row 3 (5-6) times. Work on 90 (96-102) sts until armholes are 6½ (7-7½) inches.

Shoulders: Bind off 8 sts at beg next 6 rows; bind off 6 (7-8) sts at beg of next 2 rows. Bind off remaining 30 (34-38) sts.

FRONT: Work same as back to 1 row less to armholes, ending with a K row.

Neck and armholes: Work 51 (58-64) sts, place center 2 sts on holder, join 2nd ball Color B, work 51 (58-64) sts. Work each side with separate yarn. Shape armholes as on back AND AT SAME TIME dec 1 st at neck edges on next row and rep every 2nd row 0 (2-4) times; every 4th row 13 times, shaping shoulders as on back when armholes are same length.

FINISHING: Block pieces to measurements and seam shoulders.

Armhole Facing: With circular needle and Color B, from right side and beg at underarm, pick up around armhole 92 (102-112) sts. Beg with a P row, work back and forth in stockinette st, for 1 inch. Bind off loosely.

Neckband: With circular needle and Color A, from right side and beg at right shoulder, inserting needle thru both loops of bound-off sts, pick up across back of neck, 30 (34-38) sts; on left front neck edge, pick up 60 (64-68) sts; place marker on needle, K 2 sts from holder, place marker on needle, on right front neck edge pick up 60 (64-68) sts. Place marker on needle to indicate beg of rnds. Join.

Rnd 1: K to within 2 sts of first marker, K 2 tog thru back loops, sl marker, K 2, sl marker, K 2 tog, K to end of rnd. Decreasing at each side of center sts every 2nd rnd, work 2 more rnds with A, 1 rnd B, 1 rnd A, 2 rnds B.

Next rnd: Purl next rnd for turning ridge.

Next rnd: K to within 2 sts of first marker, inc 1 st in next st, K 1, sl marker, K 2, sl marker, inc in next st, K to end of rnd. Working colors in reverse, rep inc at each side of center sts 3 times more. Bind off loosely. Seam sides. Turn facings to wrong side and sew.

BELT: With circular needle and Color B, cast on 182 (202-228) sts. Work back and forth in stockinette st as follows: 2 rows B, 6 rows A, 2 rows B, 2 rows A; bind off loosely. Block to 2 inches longer than finished waist measurement. Face with grosgrain ribbon and sew to buckle, turning extra length to wrong side.



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

spinnerin Marvel Twist Wash Fit® or Nylaine Germantown Knitting Worsted (4-oz. skeins)

Jacket: 6 (7-8)

Beret and Knee Socks 1 skein each

Crochet Hook: Aluminum Size F OR SIZE TO GIVE GAUGE

Needles: 1 set dp No. 5 OR SIZE TO GIVE GAUGE

8 buttons, elastic for socks

GAUGE:

Crochet pat

9 sts = 2 inches,

6 rows = 2 inches

Knit pat

6 sts = 1 inch,

8 rnds = 1 inch

FINISHED MEASUREMENTS

Bust (buttoned) 36 (40-44) inches

Back at underarms 17 (19-21) inches

Back at shoulders 14½ (15½-16½) inches

Each Front at underarm 12 (13-14) inches

Sleeve at underarm 13 (14-15) inches

NOTE: Jacket and beret are worked in crochet pattern stitch given below. Socks are worked in stockinette stitch (K every rnd).

PATTERN STITCH: Worked on a multiple of 2 sts.

Row 1: Work sc in 2nd ch from hook, dc in next st, *sc in next st, dc in next st; rep from * to end. Ch 1, turn.

Row 2: * Work sc in dc, dc in sc; rep from * to end. Ch 1, turn. Rep Row 2 for pat, taking care to keep continuity of pat when shaping.

To decrease 1 sc: Draw up a loop in each of 2 sts, yo and thru 3 loops on hook.

To decrease 1 dc: Yo, draw up a loop in st, draw up a loop in next st, yo and thru 2 loops, yo and thru 3 loops.

To inc 1 st: Work 2 sts in 1 st.

To beg row with sc: Ch 1.

To beg row with dc: Ch 2.

BACK: Chain 77 (87-95) to measure 17 (19-21) inches. Work crochet pat to 15 inches from beg, or desired length to underarms.

Armholes: Work 1 sl st in each of 2 (3-4) sts, work pat to last 2 (3-4) sts, Ch 1, turn. Dec 1 st each side every row 3 (5-5) times. Work on 66 (70-76) sts until armholes are 7½ (8-8½) inches, Ch 1, turn.

Neck and Shoulders: Work sl st in each of 8 (8-9) sts, work next 21 (22-23) sts for right side of back. Chain and turn, work to armhole edge. Work 1 sl st in each of 8 (8-9) sts, work to last 5 sts, ch and turn, work to armhole edge. Work 1 sl st in each of 8 (9-9) sts, fasten off. Skip the center 8 (10-12) sts of last complete row, join yarn, work shoulder and neck to correspond to first side.

LEFT FRONT: Chain 51 (55-61) to measure 11 (12-13) inches. Work crochet pat to 6 inches from beg. Inc 1 st at underarm edge on next row and rep inc at same edge every 2½ inches 3 times more. Work on 54 (58-64) sts to same length as back to armholes, ending at underarm edge.

Armhole: Work 1 sl st in each of 2 (3-4) sts, work to front edge. Dec 1 st at armhole edge every row 4 (5-6) times. Work on 48 (50-54) sts until armhole is 5½ (6-6½) inches, ending at front edge. Ch 1, turn.

Neck: Work 1 sl st in each of 12 (12-14) sts, work to end, ch and turn. Work to within 5 (6-6) sts of neck edge, ch and turn. Work 1 sl st in each of 3 sts, work to end, ch and turn. Work to within 2 sts of neck edge, ch and turn. Work 1 sl st in each of 2 sts, work to end. Work on 24 (25-27) sts to same length as back to shoulders. Shape shoulder to correspond.

Mark places for 4 buttons on front, first marker 6 inches above lower edge, 4th marker 1 inch below neck edge and other 2 spaced evenly between.


RIGHT FRONT: Work to correspond to left front, reversing all shaping and forming buttonholes opposite markers as follows: Beg at front edge, work 2 sts, ch 3, skip 3 sts, work 13 sts, ch 3,

skip 3 sts, work to end. On the next row, work pat st across the ch sts of buttonholes.

8 (9-10) inches. Work pat for 2 inches. Inc 1 st each side of next row and rep incs every 4th row 8 times, every 3rd row 3 times. Work on 60 (64-68) sts to 17 inches from beg, or desired length to underarms.

Shape Cap: Work 1 sl st in each of 2 (3-4) sts, work to last 2 (3-4) sts, ch and turn. Work 1 sl st in each of 3 sts, work to last 3 sts, ch and turn. Dec 1 st each side of next 10 (11-12) rows. Work 1 sl st in each of 3 sts, work to last 3 sts, ch and turn. Rep last row once. Work 1 sl st in each of 18 sts. Fasten off.

pocket FLAP (Make 2): Ch 25 (27-29) to measure 534 (6-61/4) inches for top edge. Work 7 rows pat; fasten off. Beg at foundation ch, work 1 row sc on sides and lower edge, spacing sts to keep edges flat, working 3 sc at each corner. Do not turn. Working from left to right, work 1 row backward sc, working 1 sc in each sc, 3 in each corner.



(continued on page 44)



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Wintuk Featherlon or Creme de Coquette (1-oz. skeins) 8 (10-12) MC and 1 CC

Needles: No. 4 and No. 5 OR SIZE TO GIVE GAUGE

8 buttons to match CC

GAUGE: 6 sts = 1 inch, 8 rows = 1 inch

FINISHED MEASUREMENTS

Bust 36 (40-44) inches

Back at shoulders 14 (15-16) inches

Sleeve at underarm 12½ (13-14) inches

NOTE: Entire blouse is worked in stockinette st (K 1 row, P 1 row), with the exception of belt and trim on tabs and pocket flaps.

BACK: With smaller needles and MC, cast on 108 (120-132) sts. Work 9 rows, ending with a K row. Knit next row on wrong side for hemline. Change to larger needles. Beg with a K row, work to 15 inches above hemline, or desired length to underarm.

Armholes: At beg of next 2 rows, bind off 6 (7-8) sts. Dec 1 st each side every 2nd row 6 (8-10) times. Work on 84 (90-96) sts until armholes are 7½ (8-8½) inches, ending with P row.

Neck and Shoulders: Bind off 6 (8-10) sts, work until there are 26 sts on needle; place center 20 (22-24) sts on holder; join 2nd ball of yarn, work to end. Use separate yarn for each side. Bind off 6 (8-10) sts, P to end. From side edges bind off 6 sts 3 times AND AT SAME TIME at neck edges, bind off 4 sts every 2nd row twice.

Neckband: With larger needles and CC from right side, pick up 40 (42-44) sts on neck edge, including sts on holder. Beg with a P row, work 8 rows stockinette st. Change to smaller needles. K next row for turning ridge. Beg with a K row, work 7 rows. Bind off loosely.

Pocket Flaps (Make 2): With larger needles and MC, cast on 24 sts. Knit 4 rows.

Row 5: K.

Row 6: K 3, P 18, K 3. Repeat last 2 rows to 2½ inches from beg. Break yarn and place sts on holder.

FRONT: Work same as back to 5 inches above hemline, end with a P row. Join pocket flap to front as follows: K 13 (15-17) sts; place sts for 1 pocket flap on spare needle, hold in front of left needle with wrong side of flap to K side of front, insert right needle thru 1 st on flap and next st on left needle, K these 2 sts tog. Continue across sts of flap in this way; K to within 37 (39-41) sts of end, join 2nd flap to front, K to end. Continue same as back until armholes are 5 (5½-6) inches, end with a P row.

Neck: K 36 (38-40) sts; place center 12 (14-16) sts on holder; join 2nd ball of yarn, work to end. Work each side with separate yarn. At neck edges bind off 3 sts every other row 4 times AND AT SAME TIME, when armholes are same length as back, shape shoulders to correspond.

Neckband: Work same as back, picking up 44 (46-48) sts.

SLEEVES: With smaller needles and CC, cast on 70 (72-74) sts. Work 9 rows,

end with K row. Knit next row for hemline. Change to larger needles. Work 1 inch. Break CC; join MC. Inc 1 st each side of next row and repeat incs every 4th row 2 (3-4) times.

Work on 76 (80-84) sts to 3½ inches above hemline or desired length to underarms.

Sleeve Cap: Bind off 6 (7-8) sts at beg of next 2 rows. Dec 1 st each side every 2nd row 16 (17-18) times. Bind off 2 sts at beg next 4 rows.

Shoulder tab

Row 1: K 24 sts.

Row 2: K 3, P 18, K 3. Rep these 2 rows until tab is 1 inch shorter than shoulder to CC, ending with wrong side row.

Rounded End

Rows 1 and 3: K 2, K 2 tog, K to last 4 sts, K 2 tog thru back loops, K 2.

Rows 2 and 4: K 2, K 2 tog, P to last 4 sts, K 2 tog, K 2.

Rows 5 and 6: Knit. Knitting all sts dec 1 st each side of next 2 rows. Bind off sts as to K.

FINISHING: Block pieces to measurements. Assemble, leaving shoulder tabs and 3 inches across top of shoulder free. Tack free edge of armhole to sleeve under tab. Turn hems and sew. Sew 3 buttons on each tab to hold in place and 1 on each pocket as shown.

Belt: With smaller needles and CC, cast on 10 sts. Work in garter stitch (K every row and always slipping the first st of every row as to K), for desired length. Block belt and draw under pocket tabs as shown.



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Mona (50-gr. balls) 13 (15-17) A

AND Matching Duet (50-gr. balls) 6 (7-8) B

Crochet Hook: Steel No. 0, OR SIZE TO GIVE GAUGE

Needles: No. 3 and No. 5 OR SIZE TO GIVE GAUGE

4 buttons

GAUGE:

Crochet Pattern Stitch—
5 sts = 1 inch, 9 rows = 2 inches

Knit Pattern Stitch—6 sts = 1 inch, 8 rows = 1 inch

FINISHED MEASUREMENTS

Jacket:

Bust (buttoned) 34 (38-42) inches Back at underarms 17 (19-21) inches Back at shoulders 14 (15-16) inches Sleeve at underarm 13½ (14-15) inches

Skirt:

Lower edge 57 (61-65) inches Waistline 26 (30-32) inches

Note: Jacket is worked in crochet pattern st given below. Skirt is worked in stockinette st (K 1 row, P 1 row).

Jacket

CROCHET PATTERN STITCH: Worked on a multiple of 2 sts plus 1.

Note: Carry yarn not in use loosely along edge of work.

Row 1 (right side): With A, work dc in 3rd ch from hook and in each ch to end. Ch 1, turn.

Row 2: With A, work sc in each dc. Draw B thru loop on hook (this forms ch 1), turn.

Row 3: With B, work sc in first sc, yo hook, insert hook from right to left behind 2nd dc of row below, yo hook, draw loop thru, complete dc (dc worked around dc), *skip sc over dc just worked, sc in next sc, skip dc under sc just worked, dc around next dc; rep from *, ending sc in last sc. Ch 1, turn.


Row 4: With B, work 1 sc in each sc and each dc. Draw A thru loop on hook, ch 1 (this forms ch 2), turn.

Row 5: With A, work dc in each sc, ch 1, turn.

Rep from Row 2 for pat, taking care to keep continuity when shaping.

To decrease 1 sc: Draw up a loop in each of 2 sts, yo and thru 3 loops on hook.

To decrease 1 dc: Yo hook, draw up a loop in st, draw up a loop in next st, yo and thru 2 loops, yo and thru 3 loops. To increase 1 sc or 1 dc: Work 2 sts in 1 st.



BACK: With A, chain 87 (97-107) to measure 17½ (18½-19½) inches. Work in pat st to 15 inches from beg, or desired length to underarms, ending with an sc row. Ch 1, turn.

Armholes: Work 1 sl st in each of 4 (6-8) sts, work to last 4 (6-8) sts, Ch 1, turn. Decrease 1 st each side of next row and rep decreases every sc row 2 (3-3) times more. Work on 71 (77-81) sts until armholes are 7 (8-8½) inches.

Shoulders and Neck—Rows 1 and 2: Work 1 sl st in each of 6 sts, work to last 6 sts, ch 1, turn.

Row 3: Work 1 sl st in each of 6 sts, work next 7 (8-10) sts, ch and turn. Row 4: Decrease 1 st, work to armhole edge.

Row 5: Work 1 sl st in each of 6 (7-9) sts. Fasten off.

2nd Side: Skip the center 21 (25-25) sts of last complete row. Join yarn and work 2nd side to correspond to first side.

to measure 10½ (11½-12½) inches. Work same as back to armhole, ending with an sc row.

Armhole: Shape as on back. Work on 44 (46-49) until armholes are 6 (6½-7) inches, ending at front edge with an sc row. Ch 1, turn.

Neck and Shoulder—Row 1: Work 1 sl st in each of 14 (15-16) sts, work to end.

Row 2: Work to within 2 sts of end. Ch 1, turn. Decrease 1 st at neck edge on next row and rep decrease at same edge every dc row 3 times more, shaping shoulder as on back when armhole is same length. Mark places for 4 buttons on front, first marker 2 inches above lower edge, 4th marker 2 inches below neck edge, other 2 spaced evenly between.

RIGHT FRONT: Work to correspond to left front, reversing all shaping and forming buttonholes opposite markers as follows: Beg at front edge, work 4 sts, ch 4, skip 4 sts, work to end. On the next row, work sc or dc (as pat requires) in each ch.

SLEEVES: With A, chain 53 (57-57) to measure $10\frac{1}{2}$ ($11\frac{1}{2}$ - $11\frac{1}{2}$) inches. Work pat, inc 1 st each side every 2 (2-1\frac{1}{2}) inches 8 (8-10) times. Work on 67 (71-75) sts to 17 inches from beg, or desired length to underarms, ending with an sc row.

Sleeve Cap: Work 1 sl st in each of 3 (4-5) sts, ch 3, work to last 3 (4-5) sts, ch 1, turn. Decrease 1 at each side of next row and rep decreases every row 16 (17-18) times more, ch 1, turn. Dec 2 sts each side of next 2 rows. Work 1 row even. Fasten off.

COLLAR: Chain 75 (79-83) to measure 15 (16-161/2) inches. Work pat for 15 rows. Fasten off.

FINISHING: Block pieces to measurements and assemble. With ends of collar 2½ inches from front edges of jacket, sew foundation chain of collar to neck edge. Turn collar in half to wrong side and sew collar edge to neck edge. With A from right side and beg at lower right front edge of jacket, work sc on front edge to neck edge, 3 sc at corner, sc in each st on neck edge to within 1 st of collar, draw up loop in next st and in side edge of collar (thru double thickness), work off as 1 st, continue sc on edges of collar thru double thickness with 3 sc at each corner and a decrease at joining at neck edge, continue sc row on neck, left front and lower edges of jacket with 3 sc at each corner. Join; fasten off. With B, work 1 row backward sc (from left to right) on fronts, neck edge and collar, not on lower edge. Work 1 row sc with A and 1 row backward sc with B on sleeves. Sew on buttons.

(continued on page 47)



Shown on left

Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Wintuk (2-oz. skeins) 5 (6-7) MC and 1 CC

Needles: Nos. 5 and 7 OR SIZE TO GIVE GAUGE

GAUGE: 5 sts = 1 inch, 6 rows = 1 inch

FINISHED MEASUREMENTS

st (K 1 row, P 1 row).

Bust 36 (40-44) inches
Back at shoulders 14 (15-16) inches
Sleeves at underarm 13 (14-15) inches
NOTE: Except for lower rib band, entire sweater is worked in stockinette

BACK: With smaller needles and CC, cast on 88 (96-108) sts. Rib in K 2, P 2 for 3 rows. Break CC; join MC. K 1 row. Rib as before for 19 rows. Drop MC, join CC. K 1 row, rib 3 rows. Break CC. Change to larger needles, pick up MC. K 1 row, inc 2 (4-2) sts each side. P 1 row. Work on 90 (100-110) sts to 15 inches from beg, or desired length to underarm.

Armholes: Bind off 5 (6-7) sts at beg next 2 rows. Dec 1 st each side every 2nd row 5 (7-8) times. Work on 70

(74-80) sts until armholes are 7½ (8-8½) inches.

Shoulders: At beg of next 4 rows, bind off 7 (8-8) sts; at beg of next 2 rows, bind off 7 (7-9) sts. Break MC.

Neckband: Change to smaller needles. Join CC and work 4 rows stockinette st on remaining 28 (28-30) sts. P next row for turning ridge. Beg with a P row, work 3 rows. Bind off loosely.

FRONT: Work same as back with 1 row less to armholes, ending with a K row.

Neck and Armholes: P 45 (50-55) sts, join 2nd ball of yarn and P last 45 (50-55) sts. Work each side with separate yarn, shape armholes as on back AND AT SAME TIME dec 1 st at neck edges on next row and rep decs every 4th row 10 (10-12) times; every 2nd row 3 (3-2) times, shaping shoulders as on back when armholes are same length.

Neckband: With smaller needles and CC, along left front neck edge, pick up 48 (52-56) sts, place marker on needle, pick up 2 sts at center, place marker on needle, pick up 48 (52-56) sts on right front neck edge.

Row 1: P to within 2 sts of marker, P 2 tog, sl marker, P 2, sl marker, P 2 tog, P to end.

Row 2: K, dec 1 st each side of 2 center sts.

Row 3: Same as Row 1.

Row 4: Purl for turning ridge.

Facing: Beg with a P row, inc 1 st each side of center sts every row 3 times. Bind off loosely.

SLEEVES: With smaller needles and MC, cast on 66 (70-74) sts. Work 5 rows, end with a K row. Knit next row for turning ridge. Change to larger needles. Beg with a K row, work to 4 inches above ridge, or desired length to underarm.

Sleeve Cap: Bind off 5 (6-7) sts at beg next 2 rows. Dec 1 st each side every 4th row 0 (1-2) times; every 2nd row 14 times. At beg next 4 rows, bind off 2 sts. Bind off remaining 20 sts.

FINISHING: Block pieces to measurements and assemble. Turn hems for sleeves and neckband to wrong side and sew.

Style No. 1013

Shown at right

Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Oasis (1-oz. skeins) 12 (14-16) MC and 1 each A, B and C for Tie

Crochet Hook: Size F OR SIZE TO GIVE GAUGE and Steel No. 0

4 buttons, neck zipper

GAUGE: 5 dc = 1 inch, 3 rows = 1 inch

ENTIRE BLOUSE IS WORKED IN DOUBLE CROCHET (dc). Beg each row with dc in first dc; end each row with dc in last dc. DO NOT COUNT TURNING CHAIN.

FINISHED MEASUREMENTS

Bust 34 (38-42) inches
Back at shoulders 14 (15-16) inches

BACK: Ch 87 (97-107) to measure 17½ (19½-21½) inches. Work dc in 3rd ch from hook and in each ch to end, ch 2, turn. Work 1 dc in each of 85 (95-105) dc, ch 2, turn. Rep last row to 14 inches from beg, or desired length to underarm, ending last row ch 1, turn.

Armholes: Row 1: Work 1 sl st in each of 4 (5-6) dc, ch 2, work pat to last 4 (5-6) dc, ch 2, turn. Row 2: Yo, draw up a loop in first dc, draw up a loop in next dc, yo and draw thru 3 loops, yo and draw thru 2 loops (decrease made), work to last 2 dc, decrease as before, ch 2, turn. Rep last row 2 (4-5) times. Work on 71 (75-81) dc until armholes are 2 (2½-3) inches.

Neck opening: Work 35 (37-40) dc, ch 2, turn and work this side only until armhole is 7 (7½-8) inches, ending at armhole edge, ch 1, turn.

Shoulder: Work 1 sl st in each of 8 dc, sc in each of next 8 dc, dc in each of next 8 (9-11) dc, fasten off, leaving remaining sts for back of neck. Beg on first row of neck opening, skip center dc and join yarn in next dc, ch 2 and work to correspond to other side, reversing all shaping.

FRONT: Work same as back until armholes measure 5 (5½-6) inches.

Neck: Work 28 (29-31) dc, ch 2, turn.

Dec 1 st, work to end. Repeat decrease at neck edge every row 3 times. Work on 24 (25-27) dc until armhole is same length as back. Shape shoulder to correspond. Join yarn in 28th (29th-31st) dc from other armhole edge. Ch 2 and work 2nd side, to correspond to first side, reversing shaping.

FINISHING: Block pieces to measurement and assemble. From right side, work 1 row sc around back opening. Sew in zipper. Collar: Mark dc at center front of neck. From wrong side, beg at right edge of back neck opening, work 38 (39-40) dc to marker, ch 2, turn. Work pat for 3 inches. Fasten off. Skip center dc, join yarn in next dc and work other half of collar to correspond. With No. 0 hook and MC from right side work 1 row sc around armholes, holding to desired fit. Join, do not turn. Working from left to right, work 1 row backward sc. Join, fasten off. Work same edge on edges of collar. Steam collar and fasten each point with button, as shown.

(TIE on page 44)



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Mona (50-gr. balls) 11 (13-15)

Needles: No. 4 and No. 5 OR SIZE TO GIVE GAUGE

GAUGE: 6 sts = 1 inch, 8 rows = 1 inch

FINISHED MEASUREMENTS

Skirt—Waistline 27 (31-35) inches
Hipline 35 (39-43) inches
Width at lower edge 46 (50-54) inches

Blouse—Bust 36 (40-44) inches

Back at shoulders 14 (15-16) inches

Sleeve at underarm 14 (15-16)
inches

NOTE: Skirt is planned for 22 inches. Make any changes before first decrease. Keep continuity of pattern when shaping blouse.

skirt back: With No. 4 needles, cast on 138 (150-162). Work stockinette st (K 1 row, P 1 row) for 1½ inches, end with a K row. Knit next row for hemline. Change to No. 5 needles. Beg with a K row, work to 2 inches above hemline, end with a K row.

Next row: P 42 (45-48), place marker on needle, P 54 (60-66), place marker on needle, P 42 (45-48). Slip markers every row. Dec row: * K to 2 sts before first marker, K 2 tog thru back, sl marker, K 2 tog, rep from * once, K to end. Rep dec row every 2 inches 7 times more. Work 2 inches on 106 (118-130), end with a P row, Next row: K 1, K 2 tog, dec at markers as before, K to last 3 sts, K 2 tog, K 1. (6 sts dec). Rep last dec row every 1 inch 3 times more. Work on 82 (94-106) to 22 inches above hemline, or desired length, end with a K row. Knit next row for facing ridge. Work 1 inch. Bind off loosely.

FRONT: Work same as back.

BLOUSE BACK: With No. 4 needles, cast on 108 (120-132). Beg with a K row, work 14 rows stockinette st.

Eyelet Row: K 2, * yo, K 2 tog, rep from * to end. Next row: P, working each yo as a stitch. Work 6 rows. Rep eyelet row, P back. Work 6 rows. Change to larger needles.

Rib Pattern—Row 1: P 0 (6-12), * K 12, P 12, rep from *, end last rep, K 0 (6-12) sts.

Row 2: Knit the K sts, Purl the P sts. Rep these 2 rows for pat. Work to 13 inches from beg of rib pat, or desired length to underarm.

Armholes: Bind off 6 (7-8) sts beg of next 2 rows. Dec 1 st each side every 2nd row 6 (8-10) times. Work on 84 (90-96) until armholes are 7½ (8-8½) inches.

Shoulders: Bind off 7 (7-8) at beg next 4 rows; 7 (8-8) sts beg next 4 rows. Bind off 28 (30-32) sts.

FRONT: Work same as back to 10 inches from beg of rib pat. Center Opening: Work pat across 48 (54-60) sts, join 2nd ball of yarn, bind off center 12 sts, work to end. Keeping center edges straight, work each side with separate yarn. Work same as back until armholes are 6 (6½-7) inches.

Neck: At each neck edge, bind off 2 (3-4) once and dec 1 st every 2nd row 6 times AND AT SAME TIME, when armholes measure same as back, shape shoulders to correspond.

SLEEVES: With No. 4 needles, cast on 78 (84-90). Work band same as back. Change to No. 5 needles. Next row: K 0 (0-3), P 9 (12-12), K 12, * P 12, K 12; rep from * once, P 9 (12-12), K 0 (0-3). Work in established pat to 2 inches from beg of rib pat, or desired length to underarm.

Sleeve Cap: Bind off 6 (7-8) sts beg next 2 rows. Dec 1 st each side every 2nd row 15 (17-19) times. Bind off 2 sts beg next 6 rows. Bind off 24 sts. LEFT FRONT BAND: With smaller needles, from right side and beg at neck edge, pick up 54 (57-60) sts along left front opening. Beg with a P row, work 5 rows. Work eyelet row, P back, work 6 rows, eyelet row, P back. Work 14 rows stockinette st. Bind off loosely.

RIGHT FRONT BAND: Beg at lower edge, pick up and work same as left band for 5 rows, end with a P row. Next row: (Buttonholes) K 14 (13-14) sts, work eyelets over next 14 sts. *bind off 2 sts, not counting last st on right needle, work eyelets over next 7 (9-10) sts, rep from * once, bind off 2 sts, yo, K 2 tog, K 1. On next row, cast on 2 sts over bound-off sts and be sure to end with original number of sts. Work to correspond to right band, keeping 14 (13-14) at lower edge in stockinette st. After working 2nd eyelet pat, P back, Work 6 rows. On next 2 rows work buttonholes as before (on next K and P rows), work 6 rows and bind off.

FINISHING: Block pieces to measurements. Turn left front band along 2nd eyelet row to wrong side and sew. Blind stitch open ends. Hem right band and sew ends. Sew lower edge of right band to center bound-off sts. Tack lower edge of left band in place under right band. With a tapestry needle and double strand of yarn, work a running stitch around four sides of a square at lower edge of front bands, working thru all thicknesses of both bands across the top. Then work diagonally from corner to corner (see diagram). Finish with french knot at center. Overcast buttonholes. Seam shoulders.

Collar: With No. 4 needles, from wrong side, beg at inner edge of band, pick up 82 (86-90) sts around neck edge, end at inner edge of opposite band. Work same as left band. Turn and hem. Finish ends. Assemble blouse. Turn and sew hems at lower edge and sleeves. Lightly block facings. Sew on buttons.



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Oasis (1-oz. skeins) 12 (14-16)

Crochet Hook: Size E OR SIZE TO GIVE GAUGE

6 buttons, grosgrain ribbon

GAUGE: 6 sts = 1 inch, 5 rows = 2 inches

FINISHED MEASUREMENTS

Bust 34 (38-42) inches Sleeve at underarm 12 (13-14) inches

PATTERN STITCH NO. 1

Row 1: Work 1 dc in each dc. Ch 2, turn. Rep Row 1 for Pat No. 1.

PATTERN STITCH NO. 2: Work on a multiple of 2 sts, plus 1.

Row 1 (wrong side): Work dc in first dc, *ch 1, skip 1 dc, dc in next dc; rep from * to end. Ch 2, turn.

Row 2: Yo, draw up a loop in first ch-1 sp, *yo and thru 2 loops, yo, draw up a loop in next ch-1 sp, yo and thru 2 loops, yo and thru 3 loops, ch 1, yo, draw up a loop in same ch-1 sp as last st; rep from *, ending yo, draw up a loop in last ch-1 sp, yo and thru 2 loops, yo and thru 3 loops, ch 1, dc in last dc. Ch 2, turn.

Row 3: Dc in first dc, ch 1, skip ch-1 of row below, *dc in next st, ch 1; rep from *, ending ch 1, dc under turning ch. Ch 2, turn. Rep Rows 2 and 3 for Pat No. 2, taking care to keep continuity of pat when shaping.

Note: Do not count turning ch as a st.

To decrease 1 dc: Yo, draw up a loop in dc, draw up a loop in next dc, yo and thru 2 loops, yo and thru 3 loops.

BACK: Chain 105 (117-129) to measure 17½ (19½-21½) inches. Work 1 dc in 3rd ch from hook and in each ch to end (103-115-127 dc). Ch 2, turn. Work Pat No. 1 for 3 rows. Work Pat No. 2 to 15 inches from beg, or desired length to underarms, ending with Pat Row 2. Ch 2, turn.

Ragian Armholes—Row 1: Dc in first dc, ch 1, skip ch 1, first st and next ch-1, dc in next st, *ch 1, dc in next st; rep from * to last st, ch 1, skip last st, dc in top of turning ch-2. Ch 2, turn.

Row 2: Skip first ch-1 sp, yo, draw up loop in next ch-1 sp, yo and thru

2 loops, yo, draw up loop in next ch-1 sp, yo and thru 2 loops, yo and thru 3 loops, continue pat to 2nd ch-1 sp from end, yo and thru 2 loops, yo and thru 3 loops, skip last ch-1 sp, dc under turning ch-2. Ch 2, turn.

Rep last 2 rows until there are 19 (21-23) rows on armhole. There are 27 (31-35) sts for back of neck. Fasten off.

FRONT: Work same as back to 14 inches from beg, or 1 inch less than back to beg of raglan armholes, ending with Pat Row 3.

Divide for right and left front sections as follows.

Right Front Section with Yoke: Beg at underarm edge, work Pat No. 2 over 39 (45-51) sts, then work 1 dc in each dc and each ch-1 sp until there are 24 dc. Ch 1, turn, leaving remaining sts for left front section. Keeping the 24 sts at front edge in Pat No. 1 and remaining sts in Pat No. 2, work to same length as back to raglan armholes.

Note: Work 3 buttonholes in right front yoke (the first when yoke measures 1 inch from beg, 2nd 2½ inches above first, 3rd 2½ inches above 2nd) as follows—Beg at front edge, work 4 dc, ch 2, skip 2 dc, work to end. On next row, work 1 dc in each ch.

Ragian Armhole and Neck: Shape armhole same as left side of back AND AT SAME TIME, when piece measures 19 (20-21) inches from beg (measure at center front) ending at armhole edge, work to last 19 (21-23) dc. Ch 1, turn. Continue to decrease for armhole as on back AND AT SAME TIME decrease 1 st at neck edge every row 3 times, then keep neck edge even. There are 3 sts left for neck. Fasten off.

LEFT FRONT SECTION: Chain 14, work 1 dc in 3rd ch from hook and in each ch to end, then continue Pat Row 2 across sts of left front section. Keeping 8 sts at front edge in Pat No. 1 and remaining 44 (50-56) in Pat No. 2, work to correspond to right front section to beginning of neck, omitting buttonholes. Continue to shape armhole as on right front and, for neck, leave off 8 (10-12) sts from front edge once for underlap. Decrease 1 st at neck edge every row 3 times. Complete to correspond to right front. There are 3 sts left for neck.

SLEEVES: Chain 59 (65-71) to measure 10 (11-12) inches. Work 1 dc in 3rd ch from hook and in each ch to end. Ch 2, turn, Work Pat No. 1 on 57 (63-69) dc for 1 row.

Row 3: Dc in first dc, ch 1, dc in same dc, *ch 1, skip 1 dc, dc in next dc; rep from *, ending dc in last dc, ch 1, dc in same dc. Ch 2, turn.

Row 4: Work Row 2 of Pat No. 2.

Row 5: Dc in first dc, ch 1, dc in same dc, ch 1, skip ch-1 of row below, *dc in next st, ch 1; rep from * ending (ch 1, dc in turning ch) twice. Rep last 2 rows twice, then rep Row 4 once more. There are 73 (79-85) sts.

Ragian Cap—Row 1: Same as Row 1 of ragian armholes of back. Ch 2, turn.

Row 2: Dc in first dc, skip first ch-1 sp, yo, draw up loop in next ch-1 sp, yo and thru 2 loops, yo, draw up loop in next ch-1 sp, yo and thru 2 loops, yo and thru 3 loops, continue pat to 2nd ch-1 sp from end, yo, draw up loop in this sp, yo and thru 2 loops, yo, thru 3 loops, skip last space, dc in last dc, ch 1, dc under turning ch. Ch 2, turn.

Row 3: Skip first dc, ch-1 and 2nd dc, *dc in next st, ch 1; rep from * to last st, skip last st and last dc, dc in top of turning ch. Continue to decrease 3 sts each side as in last 2 rows until same number of rows as on raglan armholes (15 sts remain). Fasten off.

FINISHING: Block pieces to measurements. Sew sleeve caps to back and front armholes, sew underarm and sleeve seams. From right side, work 1 row sc on front and straight neck edge of right front yoke and underlap of left front.

Collar: Beg at first neck dec on right side of front, work 1 row sc around neck edge, spacing sts to keep edge flat and neck to desired size, ending at first neck dec of left side. Ch 2, turn. Work Pat No. 1 for 7 rows. Fasten off. From right side, work 1 row sc on all edges with 3 sc at outside corners.

Face underlap with grosgrain, sew buttons in place. Button the yoke and mark places for 3 buttons at same distance from right edge of yoke as buttons at left edge. Sew buttons at markers. Close neck edge with snap fastener.



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Wintuk Featherlon (1-oz. skeins)

For Sweater 2 (3-4) MC and 2 each of 6 colors

For Beret 2 MC

Needles: No. 5 OR SIZE TO GIVE GAUGE and 1 set dp No. 3

For Beret, 1 set dp No. 5

Belt buckle

GAUGE: 6 sts = 1 inch 8 rows = 1 inch

FINISHED MEASUREMENTS

Bust 36 (40-44) inches

Back above armhole shaping 15 (16-17) inches

Sleeve at underarm 13 (14-15) inches Sleeve length to underarm 16½ inches

NOTE: Entire sweater is worked in stockinette st (K 1 row, P 1 row). Break yarn when each color stripe is completed.

colors, 8 rows MC, 8 rows each 6 colors, 4 rows MC, rep from *.

BACK: With No. 5 needles and MC, cast on 108 (120-132) sts. Work 16 rows. Beg color sequence and work to 16½ inches from beg, end with 8 rows MC.

Armholes: Bind off 6 (7-8) sts at beg next 2 rows. Dec 1 st each side every 2nd row 3 (5-7) times. Work on 90 (96-102) sts until armholes are 5½ (6-6½) inches.

Shoulders: Bind off 6 sts at beg next 4 rows; 6 (7-7) sts at beg next 6 rows.

Place remaining 30 (30-36) sts on holder.

FRONT: Work same as back until 1 row less to shoulders, end with a K row.

Neck and shoulders: P 39 (42-42) sts, place center 12 (12-18) sts on holder, join 2nd ball of yarn, P last 39 (42-42) sts. Work each side with separate yarn, shape shoulders as back AND AT SAME TIME, bind off 3 sts at neck edges every 2nd row 3 times.

RIGHT SLEEVE: With dp needles and MC, cast on 50 (54-58) sts. With 2 dp needles, work stockinette st to 4 inches. (2 inches when hemmed.) Change to larger needles. Beg color sequence, inc 4 (6-8) sts evenly spaced on first row. Inc 1 st each side every 1 inch 12 times. Work on 78 (84-90) sts to 18½ inches from beg, ending with same stripe as on body.

Sleeve Cap: Keeping continuity of color sequence, bind off 6 (7-8) sts at beg next 2 rows. Dec 1 st each side every 2nd row 14 (16-18) times. Bind off 3 sts at beg next 6 rows. Continue on 18 sts for 5 $(5\frac{1}{2}-5\frac{1}{2})$ inches, end with P row. Bind off 6 sts at beg next 3 K rows.

LEFT SLEEVE: Work same at Right Sleeve, binding off saddle shoulder at beg of 3 P rows.

FINISHING: Block pieces to measurements. Seam saddles holding in extra fullness to front and back shoulders, sleeve caps to armholes. Seam sleeves and sides. Turn MC stripes at lower edge of body and sleeves in half to wrong side and hem. Neck Rib: With dp needles and MC, from right side beg at back of neck, including sts on holders, pick up 100 (104-108) sts around neck. Mark for beg of rnds. Join. Work around in K 1, P 1 for 2 inches. Bind off loosely in rib. Turn in half to wrong side and sew bound-off edge loosely to neck edge.

BELT: With larger needles and MC, cast on 9 sts.

Row 1: K, inc 1 st in each st.

Row 2: *K 1, bring yarn to front, sl 1 as to P, take yarn to back; rep from * to end. Rep Row 2 for desired length. Bind off, knitting 2 sts tog across row. Sew on buckle.

BERET: With No. 5 dp needles and MC, cast on 126 sts, divided on 3 needles. Mark to indicate beg of rnds. Join, being careful not to twist sts. Rib in K 1, P 1 for 1 inch.

Rnd 1: *K 6, inc in next st, rep from * around. (144 sts).

Rnd 2: *K 12, place marker on needle, rep from * around. (12 sections). Slip markers every row.

Rnd 3: *K to 1 st before marker, inc in next st, rep from * around. (12 st inc).

Rnds 4, 5 and 6: Knit. Rep last 4 rnds 5 times. (216 sts, 18 st each section).

Shape Top: K 2 rnds.

Next Rnd: *K to 2 sts before marker, K 2 tog, rep from *. (12 decs). K 2 rnds. Rep last 3 rnds 15 times. (24 sts).

Next rnd: K 2 tog around. Break yarn leaving long end. Thread thru tapestry needle and draw thru 12 sts. Draw up tightly and fasten off on wrong side. Block.



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Wintuk Featherlon (1-oz. skeins) 17 (19-21) MC and 1 skein CC

Needles: No. 5 both straight and circular OR SIZE TO GIVE GAUGE Aluminum crochet hook size F

GAUGE: 6 sts = 1 inch,
8 rows = 1 inch
3 buttons, neck zipper

FINISHED MEASUREMENTS:

Bust 34½ (38½-42½) inches
Back at Shoulders 14 (15-16) inches
Waist 26½ (30½-34½) inches
Hipline (10 inches below waist) 36
(40-44) inches

Sleeves at underarm 12 (13-14) inches

PURL SIDE IS RIGHT SIDE. Dress is planned for 21 inches to waistline. Make any changes in length before first dec rnd.

With circular needle and MC, cast on 216 (240-264) sts. Place marker on needle to indicate beg of rnds. Join, being careful not to twist sts on needle. Slip marker every rnd. K 1 inch. Hemline Rnd: K thru back loop of sts. Knit until 11 inches from beg. First Dec Rnd: * K 25 (28-31) sts, K 2 tog, rep from * 7 times (8 decs). K 2 inches even. 2nd Dec Rnd: *K 24 (27-30) sts, K 2 tog, rep from * 7 times. Continue to dec 8 sts every 2 inches (having 1 less st between decs each dec rnd) 3 times more; every 1 inch twice. Work on 160 (184-208) sts to 21 inches from hem, or desired length to waistline and mark. Work 1 inch even. First Inc Rnd: * K 19 (22-25) sts, inc 1 st in next st, rep from * 7 times. Rep inc rnd (having 1 st more between incs each inc rnd) every 1 inch 5 times. Work on 208 (232-256) sts to 7 (7½-8) inches above waistline, or desired length to underarms. Remove marker. Change to straight needles. Work back and forth in stockinette st (K 1 row, P 1 row) as follows: BACK ARMHOLES: Bind off 4 (5-6) sts, K until there are 100 (111-122) sts on needle (leaving remaining sts on circular needle for Front). Turn, bind off 4 (5-6) sts, P to end. Bind off 2 sts at beg next 4 rows. Dec 1 st each side every K row 2 (4-6) times AND AT SAME TIME, when armholes are 1 (1-11/2) inches, divide at center for back opening, working each side with a separate ball of yarn. Work on 42

(45-48) sts each side until armholes are 7 $(7\frac{1}{2}-8)$ inches.

Shoulders: Bind off 6 (8-10) sts from armhole edges once; 6 sts 3 times. Bind off remaining 18 (19-20) sts each side for back of neck.

FRONT: Join yarn at left underarm edge. Beg with a K row shape armholes as on back. Work on 84 (90-96) sts until armholes are 5 (5½-6) inches, ending with P row.

Neck: K 32 (35-38) sts; join 2nd ball yarn, bind off 20 center sts, K to end. Working each side with separate yarn, at neck edges bind off 3 sts twice; dec 1 st every K row 2 (3-4) times, shaping shoulders as on back, when armholes are same length.

SLEEVES: With straight needles and MC, cast on 72 (78-84) sts. Work in stockinette st to 5 inches from beg, or desired length to underarm. **Cap:** Bind off 4 (5-6) sts at beg next 2 rows. Dec 1 st each side every K row 19 (21-23) times; bind off 2 sts at beg next 4 rows. Bind off remaining 18 sts.

TAB: With straight needles and MC, cast on 18 sts. Work in stockinette st for 7 (7½-8) inches. Bind off 3 sts at beg next 4 rows. Bind off remaining 6 sts.

POCKET: With straight needles and MC, cast on 30 sts. Work in stockinette st for 4 inches. Bind off.

FINISHING: Block pieces to measurements and assemble dress with Purl side as right side. Turn hem at hemline and sew. With MC, work 1 row sc around back opening and on 2 short and 1 long side of pocket.

TRIM: A long sc is made by inserting hook 4 rows down (between 2 sts) and drawing loop loosely to edge of work, yarn over and thru both loops. Picot is made after working sc by ch 3, sl st in top of sc.

Work trim along top of pocket (edge without sc) from P side as follows: join CC at corner. Work long sc between crochet edge at side and next st, * picot, ch 1, skip 2 sts, long sc, ch 1, skip 2 sts, long sc, rep from * to end. Work same edging around sleeves, neck and tab, keeping long sc's even around curved edges. Blind st straight end of tab to neckline and fasten down with 3 buttons as shown. Sew pocket on as desired.



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

skeins) 16 (20-24) for Dress AND Allround Wash Fit® or Wintuk Sport (2-oz. skeins) 8 for Stole

Long placket zipper, snap fasteners for Dress

Crochet Hooks: For Dress—Size E OR SIZE TO GIVE GAUGE

For Stole—Size F OR SIZE TO GIVE GAUGE

GAUGE: Dress—4 rows = 1 inch, 11 sts = 2 inches Stole—1 motif = 2½ inches

FINISHED MEASUREMENTS

Bust 34 (38-42) inches Waistline 30 (34-38) inches Lower Edge 38 (42-46) inches Stole approx. 20 x 60 inches

PATTERN STITCH FOR DRESS

Note: Do not count turning ch as a st.

Row 1: Work dc in 3rd ch from hook and in each ch to end. Ch 2, turn.

Row 2: Work dc in each dc. Ch 1, turn.

Row 3: Work sc in each dc. Ch 1, turn.

Row 4: Work sc in each sc. Ch 2, turn.

Row 5: Work dc in each sc. Ch 2, turn.

Rep last 4 rows for pat.

To decrease 1 dc: Yo, draw up a loop in st, draw up a loop in next st, yo and thru 2 loops, yo and thru 3 loops.

To decrease 1 sc: Draw up a loop in each of 2 sts, yo and thru 3 loops.

To inc 1 st: Work 2 sts in pat in 1 st.

Dress

Length is planned for 22 inches to waistline, 29½ (30-30½) to underarm. Make any adjustment in length of skirt by working more or fewer inches between dec rows.

BACK: Chain 108 (118-130) to measure 19½ (21½-23½) inches.

Work on 106 (116-128) sts for 5 inches. Decrease 1 st each side of next row and rep decreases every 5 inches twice more, every 1½ inches 3 times. Work on 94 (104-116) sts to 22 inches from beg, or desired length to

waistline and mark. Work even for 1 inch. Inc 1 st each side of next row and rep incs every 1½ inches 3 times more, Work on 102 (112-124) sts to 7½ (8-8½) inches above marker, or desired length to underarms.

Armholes and Neck—Row 1: Work 1 sl st in each of 6 (6-7) sts, work to last 6 (6-7) sts, ch and turn.

Row 2: Work 1 sl st in each of 4 sts, work to last 4 sts, ch and turn. Decrease 2 sts each side every 2nd row 7 (8-9) times.

First Side—Row 1: Decrease 1 st, work 18 (21-24) sts, ch and turn. Continue to work on this side only.

Row 2: Work 1 sl st in each of 3 (3-5) sts, work to end of row, ch and turn.

Row 3: Decrease 1 st, work to last 2 sts, ch and turn.

Row 4: Work 1 sl st in each of 2 sts, work to end, ch and turn. Decrease 1 st at neck edge on next 0 (2-3) rows. If necessary, work even on 10 (11-13) sts until armholes are 7 (7½-8) inches, ending at armhole edge.

Shoulder: Work 1 sl st in each of 5 (5-6) sts, work to end, ch and turn. Work to last sl st of last row, work 1 sl st in next st. Fasten off.

2nd Side: Skip the center 14 sts of last complete row. Join yarn, decrease 1 st and work last 18 (21-24) sts. Complete 2nd side to correspond to first side.

FRONT: Chain 116 (126-138) to measure 21 (23-25) inches. Work pat on 114 (124-136) sts for 3 inches. Decrease 1 st each side of next row and rep decreases every 3 inches 3 times, every 1 inch 7 times. Work on 92 (102-114) sts to same length as back to waistline and mark. Work even for 1½ inches, ending with 2 dc rows.

Bust darts: At end of last row, ch 12.

Next row: Work sc in 2nd ch from hook and in each of next 10 ch (11 sc), sc in each dc of row below; drop yarn, attach a short end of yarn to top of last st of last dc row, ch 11, fasten off short end. With original yarn, work 1 sc in each of 11 ch. Continue pat, decreasing 1 st each side every 2nd row 12 times. Work on 90 (100-112) to $8\frac{1}{2}$ (9-9\frac{1}{2}) inches above waistline marker, or 1 inch longer than back to underarms.

Armholes—Row 1: Work 1 sl st in each of 8 (8-9) sts, work to last 8 (8-9) sts.


Row 2: Work 1 sl st in each of 5 sts, work to last 5 sts.

Row 3: Work 1 sl st in each of 2 (3-4) sts, work to last 2 (3-4) sts. Decrease 2 sts each side every 2nd row 3 times. Dec 1 st each side every 2nd row twice. There are 44 (52-60) sts.


Neck—Row 1: Work 17 (21-24) sts. Ch and turn.

Row 2: Work 1 sl st in each of 3 (4-5) sts, work to end. Dec 2 sts at neck edge every 2nd row twice. Dec 1 st at neck edge every 2nd row 1 (2-2) times. Work on 10 (11-13) sts until armhole is 7 (7½-8) inches, then shape shoulder to correspond to back shoulder. 2nd Side: Skip the center 10 (10-12) sts of last complete row. Join yarn and work last 17 (21-24) sts. Complete to correspond to first side.

FINISHING: Block pieces. Sew bustline darts and vertical waistline darts as shown in diagram. Sew side seams, leaving left side open from 2½ (3-3½) inches below armhole to desired length below waistline for zipper. Sew in zipper. Sew right shoulder seam. From right side, work 1 row sc on all edges, holding neck and armholes to desired size. From right side, work 1 row backward sc (working from left to right) around armholes and neck. Sew snap fasteners on left shoulder to close.



(continued on page 43)



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Allround Wash Fit® or Wintuk Sport (2-oz. skeins) 3 (4-5)
Needles: No. 5 OR SIZE TO GIVE GAUGE and 1 set each dp No. 3 and No. 5

Crochet Hook: Size 2

GAUGE: Pattern No. 2

8 sts = 1 inch,

8 rows = 1 inch

FINISHED MEASUREMENTS

Bust 35 (39½-44) inches

Back at shoulders 14½ (15½-16½) inches

PATTERN NO. 1: Worked on a multiple of 6 sts plus 2.

Row 1 (right side): K 2, *P 4, K 2; rep from * to end.

Row 2: P 2, *K 4, P 2; rep from * to end.

Rep these 2 rows for Pat No. 1.

PATTERN NO. 2: Worked on a multiple of 6 sts plus 2.

Row 1 (right side): K 1, *place next st on a dp needle, hold at front of work, P next 2 sts, K st from dp needle, place next 2 sts on dp needle, hold at back of work, K next st, P 2 from dp needle; rep from *, end K 1.

Rows 2 and 4: P 1, K 2, *P 2, K 4; rep from *, end last rep K 2, P 1.

Row 3: K 1, P 2, *K 2, P 4; rep from *, end last rep P 2, K 1.

Row 5: K 1, *place next 2 sts on dp needle, hold at back, K next st, P 2 from dp needle, place next st on dp needle, hold at front, P 2, K st from dp needle; rep from *, end K 1.

Row 6: P 2, *K 4, P 2; rep from * to end.

Row 7: K 2, *P 4, K 2; rep from * to end.

Row 8: Same as Row 6.

Rep these 8 rows for Pat No. 2, taking care to keep continuity of pat when shaping.

BACK: Cast on 140 (158-176). Work Pat No. 1 for 11 (11½-12) inches. Change to Pat No. 2 and work to 15 inches from beg, or desired length to underarms.

Armholes: Bind off 8 (10-12) at beg of next 2 rows. Dec 1 st each side every 2nd row 4 (7-10) times. Work on 116 (124-132) until armholes are 7 (7½-8) inches.

Neck and Shoulders: Work 46 (50-54), place center 24 sts on a holder, join a 2nd ball yarn, work to end. Work each side with separate yarn. Bind off from armhole edges 4 sts 7 (8-9) times AND AT SAME TIME bind off from neck edges 3 sts 6 times.

FRONT: Work same as back until armholes are $5 (5\frac{1}{2}-6)$ inches.

Neck and Shoulders: Work 48 (52-56), place center 20 sts on a holder, join 2nd ball yarn, work to end. Work each side with separate yarn. Bind off 2 sts from neck edges 10 times AND shape shoulders as on back when armholes are same length.


FINISHING: Block pieces to measurements and assemble.

Turtle Neckband: With No. 3 dp needles from right side, pick up 126 sts around neck edge, including sts on holders. Join.

Rnd 1: *K 4, P 2; rep from * around. Rep this rnd for 3 inches. Change to No. 5 dp needles, continue pat for 3 inches more. Bind off in pat. Turn band in half to right side.

Armhole Band: From right side with No. 3 dp needles and beg at underarm seam, pick up 120 (132-144) around armhole. Join.

Rnd 1: K 2, P 4; rep from * around. Rep this rnd for 1 inch. Bind off in pat. From right side, work 1 row sc over bound-off edge, holding to desired fit. Join, ch 1, do not turn. Working from left to right, work 1 row backward sc. Join; fasten off.



Size approximately 60 inches square without fringe

MATERIALS

SPINNERIN Duet (1-oz. balls) 20 balls Crochet Hook Aluminum Size F OR SIZE TO GIVE GAUGE

GAUGE: 2 pats = 3 inches

PATTERN STITCH: Worked on a multiple of 6 chains plus 2.

Chain 248 to measure 61 inches.

Row 1: Ch 9 more, sl st in 10th ch from hook, sl st in next ch, ch 9, sl st in same ch as last sl st, *ch 5, skip 4 ch, sl st in next ch, ch 9, sl st in same ch as last sl st, sl st in next ch, ch 9, sl st in same ch as last sl st; rep from * to end. Ch 5, turn.

Row 2: Sc in ch-9 loop, *ch 4, sc in each of next 2 ch-9 loops; rep from *, ending ch 4, sc in last loop. Ch 9, turn.

Row 3: SI st in first sc, *ch 5, sI st in next sc, ch 9, sI st in same sc as last sI st, sI st in next sc, ch 9, sI st in same sc as last sI st, rep from *, ending ch 5, sI st in last sc, ch 9, sI st in same sc as last sI st. Ch 5, turn.

Row 4: Sc in each of first 2 loops, *ch 4 sc in each of next 2 loops; rep from * to end. Ch 9, turn.


Row 5: SI st in first sc, sI st in next sc, ch 9, sI st in same sc as last sI st, *ch 5, sI st in next sc, ch 9, sI st in same sc as last sI st, sI st in next sc, ch 9, sI st in same sc as last sI st; rep from * to end. Ch 5, turn.

Rep from Row 2 for pat.

Work pat to 60 inches from beg, ending with Pat Row 2 or 4. Do not fasten off.

finishing—Rnd 1: With right side of foundation ch as right side, work so around stole with 5 so under side chains and 1 so in joinings, 4 so under top and bottom chains and 1 so in each so. Join with a sl st. Do not turn. Rnd 2: Work 1 so in each so. Join; fasten off.

FRINGE: Cut strands of yarn 6 inches long, or double desired length. From right side, knot 3 strands in every 2nd sc. Trim evenly.





Directions are for small size. Changes for medium and large sizes are in parenthes

MATERIALS

SPINNERIN Mona (50-gr. balls) 6 (7-8)

Needles: No. 4 OR SIZE TO GIVE GAUGE and 1 set dp No. 3

GAUGE (Blocked): Pattern St. No. 2
7 sts = 1 inch,
9 rows = 1 inch

FINISHED MEASUREMENTS

Bust 34 (38-42) inches

Back at shoulders 13½ (14½-15½) inches

Sleeve at underarm 13 (14-15) inches

PATTERN NO. 1: Worked on multiple of 7 sts plus 2.

Row 1 (right side): K 1, P 1, *K 5, P 2; rep from *, ending last rep P 1, K 1.

Row 2: P 1, K 1, *P 5, K 2; rep from *, ending last rep P 5, K 1, P 1. Rep these 2 rows for Pat No. 1.

PATTERN NO. 2: Worked on multiple of 7 sts plus 2.

Row 1 (right side): K 1, P 1, *yo, sl 1 as to P, K 1, psso, K 1, K 2 tog, yo (wrap yarn around needle), P 2; rep from *, ending last rep yo, P 1, K 1.

Row 2: P 1, K 1, *P 5, K 2; rep from *, ending last rep K 1, P 1.

Row 3: K 1, P 1, *K 1, yo, sl 2, K 1, pass 2 sl sts over K 1, yo, K 1, P 2; rep from *, ending last rep P 1, K 1.

Row 4: P 1, K 3, *P 1, K 6; rep from *, ending last rep P 1, K 3, P 1.

Row 5: K 1, P 3, *K 1, P 6; rep from *, ending last rep K 1, P 3, K 1.

Row 6: Same as Row 4.

Rows 7, 9 and 11: K 1, P 1, *K 5, P 2; rep from *, ending last rep K 5, P 1, K 1.

Rows 8, 10 and 12: P 1, K 1, *P 5, K 2; rep from *, ending last rep P 5, K 1, P 1.

Rep these 12 rows for Pat No. 2.

NOTE: Entire blouse (except neck facing of stockinette st) is worked in pat sts. Take care to keep continuity of pat when shaping.

BACK: With No. 4 needles, cast on 121 (135-149). Work Pat No. 1 for 12½ (13-13½) inches, or 2½ inches less than desired length to underarms. Change to Pat No. 2; work to 15 (15½-16) inches from beg, ending on wrong side.

Armholes: Bind off 7 sts at beg of next 2 rows. Dec 1 st each side every 2nd row 6 (10-14) times. Work on 95 (101-107) until armholes are 7 (7½-8) inches.

Neck and Shoulders: Work 38 (40-42), place center 19 (21-23) on a holder, join 2nd ball yarn, work to end. Work each side with separate yarn. Bind off 5 sts from neck edges every 2nd row 3 times AND AT SAME TIME, when armholes are 7½ (8-8½) inches, bind off 6 sts from armhole edges 3 times, 5 (7-9) sts once.

FRONT: Work same as back until armholes are $5\frac{1}{2}$ (6-6\frac{1}{2}) inches.


Neck and Shoulders: Work 40 (42-44), place center 15 (17-19) on a holder, join 2nd ball of yarn, work to end. Bind off 3 sts from neck edges once, 2 sts 7 times, shaping shoulders as on back, when armholes are same length.

SLEEVES: With No. 4 needles, cast on 72 (79-86). Work Pat No. 1 for 4 rows. Inc 1 st each side of next row and rep incs every 2nd row 9 times more, working inc sts in pat. Work on 92 (99-106) to 3 inches from beg, or desired length to underarms.

Shape Cap: Bind off 7 sts at beg of next 2 rows. Dec 1 st each side every 2nd row 16 (20-20) times, every row 4 (2-6) times. Bind off 3 sts at beg of next 4 rows. Bind off 26 (29-28).

FINISHING: Block pieces to measurements and assemble.

Neckband: With dp needles, from right side and beg at right shoulder seam, pick up around neck edge (including sts on holders) 124 (128-132). Join; K around for 1 inch. P 1 rnd for turning ridge. K 1 inch more. Bind off loosely. Turn band in half to wrong side and sew bound-off edge to picked-up row.



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

skeins) 17 (20-23) MC and 1 each A and B

Needles: No. 4 and No. 5 OR SIZE TO GIVE GAUGE and circular No. 4

GAUGE: 6 sts = 1 inch, 8 rows = 1 inch

FINISHED MEASUREMENTS

Bust 36 (40-44) inches

Back above armhole shaping 13½
(14½-15½) inches

Width around lower edge 41 (45-49) inches

Sleeve at underarm 12½ (13½-15) inches

NOTE: Entire dress is worked in stockinette st (K 1 row, P 1 row), with center 5 sts in reverse stockinette st (P 1 row, K 1 row). Skirt length is planned for 22 inches. Make any adjustment by working more or less inches between first 4 dec rows.

BACK: With smaller needles and MC. cast on 121 (133-145) sts. Work 1 inch, end with K row. Knit next row for hemline. Change to larger needles. To establish pat, K 58 (64-70), P 5 sts, K 58 (64-70) sts. Work in pat to 3½ inches above hemline. On next row, dec 1 st each side and rep decs every 31/2 inches 3 times more; every 1 inch 7 times; every ½ inch twice. Piece should measure 22 inches above hemline, and there are 95 (107-119) on needle. Mark waistline. Work 1 inch even. Inc 1 st each side of next row and rep incs every 1 inch 5 times more. Work on 107 (119-131) to 7 (7½-8) inches above waistline marker, or desired length to underarm.

Armholes: Bind off 4 (5-6) sts at beg of next 2 rows; 3 sts at beg of next 6 rows. Dec 1 st at beg next 0 (4-8) rows. Work 2 rows on 81 (87-93) sts. On next row inc 1 st in first and

next to last st. Rep incs every 2nd row 9 times more, end with P row. Mark at each side.

Neck and Shoulders: K 2 tog, K until there are 36 (37-39) sts on right needle. Join 2nd ball of yarn and bind off center 23 (29-35) sts, K to last 2 sts, K 2 tog. Dec 1 st at armhole edges every row 3 times more, bind off 2 sts every 2nd row 3 times, bind off 8 sts once, 9 sts once AND AT SAME TIME, at neck edges, bind off 4 sts every 2nd row 3 times.

FRONT: Work same as back.

SLEEVES: Color Sequence * 4 rows A, 4 rows B, 4 rows MC, rep from *. Do not break yarn at end of stripe. Carry colors loosely at side.

With smaller needles and MC, cast on 60 (68-76) sts. Work 4 rows reverse stockinette st, end with K row. Drop MC, join A. Beg with a K row, work stripe pat, inc 1 st each side every 4th row 7 times. Work on 74 (82-90) to 4½ inches from beg, or desired length to underarm.

Sleeve Cap: Bind off 4 (5-6) sts at beg of next 2 rows; 3 sts at beg next 6 rows. Dec 1 st at beg next 0 (4-8) rows. Work 2 rows on 48 (50-52) sts. Next row: K 1, K 2 tog, K to last 3 sts, K 2 tog thru back loops, K 1. Purl back. Rep last 2 rows 9 times. Mark at each side. Continue decs every 2nd row 5 (6-7) times. Work on 18 sts until saddle of sleeve fits from markers to neck, along shoulder edge. Bind off.

FINISHING: Block pieces to measurements. Seam sleeve caps to armholes, matching markers and easing saddle around curve of shoulder.

MC, from right side and beg at a shoulder seam, pick up 130 (138-146) sts. Place marker on needle to indicate beg of rnds. Join and purl 4 rnds. Bind off as to P.



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Mona (50-gr. balls) 11 (13-15)

Needles: No. 4 and No. 5 OR SIZE TO GIVE GAUGE

GAUGE: 6 sts = 1 inch, 8 rows = 1 inch

FINISHED MEASUREMENTS

Skirt—Waistline 27 (31-35) inches Hipline 35 (39-43) inches Width at lower edge 46 (50-54) inches

Blouse—Bust 36 (40-44) inches

Back at shoulders 14 (15-16) inches

Sleeve at underarm 14 (15-16)
inches

NOTE: Skirt is planned for 22 inches. Make any changes before first decrease. Keep continuity of pattern when shaping blouse.

skirt back: With No. 4 needles, cast on 138 (150-162). Work stockinette st (K 1 row, P 1 row) for 1½ inches, end with a K row. Knit next row for hemline. Change to No. 5 needles. Beg with a K row, work to 2 inches above hemline, end with a K row.

Next row: P 42 (45-48), place marker on needle, P 54 (60-66), place marker on needle, P 42 (45-48). Slip markers every row. Dec row: * K to 2 sts before first marker, K 2 tog thru back, sl marker, K 2 tog, rep from * once, K to end. Rep dec row every 2 inches 7 times more. Work 2 inches on 106 (118-130), end with a P row. Next row: K 1, K 2 tog, dec at markers as before, K to last 3 sts, K 2 tog, K 1. (6 sts dec). Rep last dec row every 1 inch 3 times more. Work on 82 (94-106) to 22 inches above hemline, or desired length, end with a K row. Knit next row for facing ridge. Work 1 inch. Bind off loosely.

FRONT: Work same as back.

BLOUSE BACK: With No. 4 needles, cast on 108 (120-132). Beg with a K row, work 14 rows stockinette st.

Eyelet Row: K 2, * yo, K 2 tog, rep from * to end. Next row: P, working each yo as a stitch. Work 6 rows. Rep eyelet row, P back. Work 6 rows. Change to larger needles.

Rib Pattern—Row 1: P 0 (6-12), * K 12, P 12, rep from *, end last rep, K 0 (6-12) sts.

Row 2: Knit the K sts, Purl the P sts. Rep these 2 rows for pat. Work to 13 inches from beg of rib pat, or desired length to underarm.

Armholes: Bind off 6 (7-8) sts beg of next 2 rows. Dec 1 st each side every 2nd row 6 (8-10) times. Work on 84 (90-96) until armholes are 7½ (8-8½) inches.

Shoulders: Bind off 7 (7-8) at beg next 4 rows; 7 (8-8) sts beg next 4 rows. Bind off 28 (30-32) sts.

FRONT: Work same as back to 10 inches from beg of rib pat. Center Opening: Work pat across 48 (54-60) sts, join 2nd ball of yarn, bind off center 12 sts, work to end. Keeping center edges straight, work each side with separate yarn. Work same as back until armholes are 6 (6½-7) inches.

Neck: At each neck edge, bind off 2 (3-4) once and dec 1 st every 2nd row 6 times AND AT SAME TIME, when armholes measure same as back, shape shoulders to correspond.

SLEEVES: With No. 4 needles, cast on 78 (84-90). Work band same as back. Change to No. 5 needles. Next row: K 0 (0-3), P 9 (12-12), K 12, * P 12, K 12; rep from * once, P 9 (12-12), K 0 (0-3). Work in established pat to 2 inches from beg of rib pat, or desired length to underarm.

Sleeve Cap: Bind off 6 (7-8) sts beg next 2 rows. Dec 1 st each side every 2nd row 15 (17-19) times. Bind off 2 sts beg next 6 rows. Bind off 24 sts. LEFT FRONT BAND: With smaller needles, from right side and beg at neck edge, pick up 54 (57-60) sts along left front opening. Beg with a P row, work 5 rows. Work eyelet row, P back, work 6 rows, eyelet row, P back. Work 14 rows stockinette st. Bind off loosely.

RIGHT FRONT BAND: Beg at lower edge, pick up and work same as left band for 5 rows, end with a P row. Next row: (Buttonholes) K 14 (13-14) sts, work eyelets over next 14 sts, *bind off 2 sts, not counting last st on right needle, work eyelets over next 7 (9-10) sts, rep from * once, bind off 2 sts, yo, K 2 tog, K 1. On next row, cast on 2 sts over bound-off sts and be sure to end with original number of sts. Work to correspond to right band, keeping 14 (13-14) at lower edge in stockinette st. After working 2nd eyelet pat, P back. Work 6 rows. On next 2 rows work buttonholes as before (on next K and P rows), work 6 rows and bind off.

FINISHING: Block pieces to measurements. Turn left front band along 2nd evelet row to wrong side and sew. Blind stitch open ends. Hem right band and sew ends. Sew lower edge of right band to center bound-off sts. Tack lower edge of left band in place under right band. With a tapestry needle and double strand of yarn, work a running stitch around four sides of a square at lower edge of front bands, working thru all thicknesses of both bands across the top. Then work diagonally from corner to corner (see diagram). Finish with french knot at center. Overcast buttonholes. Seam shoulders.

Collar: With No. 4 needles, from wrong side, beg at inner edge of band, pick up 82 (86-90) sts around neck edge, end at inner edge of opposite band. Work same as left band. Turn and hem. Finish ends. Assemble blouse. Turn and sew hems at lower edge and sleeves. Lightly block facings. Sew on buttons.

(continued from page 3)

at left edge every 6th row 3 times. Work on 82 (94-106) sts until piece measures 9 (9½-10) inches at each side edge. Inc 1 st (see page 00, 3 b) at right edge every 2nd row 10 times AND AT SAME TIME inc 1 st at left edge every 4th row 6 times. Work on 98 (110-122) sts until piece measures 13 (13½-14) inches at each side edge. Neck: Change to Pat No. 1 and pick up until there are 47 (53-59) loops on hook. Work on these sts only for right side of back. Dec 1 st at neck edge every row 24 (28-32) times AND AT SAME TIME, when piece measures 14 (14½-15) inches at side edge, inc 1 st at side edge. Work on 24 (26-28) sts until piece measures 18 (181/2-191/2) inches at side edge.

Armhole: Bind off 5 sts at beg of next row, 3 (4-5) sts at beg of next 2 rows, 2 sts at beg of next row. Dec 1 st at beg of next 3 rows. Work on 8 sts until armhole measures 6½ (7-7½) inches. Bind off.

Left Side of Back: Skip the 4 center sts of last complete row. Join yarn and work left side to correspond to right side, reversing all shaping. Bind off unfinished sts (see page 88, No. 4b).

FRONT: With afghan hook, ch 20. Work Pat No. 1 to 3 inches from beg. Inc 1 st each side of next 5 rows. With a short end of yarn, chain 30 (36-42). Join this ch to last loop at left edge of piece just worked.

Next row: Pick up until 30 loops on hook, then pick up 1 loop in each of 5 (6-7) ch. Work off loops, ch 5 (6-7). Next row: Pick up until 40 (42-44) loops, pick up 1 loop in each of next 5 (6-7) ch. Work off loops, ch 5 (6-7). Next row: Pick up until 50 (54-58) loops, pick up 1 loop in each of next 10 (12-14) ch. Work off loops, ch 10 (12-14).

Next row: Pick up 70 (78-86) loops, pick up 1 loop in each of next 10 (12-14) ch. Work off loops, ch 10 (12-14).

Next row: Work across 90 (102-114) sts.

Dec 1 st each side every 4th row 3 times. Work on 84 (96-108) sts until piece measures 3 (3½-4) inches at each side edge.

Change to Pat No. 2: At right edge, dec 1 st every 2nd row 16 times AND AT SAME TIME dec 1 st at left edge every 4th row 8 times. Work even on 60 (72-84) sts until piece measures 11 (11½-12) inches at side edge. Inc 1 st at right edge every 2nd row 4 times AND AT SAME TIME inc 1 st at left edge every row 8 times. Work even on 72 (84-96) sts until piece

measures 13 (13½-14) inches at side edges.

Change to Pat No. 1—Dart—Next row: Pick up until there are 19 (23-27) loops on hook, inc 1 st, pick up next loop and mark, inc 1 st, pick up 32 (36-40) loops, inc 1 st, pick up 1 loop and mark, inc 1 st, pick up 19 (23-27) loops.

Continue to inc 1 st at each side of the 2 marked sts every 3rd row twice more AND AT SAME TIME inc 1 st each side every 4th row 3 times. Fasten off.

Bust Darts: Mark off center 42 (48-54) sts.

First short row: Work 42 (48-54) center sts. Fasten off.

2nd short row: Join yarn 8 (9-10) sts before beg of last short row, draw up a loop in each of these 8 (9-10) sts, 42 (48-54) center sts and next 8 (9-10) sts. Work off loops. Fasten off. Continue to work 8 (9-10) sts more each side every row until all sts are worked. Work to same length as back to armholes.

Neck and Armholes—Row 1: Pick up until 38 (42-46) loops on hook. Work off loops. Work on these sts only for left side of front.

Row 2: Bind off 6 sts, work to last 6 sts, work off loops.

Row 3: Bind off 4 (5-6) sts, work to last 3 (4-5) sts, work off loops.

Row 4: Bind off 3 (4-5) sts, work to last 2 (3-4) sts, work off loops.

Row 5: Bind off 2 sts, work to end, work off loops.

Dec 1 st at armhole edge every row 4 times. Work on 8 sts until armhole is 6 (6½-7) inches. Bind off. Then bind off unfinished sts. Right side: Skip the center 14 (18-22) sts of last complete row. Work right side to correspond to left side. Bind off unfinished sts.

FINISHING: Block pieces. Sew, then steam seams.

Neckband: With circular needle from right side, pick up around neck 214 (326-338) sts. Place a marker at center back of neck. Join and K 8 rnds, dec 1 st each side of marker every 2nd rnd. K 2 rnds. Inc 1 st each side of markers on next rnd and rep incs every 2nd rnd 3 times. Bind off loosely.

Armhole Bands: With dp needles, pick up around armhole 86 (94-100) sts. Place a marker at underarm seam and work same as neckband.

Leg Bands: Pick up around leg 132 (140-148) sts. K around for 18 rnds. Bind off loosely.

Turn each band in half to wrong side and sew to picked up row. If desired, sew strapless brassiere inside swim suit. Style No. 1002

(continued from page 3)

BACK: Chain 95 (105-115) to measure 17 (19-21) inches. Work Pat No. 1 to 22 inches from beg, or 2 inches less than desired length to underarms, ending with Pat Row 5 or 10.

Next row: Work Pat No. 2 (drawing up a loop in each bar and yo sp). Continue Pat No. 2 to 24 inches from beg, or desired length to underarms.

Armholes: Bind off 5 sts (by working 1 sl st in each of 5 bars, see page 88, No. 3), continue pat to last 5 bars, bind off last 5 sts, break yarn. Join yarn and work off loops. Dec 1 st each side (see page 88, No. 2a and b) every row 4 (6-8) times. Work on 77 (83-89) until armholes are 6½ (7-7½) inches.

Shoulders—Row 1: Bind off 12 (13-14) sts, work to last 12 (13-14), bind off last 12 (13-14). Break yarn. Join and work off loops.

Row 2: Bind off 13 (14-15) sts, work to last 13 (14-15), bind off last 13 (14-15). Bind off remaining sts for back of neck.

LEFT FRONT: Chain 55 (60-65) to measure 10 (11-12) inches. Following Chart for Pat No. 1, work to 22 inches from beg, or 2 inches less than desired length to underarm, ending at underarm edge.

Next row: Work Pat No. 2, ending P 1 st, pick up last 7 (2-7) loops. Continue pat as established to same length as back to armholes, ending at underarm edge.

Armhole: Bind off 10 sts at beg of next row. Dec 1 st at armhole edge every row 6 (8-10) times. Work on 39 (42-45) until armholes are 4½ (5-5½) inches, ending at front edge.

Neck: Bind off 9 (10-11) sts at beg of next row. Dec 1 st at neck edge every row 5 times. Work on 25 (27-29) to same length as back.

Shoulder: Shape as on back.

RIGHT FRONT: Work to correspond to left front, reversing all shaping.

FINISHING: Block pieces to measurements and assemble. Beg at lower right front edge with No. 2 hook, work sc on edges of coat, spacing sts to keep edges flat, working 3 sc at each corner and holding in neck to desired size. Mark places for 4 buttonloops on right front edge, first marker 3 sts below neck edge, 4th marker at first row of Pat No. 2 and other 2 markers spaced evenly between. Work a 2nd row sc on edges, working 4 buttonloops at markers by ch 3, skip 3 sts. Work 2 rows sc around armholes, holding in to desired size.

Style No. 1004
(continued from page 7)

Bikini Shorts

BACK—Left Leg Piece: With afghan hook and A, chain 57 (63-69) to measure 9½ (10½-11½) inches. Work Pat No. 1 for 1 inch. Work Pat No. 2 to 3 inches from beg, chain 22 for crotch. Break yarn. Lay piece aside.

Right Leg Piece: Work same as left with same number of rows; do not work a chain; do not break yarn.

Join 2 pieces as follows: Pick up loops across right leg piece, pick up 1 loop in each of 22 chain sts, pick up loops across left leg piece. There are 136 (148-160) loops on hook. Work 2 rows even. Place a marker at center of the 22 crotch sts. Dec 1 st (see page 00, 3 c) at center of crotch every row 12 times AND AT THE SAME TIME, when piece measures 3½ inches from beg of leg pieces, dec 1 st each side (see page 00, 3 a) and rep decs every 4th row 5 times, every 3rd row 5 times, every 2nd row twice. Work on 98 (110-112) sts to 10 (10½-11) inches from beg of leg pieces (measure in straight line).


Dart dec row: Pick up until 12 (16-20) loops on hook, dec 1 st, pick up 8 loops, dec 1 st, pick up 50 (54-58) loops, dec 1 st, pick up 8 loops, dec 1 st, pick up 12 (16-20) loops. Work off loops (4 decs). Continue to dec 4 sts every 2nd row, having 1 st less before first and after last decs and 2 sts less between 2nd and 3rd decs, 4 times more. Work even on 78 (90-102) sts to 12½ (13-13½) inches.

Waistband: With A, inc 1 st at center of first row, work Pat No. 2 for 1 inch. Bind off.

FRONT-Right Leg: With afghan hook and A, chain 51 (57-63) to measure 8½ (9-9½) inches. Work same as left back leg, ending with same pat row. Ch 22. Break yarn. Lay piece aside. Work left front leg and join as on back. There are 124 (136-148) loops on hook. Work 2 rows even. Place marker at center of 22 crotch sts. Dec 1 st at center of crotch every row 12 times AND AT SAME TIME, when piece measures 3½ inches from beg of legs, dec 1 st each side and rep decs every 5th row 4 times, every 4th row 4 times, every 3rd row twice. Work on 90 (102-114) sts_to same length as back to waistband, ending with same pat row. Work waistband same as on back. Bind off,

FINISHING: Block pieces to measurements. Sew and steam seams. With crochet hook and A from right side, work 1 row sc and 1 row backward sc (from left to right) around waistband and lower edge of each leg. With A, work a chain of desired length and draw thru waistband as shown in photograph.

Shorts



Style No. 1018
(continued from page 31)

Stole

Chain 154 loosely. Work pat for 60 inches, ending with Pat Row 3.

PATTERN STITCH FOR STOLE: Worked on a multiple of 17 chains plus 2.

Row 1: Skip 2 ch, *1 sc in each of next 7 ch, 3 sc in next ch, 1 sc in each of next 7 ch, skip 2 ch; rep from *, ending last rep 1 sc in each of 7 ch, skip 1 ch, sc in next ch. Ch 3, turn.

Row 2: Skip first 2 sc, *1 dc in each of next 7 sc, 3 dc in next sc, 1 dc in

each of next 7 sc, skip 2 sc; rep from *, ending 1 dc in each of 7 sc skip 1 sc, tr under turning ch-2. Ch 2, turn.

Row 3: Skip tr and 1 dc, *1 sc in each of next 7 dc, 3 sc in next dc, 1 sc in each of next 7 dc, skip 2 dc; rep from *, ending 1 sc in each of next 7 dc, skip 1 dc, sc under turning ch-3. Ch 5, turn.

Row 4: Skip 4 sc, *(tr in next sc, ch 1, skip 1 sc) twice, (tr in next sc, ch 1) 3 times, skip 1 sc, tr in next sc, ch 1, skip 1 sc, tr in next sc, skip 6 sc; rep from *, ending ch 1, skip last 4 sc, ch 1, tr under turning ch-2. Ch 2, turn.

Row 5: Skip first ch-1 sp, *2 sc in each of next 2 ch-1 sps, 3 sc in next ch-1 sp, 3 sc in next tr, 3 sc in next ch-1 sp, 2 sc in each of next 2 ch-1 sps, skip next tr; rep from *, ending 1 sc under turning ch-5. Ch 3, turn. Rep from Row 2 for pat.

FINISHING: From right side, work 1 row sc on each side edge, spacing sts to keep edge flat and having same number of sc on each edge. Block.

Fringe: Cut 10-inch lengths of yarn. Using 4 strands of yarn, knot fringe across ends of stole as shown in photograph.

Style No. 1028

(continued from page 56)

SLEEVES: With No. 7 needles, cast on 58 (66-74). Work Pat No. 1 for 6 inches. Work Pat No. 2 for ½ (1-1½) inches. Inc 1 st each side of next row and rep incs every ¾ inch 12 (11-10) times more, working inc sts in pat. Work to 17 inches from beg, or desired length to underarms.

Shape Cap: Bind off 6 sts at beg of next 2 rows. Dec 1 st each side every 2nd row 6 (5-6) times, *every* row 12 (16-18) times. Bind off 3 sts at beg of next 4 rows, Bind off 24 sts.

FINISHING: Block pieces to measurements and assemble.

Front and Neck Border: Cast on 1 st on circular needle, then (beg at lower right front edge) pick up 36 sts to marker at first neck dec, pick up 88 (92-94) to top of shoulder, 34 (36-38) across back of neck, 88 (92-94) to marker, 36 to lower edge, cast on 1 st. Work back and forth in Pat No. 3 for 2 inches, ending with a K row. K next row for turning ridge. Beg with a K row, work 2 inches. Bind off loosely. Turn border to wrong side

at ridge and sew to picked-up row. Try on, overlapping fronts for correct fit. Mark places for 3 vertical buttonholes on right front border, first marker ¾ inch above lower edge, 3rd in line with first neck dec, other midway between. Mark for 3 more buttonholes on right front at correct distance from first set for double-breasted buttoning. Face section for 2nd set of buttonholes with grosgrain. Steam border. Have buttonholes made by machine. Sew on buttons, using grosgrain for reinforcement under first set to the left.

(continued from page 15)

FINISHING: Block pieces to measurements and assemble. Collar: Mark center back of neck. Beg 10 (10-12) sts from right front edge on neck edge, work 34 (36-38) pat sts (sc, then dc) to marker, then 34 (36-38) pat sts, ending 10 (10-12) sts from left front edge. Work 7 more rows pat. Fasten off.

Beg at left underarm seam from right side, work 1 row sc on lower edge, fronts, collar and neck edges, spacing sts to keep edges flat, working 3 sc at each corner and dec at each of the 2 angles where collar meets neck edge. Join; do not turn. Work 1 row backward sc. Work same edge on sleeves.

Trim for Right Front—Row 1: Beg at lower right front edge 5½ inches from front edge and holding yarn on top of jacket, work loosely 1 row sl st (inserting hook thru work under st and bringing yarn thru) in a straight line up front for 17 inches (2 inches above beg of armhole). Continue sl st horizontally to armhole edge, ch 1, turn.

Row 2: Work 1 sc under 2 loops of each sl st. Ch 1, do not turn.

Row 3: Work backward sc. Fasten off.

Left Front Trim: Beg at armhole edge, work trim to correspond to that on right front.

Sew pocket flaps on fronts as shown in photograph. Sew on buttons.

Beret

NOTE: The crochet pat st is worked in *rnds* to form beret. Each rnd is joined with a sl st. Ch 1 after joining if next rnd is to begin with an sc. Ch 2 after joining if next rnd is to begin with a dc. Do *not* count ch as a st. Always inc 2 sts in 1 st, working inc sts in pat to keep continuity of pat. Ch 5. Join with a sl st to form a ring. Ch 1.

Rnd 1: Work 12 sts in ring, join with a sl st. Mark for end of rnd. Ch 2.

Rnd 2: Inc 2 sts in every 3rd st (20 sts), join, ch 1.

Rnd 3 and All Odd-Numbered Rnds: Work even.

Rnd 4: Inc 2 sts in every 3rd st, work to end (32 sts).

Rnd 6: Inc 2 sts in every 3rd st, work to end (52 sts).

Rnd 8: Inc 2 sts in every 5th st, work to end (72 sts).

Rnd 10: Inc 2 sts in every 7th st, work to end (92 sts).

Rnd 12: Inc 2 sts in every 10th st, work to end (110 sts).

Rnd 14: Inc 2 sts in every 13th st, work to end (126 sts).

Rnd 16: Inc 2 sts in every 14th st, work to end (144 sts). Work 4 rnds even.

Rnd 21: *Work 14 sts, (work 2 tog) twice; rep from * around (128 sts). Work 3 rnds even.

Rnd 25: *Work 20 sts, (work 2 tog) twice; rep from * around (118 sts). Work 2 rnds even.

Rnd 28: Rep Rnd 21 (106 sts). Work 1 rnd even.

Rnd 30: *Work 10 sts, (work 2 tog) twice; rep from * around (92 sts). Work 2 rnds even.

Rnd 31: Work 1 sc in each st, join, do not turn.

Last rnd: Working from left to right, work backward sc, join, fasten off.

FINISHING: Ch 10. Work 4 rows pat. Roll strip to form round trim, sew to beret as shown in photograph.

Knee Socks

to fit all sizes

LEG: With dp needles, cast on 68 sts. Join with care not to twist sts on needles. K around for 1 inch. P next rnd for hemline. Work to 5 inches from hemline. Place a marker at each side of 2 center sts for back. On next rnd, dec 1 st before first and after 2nd marker and rep decs every 6th rnd 9 times more. Work on 48 sts to 16

inches from hemline, or 2 inches less than desired length to heel.

Heel: With the 2 center back sts as center, place 24 sts on 1 needle for heel and divide remaining sts on 2 other needles for instep. Work back and forth in stockinette st on heel sts (slipping first st at beg of every row) for 2 inches, ending with a P row.

Turn heel as follows Row 1: K 14, sl 1, K 1, psso, K 1, turn.

Row 2: Sl 1, P 5, P 2 tog, P 1, turn.

Row 3: Sl 1, K 6, sl 1, K 1, psso, K 1, turn.

Row 4: Sl 1, P 7, P 2 tog, P 1, turn. Continue in this way to work 1 st more before dec *every* row until all sts have been worked off and there are 14 sts on needle, ending with a P row.

Gusset: Place 24 instep sts on one needle, K 7 sts to center of heel; with 2nd needle, K remaining sts of heel, pick up 12 sts on side of instep; K across 24 instep sts; pick up 12 sts on side of heel and K across 7 sts of heel to center back.

Foot-Rnd 1: Knit.

Rnd 2: First needle, K to last 3 sts, K 2 tog, K 1; 2nd needle, knit; 3rd needle, K 1, sl 1, K 1, psso, K to end. Rep these last 2 rnds until there are 12 sts on each of first and 3rd needles, 24 sts on 2nd needle. Work around on 48 sts until foot measures 1½ inches less than desired length from back of heel to end of toe.

Toe—Rnd 1: First needle, K to last 3 sts, K 2 tog, K 1; 2nd needle, K 1, sl 1, K 1, psso, K to last 3 sts, K 2 tog, K 1; 3rd needle, K 1, sl 1, psso, K to end.

Rnd 2: Knit. Rep these last 2 rnds until there are 12 sts on 2nd needle. Sl sts on other 2 needles to 1 needle. Break yarn, leaving an end. Weave toe.

FINISHING: Block. Cut elastic to leg measurement and sew ends tog. Turn hem to wrong side over elastic and sew in place. Make 2 tassels about 3 inches long, sew to socks as shown.

Style No. 1013

(continued from page 21)

TIE: Color sequence by rows — * 2 MC, 2 A, 2 B, 2 C, rep from *

NOTE: When changing colors, do not

complete last dc, always draw new color thru last 2 loops of dc, break off first color, leaving an end long enough for weaving.

Ch 3 and work 2 dc in 3rd ch from hook, ch 2, turn. Row 1: Work 2 dc in each dc, ch 2, turn. Row 2: Work 2

dc in first dc, dc in each dc to last st, 2 dc in last dc. Rep Row 2 until there are 22 dc. Work 1 row even. **Decrease** Row: Work 1 decrease over first 2 dc and last 2 dc. Rep decrease row until 6 dc remain. Fasten off. Weave in ends and block. Sew in place.

(continued from page 62)

LEFT FRONT: With No. 1 needles and MC, cast on 73 (80-87). Work K 1, P 1 ribbing as on back. Change to No. 3 needles. Work to 4 inches from beg, ending with a P row at underarm edge.

Note: When changing colors according to following directions, pass yarn to be used under yarn previously used, thus twisting yarns and preventing a hole in work.

Pocket Border—Row 1: K 10 (12-14), drop MC; join CC, K 37, drop CC; join 2nd ball MC, K 26 (31-36).

Row 2: P 26 (31-36) MC, P 37 CC, P 10 (12-14) MC. Rep last 2 rows once. Break off CC and 2nd ball MC.

Next row: K 10 (12-14), rib next 37 sts in K 1, P 1, K 26 (31-36). Keeping 37 sts of pocket border in ribbing and remaining sts in stockinette st, work 5 rows more.

Next row: K 10 (12-14), bind off next 37 sts in ribbing for pocket opening, K to end.

Join pocket lining: P to pocket opening; with K side of 1 lining to P side of front, P across sts of lining; P to end. Work to 13 (13½-14) inches from beg, or 1 inch less than back to raglan armholes, ending at front edge.

Neck and Ragian Armhole: Dec 1 st at neck edge on next row (place a marker in work) and rep dec every 4th row 21 (21-22) times, every 2nd row 2 (5-6) times AND AT SAME TIME, when same length as back to ragian armholes, shape armhole same as right armhole of back. Bind off 3 sts.

Mark places for 4 buttons at front edge, first marker in center of ribbed band, 4th marker in line with first neck dec, other 2 spaced evenly between.

RIGHT FRONT: Work to correspond to left front, forming buttonholes opposite markers as follows: beg at front edge, work 3 sts, bind off next 4 sts, work to end. On next row, cast on 4 sts over the bound-off sts. To work pocket border: Beg at front edge, K 26 (31-36) MC, 37 CC, 10 (12-14) MC and complete to correspond to left front.

SLEEVES: With No. 1 needles and MC, cast on 67 (75-83). Work for 1 inch, end with a K row. K next row for hemline. Beg with a K row, work 1 inch more. Change to No. 3 needles. Drop MC. With CC, work 4 rows. Break off CC. Continue with MC, inc 1 st each side every 1 inch 10 times, every 34 inch 6 times. Work on 99 (107-115) to 17 inches above hemline, or desired length to underarm, ending with a P row.

Raglan Cap: Bind off 6 (7-9) at beg of next 2 rows. By working tog the 4th and 5th sts from each end as on back, dec 1 st each side every 2nd row 38 (39-43) times, every 4th row 4 (6-4) times. Bind off 3 sts.

FINISHING: Block pieces to measurements and assemble.

Front and Neck Band: With circular needle and MC and beg at lower right front edge, pick up 104 (108-112) on right front edge to first neck dec, place a marker on needle, pick up 64 (68-72) on neck edge to sleeve, 3 sts across sleeve, 1 st in each st across back of neck, 3 sts across other sleeve, 64 (68-72) to first left front neck dec, place a marker on needle, pick up 104 (108-112) on left front edge. P 1 row. Drop MC. With CC, work

4 rows, dec 1 st each side of markers every K row. Break off CC. With MC, work 2 rows, dec as before.

Facing: Work 8 rows, inc 1 st each side of markers every K row 3 times. Work 2 rows. Bind off loosely. Turn band in half to wrong side and sew bound-off edge to picked up row. Turn and sew sleeve hems. Overcast buttonholes. Sew on buttons.

Beret

To inc 1 st: Insert left needle from front to back under thread between last st knitted and next st, forming a loop on left needle, K in back of this loop.

With dp needles and MC, cast on 160 (168-176). Join with care not to twist sts on needles. Rib in K 1, P 1 for 1½ inches. Join Color A. Working 2 rnds alternately in A and MC and carrying yarn not in use loosely on wrong side, work as follows—

First inc rnd: K 9 (9-10), *inc 1 st, K 2 for seam sts, inc 1 st; K 18 (19-20) rep from *, ending last rep K 9 (10-10).

Place marker to indicate beg of rnds. Slip marker every rnd. Continue to inc 1 st each side of the 8 seam-st sections every 4th rnd 4 times more. Work 3 rnds on 240 (248-256).

First dec rnd: *K to within 2 sts of first seam st section, K 2 tog thru back loops, K 2, K 2 tog thru front loops; rep from * around. Rep dec rnd every 4th rnd until 16 (24-16) sts remain. Break yarn, thread tapestry needle, run thru all sts, draw tog tightly, fasten securely on wrong side. Turn ribbed band in half to wrong side, sew in place. Make a large pompon and sew as shown.

Style No. 1035

(continued from page 66)

Shoulders and Neck—First Side—Row 1: Work 1 sl st in each eye and ch to 4th eye, ch 2, beg in 4th eye, work to first marker. Ch 2, turn.

Row 2: Beg in first eye, work pat, end ch 2, sl st under turning ch, fasten off.

2nd Side—Row 1: Join yarn in eye with 2nd marker, ch 2, beg in same eye, work pat, end in 4th eye from end of row with yo, thru 9 loops, ch 1, sl st in next ch-2 sp. Ch 2, turn.

Row 2: Same as Row 2 of first side. **FRONT:** Work same as back until armholes are 4 (5-6) inches, end with Pat Row 2.

Neck: Place a marker in 9th (9th-10th) eye from each end.

First Side: Work to first marker, ch 3, turn. Dec ½ pat at neck edge every row 4 times, end at armhole edge.

Shoulder—Row 1: Work 1 sl st in each eye and ch to 4th eye, ch 2, beg in 4th eye, work pat, end ch 1, dc under turning ch. Ch 3, turn.

Row 2: Beg in first eye, work pat, end sl st under turning ch, fasten off. Join yarn in eye with 2nd marker, work 2nd side to correspond to first side.

FINISHING: Block pieces to measurements.

Lower Border: From right side with No. 5 needle, pick up 1 st in each ch on lower edge of back. Work stockinette st (P 1 row, K 1 row) for 6 rows. K next row for hemline. Beg

with a K row, work 6 rows. Bind off. Work border on front in same way.

Neck Border: Sew left shoulder seam. From right side and beg at right back, pick up around neck edge 102 (108-114). Work same as lower border. Bind off.

Armhole Borders: Sew right shoulder seam, including neck border. From right side and beg at underarm, pick up around armhole 72 (84-96). Work stockinette st, dec 1 st each side every K row 3 times. K next row for hemline. Beg with a K row, work stockinette st, inc 1 st each side every K row 3 times. P 1 row. Bind off.

Sew underarm seams. Turn borders at hemlines to wrong side and sew in place.

(continued from page 7)

Row 2: Bind off 2 (4-5) sts each side. Dec 1 st each side *every* row 3 (3-5) times. Work on 70 (74-80) sts until armholes are 7 $(7\frac{1}{2}-8)$ inches.

Neck and Shoulders—First Side—Row 1: Pick up until 25 (27-29) loops on hook, work off loops.

Rows 2 and 3: Bind off 6 (7-8) sts, work to last 3 sts, work off loops. Bind off remaining 7 sts.

2nd Side—Row 1: Join yarn. Bind off center 20 (20-22) sts of last complete row, pick up 25 (27-29) loops, work off loops.

Rows 2 and 3: Bind off 3 sts, work to last 6 (7-8) sts, work off loops.

Row 4: Bind off last 7 sts. Bind off sts which were left unfinished at end of short rows (see page 88, 4b).

FRONT—Right Leg: With afghan hook, chain 46 (50-56) to measure 9 (10-11) inches. Work 1 row plain afghan st.

Row 2: Work Pat No. 1 over 12 (14-16) sts, Pat No. 2 over next 12 (12-14) sts, Pat No. 1 over last 22 (24-26) sts.

Continue in pats as established to 2 inches. Break yarn; lay piece aside.

Left Leg: Chain 46 (50-56). Work 1 row plain afghan st.

Row 2: Work Pat No. 1 over 22 (24-26) sts, Pat No. 2 over next 12 (12-14) sts, Pat No. 1 over last 12 (14-16) sts. Work to same length as right leg.

Join legs as follows: Keeping pats as established, work across left leg, then across right leg.

Work even on 92 (100-112) sts to $8\frac{1}{2}$ (9-9\frac{1}{2}) inches from beg.

Divide for front opening: Work 46 (50-56) sts for left front. Working on these sts only, shape as on back until armhole measures $5 (5\frac{1}{2}-6)$ inches. There are 35 (37-40) sts.

Neck—Row 1: Work across 25 (27-29) sts, leave last 10 (10-11) sts unworked.

Row 2: Work across 23 (25-27) sts, leave last 2 sts.

Dec 1 st at neck edge every row 4 times. Work on 19 (21-23) sts to same length as back to shoulder.

Shoulder: Bind off 6 (7-8) sts from armhole edge twice. Bind off remaining sts. Work right side of front to correspond, reversing all shaping, then bind off unworked sts.

SLEEVES: With afghan hook, chain 56 (60-64) to measure 11 (12-13) inches.

Row 1: Work 1 row plain afghan st.


Row 2: Work Pat No. 1 over 22 (24-25) sts, Pat No. 2 over next 12 (12-14) sts, Pat No. 1 over 22 (24-25) sts. Keeping pats as established, inc 1 st each side every 2nd row 5 times, working inc sts in Pat No. 1. Work on 66 (70-74) sts to 3 inches from beg, or desired length to underarms.

Shape cap—Row 1: Bind off 3 sts, work to last 3 sts.

Row 2: Bind off 2 sts, work to last 2 sts. Dec 1 st each side every 2nd row 14 (16-18) times. Rep Row 1 three times. Bind off remaining sts.

GUSSET: With afghan hook, chain 10. Work Pat No. 1 inc 1 st each side every 2nd row 5 times. Work 1 row even. Dec 1 st each side of next row and rep dec every 2nd row 4 times. Work 1 row even. Bind off.

FINISHING: Block pieces to measurements. Sew side, shoulder and sleeve seams. With cast-on edge of gusset at lower edge of one front leg, boundoff edge at lower edge of other front leg and with widest point at joining of legs, seam gusset to fronts. Seam free edges to back legs. Beg at right neck edge from right side, with No. 1 hook, work 1 row sc around neck and front opening, spacing sts to keep edges flat. Join with a sl st, ch 1, turn. Work 2 rows sc on edges of opening, dec at lower edge. Work 1 row sc around lower edge of sleeves and 2 rows around leg opening, holding in to desired fit. Sew in zipper.



Style No. 1029

(continued from page 56)

Row 4: Work Pat Row 2, ending 3 sc in last ch-5 loop, ch 5, turn, sl st in 3rd sc of 5 sc bow, turn, complete bow, 2 sc in same loop with 3 sc, sc in last sc. Ch 1, turn.

Beg with Pat Row 5, work on 7 (8-9) motifs until armholes are 3 (3½-4) inches.

Divide for back opening: Work over 3½ (4-4½) motifs, ch and turn.

First Side: Work on these motifs only until armhole is $6 (6\frac{1}{2}-7)$ inches, ending at armhole edge.

Neck: Work to within ½ (1-1/2) motifs of end, ch and turn.

Leave off ½ motif from neck edge every row twice. Work on 2 (2-3) motifs until armhole is 7½ (8-8½) inches. Fasten off.

Join yarn at center of last complete row, work 2nd side to correspond to first side.

FRONT: Work same as back (omitting opening) until armholes are 5 (5½-6) inches.

Neck: Work over 3 (3½-4) motifs. Ch and turn. Leave off ½ motif from neck edge every row twice. Work on 2 (2-3) motifs to same length as back to shoulder. Fasten off.

Skip the center 1 (1-2) motifs, join yarn and work 2nd side to correspond to first side.

FINISHING: Block pieces to measurements. Sew underarm and shoulder seams.

Armhole Bands: From right side and beg at underarm edge, work sc around armhole, spacing sts to keep edge flat and holding edge to desired size (count number of sc in rnd). Work 4 rnds of 1 sc in each sc. Join; fasten off. Work sc around other armhole in same way, taking care to have same number of sc in each rnd as on first armhole. Beg at right side, work 5 rows sc on neck edge, holding in to desired fit, ending each row with ch 1, turn; continue last row sc on edges of back opening, working a buttonloop at right neck edge by ch 2, skip 2 sc. Sew a button at left neck edge.



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Allround Wash Fit® or Wintuk Sport (2-oz. skeins) 5 (6-7)

Needles: No. 4 and No. 6 OR SIZE TO GIVE GAUGE

GAUGE (blocked): 6 sts = 1 inch, 8 rows = 1 inch

FINISHED BLOCKED MEASUREMENTS
Bust 36 (40-44) inches
Back at shoulders 16 (17-18) inches

PATTERN STITCH: (Multiple of 6 plus 2)

Rows 1, 3 and 5: K 1, *K 3, P 3, rep from *, end K 1.

Row 2 and all even rows: K the K, P the P sts.

Rows 7, 9 and 11: K 1, *K 2, P 4, rep from *, end K 1.

Rows 13, 15 and 17: K 1, *K 1, P 5, rep from *, end K 1.

Rows 19, 21 and 23: K 1, * P 3, K 3, rep from *, end K 1.

Rows 25, 27 and 29: K 1, P 3, *K 2, P 4, rep from * end K 2, P 1, K 1.

Rows 31, 33 and 35: K 1, P 3, *K 1, P 5, rep from *, end K 1, P 2, K 1.

Row 36: Same as Row 2.

Repeat these 36 rows for pattern.

NOTE: Entire blouse, except for rib bands, is worked in pat st. Keep continuity of pat when shaping.

BACK: With smaller needles, cast on 110 (122-134) sts. Rib in K 1, P 1 for 1 inch. Change to larger needles.

Work pat to 15 inches from beg, or desired length to underarm.

Armholes: Bind off 8 (9-10) sts at beg next 2 rows. Dec 1 st each side every 2nd row 5 (7-9) times. Work on 84 (90-96) sts until armholes are $6\frac{1}{2}$ ($7\frac{1}{2}$ -8) inches.

Shoulders: Bind off 8 (9-10) sts at beg next 4 rows; 10 sts beg next 2 rows. Change to smaller needles. Rib in K 1, P 1 on remaining 32 (34-36) sts for 1 inch. Bind off loosely in ribbing.

FRONT: Work same as back until armholes are $4 (5-5\frac{1}{2})$ inches.

Neck and shoulders: Work 34 (36-38) sts; place center 16 (18-20) sts on holder; join 2nd ball of yarn, work 34 (36-38) sts. Work each side with a separate ball yarn. Dec 1 st at neck edges every 2nd row 8 times AND AT SAME TIME, when armholes are same length as back, shape shoulders to correspond.

Neck Band: From right side, with smaller needles, beg at left shoulder, pick up 12 sts along shaped edge of neck, work across 16 (18-20) sts on holder, pick up 12 sts along other side of neck. Rib in K 1, P 1 for 1 inch. Bind off loosely in rib.

FINISHING: Seam shoulders. Armhole Bands: From right side, with smaller needles, beg at underarm, pick up around armhole 90 (100-106) sts. Rib in K 1, P 1 for 1 row. Maintaining rib pat as established, dec 1 st at beg of every row until band measures 1 inch. Bind off loosely in ribbing. Seam sides. Block to measurements.



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

skeins) 17 (20-23) MC and 2 skeins CC

Needles: No. 5, straight and circular OR SIZE TO GIVE GAUGE and 1 set dp for collar

GAUGE: 6 sts = 1 inch, 8 rows = 1 inch

FINISHED MEASUREMENTS

Bust 36 (40-44) inches
Back at shoulders 14 (15-16) inches
Waist 28 (32-36) inches
Hipline (10 inches below waist) 37
(41-45) inches
Sleeves at underarm 12 (13-14) inches

PURL SIDE IS RIGHT SIDE. Dress is planned for 20 inches to waistline. Make any changes before first dec rnd.

With circular needle and MC, cast on 224 (248-272) sts. Place marker on needle to indicate beg of rnds. Join, being careful not to twist sts on needle. Slip marker every rnd. * K 1 rnd, P 1 rnd; rep from * twice. K all rnds to 10 inches from beg.

First Dec Rnd: * K 26 (29-32) sts, K 2 tog, rep from * 7 times (8 decs). K 2 inches.

2nd Dec Rnd: * K 25 (28-31), K 2 tog, rep from * 7 times. Continue to dec 8 sts every 2 inches (having 1 st less between decs each dec rnd) 3 times more; every 1 inch twice. There are 168 (192-216) sts and work should measure 20 inches from beg. Mark for waistline. Work 1 inch. First Inc Rnd: * K 20 (23-26), inc 1 st in next st, rep from * 7 times (8 incs). Rep inc rnd every inch (having 1 st more between incs each inc rnd) 5 times. Work on 216 (240-264) sts to 7 (7½-8) inches above waistline, or desired length to underarms. Remove marker.

BACK ARMHOLES: With straight needle, bind off 6 (8-10) sts. K until there are 102 (112-122) sts on needle. (Leave

remaining sts on circular needle for Front). Turn. bind off 6 (8-10) sts, P to end. Continue in stockinette st (K 1 row, P 1 row), dec 1 st each side every K row 6 (7-8) times. Work on 84 (90-96) sts until armholes are 6½ (7-7½) inches, ending with P row.

Neck and Shoulders: K 33 (36-39) sts, place center 18 sts on holder, join 2nd ball of yarn, K to end. Working each side with separate yarn, at neck edges bind off 2 sts every 2nd row 3 times AND AT SAME TIME, when armholes are 7 (7½-8) inches, bind off 9 (10-11) sts from armhole edges 3 times.

FRONT: With straight needles, work same as back until armholes are 5 (5½-6) inches, ending with P row. Neck: K 36 (39-42) sts, place center 12 sts on holder, join 2nd ball of yarn, K to end. At neck edges, bind off 2 sts twice, then dec 1 st every 2nd row 5 times, shaping shoulders as on back when armholes are same length.

SLEEVES: With straight needles and MC, cast on 72 (78-84) sts. Knit 6 rows. Starting with a P row, work in stockinette st until 2½ inches from beg.

Sleeve Cap: Bind off 6 (8-10) sts at beg next 2 rows. Dec 1 st each side every 4th row 1 (2-3) times; every 2nd row 16 times. Bind off 2 sts at beg next 4 rows. Bind off remaining 18 sts.

FINISHING: Block pieces to measurements and, with Purl side as right side, assemble.

collar: With dp needles and CC, around neck edge, from right side pick up 90 (94-98) sts, including sts on holders, divided on 3 needles. Place marker on needle to indicate beg of rnds. K every rnd as follows: * 5 rnds CC, drop CC, join MC and K 1 rnd, drop MC, pick up CC and rep from * twice. Continue stripe pat, and on 3rd row of each of next 3 CC stripes, inc 6 sts evenly spaced. After working 6th MC rnd, bind off with CC. Turn collar as shown and tack at shoulders.



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Allround Wash Fit® or Wintuk Sport (2-oz. skeins) 4 (5-6) and 1 for Headscarf

Needles: No. 5 OR SIZE TO GIVE GAUGE

Crochet Hook: Size F

GAUGE: 6 sts = 1 inch, 8 rows = 1 inch

FINISHED MEASUREMENTS

Bust 36 (40-44) inches
Back at shoulders 13 (14-15) inches
Keep continuity of rib panels when
shaping.

BACK: Cast on 110 (120-130) sts. **Row 1**: P 0 (5-0) sts, * K 10, P 10, rep from *, ending K 10 (10-0), P 0 (5-0).

Row 2: Knit the K sts, Purl the P sts. Rep these 2 rows for pattern. Work to 14 inches from beg, or desired length to underarm.

Armholes: Bind off 5 (7-8) at beg of next 2 rows. Dec 1 st each side every 2nd row 11 (11-12) times. Work on 78 (84-90) sts until armholes are 4 $(4\frac{1}{2}-5)$ inches.

Neck and shoulders: Work 34 (36-38) sts, join 2nd ball of yarn, bind off center 10 (12-14) sts, work last 34 (36-38) sts. Work each side with separate yarn. At neck edges, bind off 3 sts twice, then dec 1 st every 2nd row 9 times AND AT SAME TIME, when armholes are 7 (7½-8) inches, at each side bind off 7 sts twice; 5 (7-9) sts once.

FRONT: Work same as back.

POCKETS: GAUGE-

3 picots = 2 inches in width. Ch 27 to measure 6 inches.

First Picot: *Ch 4, in 2nd ch from hook work sc, in next ch work hdc, in next ch work dc, sk 2 sts on foundation chain, sc in next ch. Rep from * across foundation ch, ending sc in last st, turn. (9 picots.)

Row 2: SI st to top of picot. * Ch 4, work 1 sc, 1 hdc, 1 dc in ch as before, sI st in top of next picot. Rep from *, ending sI st in top of last picot. (8 picots.) Rep Row 2, ending with 1 picot. Fasten off.

FINISHING: Block pieces to measurements and assemble. Work 1 row so around pockets and sew in position as shown. Edging: From right side and beg at a side seam, work 1 row so around lower edge, spacing sts to keep work flat and ending with a multiple of 3 sts plus 1. Join with sl st. Ch 4 and work picots as in Row 1 of pocket. Fasten off. Work same edging around neck and armholes, holding to desired fit.

HEADSCARF: Ch 108 to measure 24 inches. Work 36 picots along foundation ch, then work same as pocket, ending with 1 picot. Fasten off. Ties: Join yarn at one end of foundation ch. Work a ch to measure 10 inches, turn. Work sc in 2nd ch from hook and in each ch to end. Work 1 sc in each st of foundation ch of headscarf. Ch 10 inches, turn and work as for other side. Fasten off. Block.



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Duet (1-oz. balls) 10 (13-16) MC and 2 CC

OR Mona (50-gr. balls) 7 (9-11) MC and 2 CC

Needles: No. 7 and 1 set dp No. 5 OR SIZES TO GIVE GAUGES

Crochet Hook: Steel No. 4

GAUGES: Pat on No. 7
9 sts = 1 inch, 6 rows = 1 inch
Stockinette St on No. 5
6 sts = 1 inch, 8 rows = 1 inch

FINISHED MEASUREMENTS

Bust 34 (38-42) inches
Back at shoulders 14 (15-16) inches
Sleeve at underarm 12 (13-14) inches

PATTERN STITCH: Worked on a multiple of 4 sts plus 2.

Row 1: K 2, *P 2, K 2; rep from * to end.

Row 2: P 2, *K 2, P 2; rep from * to end.

Rep these 2 rows for pat, taking care to keep continuity when shaping.

Note: Blouse is worked in pat st with MC, neck trim and belt in stockinette st (K 1 row, P 1 row) with CC.

BACK: With No. 7 needles and MC, cast on 154 (170-190). Work pat for 5 inches.

Divide for belt loops: Work 36 (40-48) and place on holder, work 6 for belt loop and place on 2nd holder, work 70 (78-82) and place on 3rd holder, work 6 for belt loop and place on 4th holder, work 36 (40-48) and retain on needle. Work 11 rows on the 36 (40-48) sts, ending at inside edge. Break yarn. *Sl next 6 sts from holder to left needle, join yarn, work 13 rows on 6 sts for belt loop, break yarn*; sl center 70 (78-82) to left needle, work 11 rows, break yarn; rep between *'s once; sl last 36 (40-48) to left needle, work 11 rows, ending at outside edge. Do not break yarn.

Next row: Work across all sts. Work even to 15 inches from beg, or desired length to underarms. Armholes: Bind off 8 (10-12) at beg of next 2 rows. Dec 1 st each side every 2nd row 6 (7-11) times. Work on 126 (136-144) until armholes are 7 (7½-8) inches.

Neck and Shoulders: Work 50 (55-59) sts, join another ball of yarn, bind off center 26 sts in ribbing, work to end. Work each side with separate yarn. Bind off 14 (15-16) from armhole edges twice, 14 (16-17) once AND AT SAME TIME bind off 3 sts from neck edges twice, then 2 (3-4) sts once.

FRONT: Work same as back until armholes are $5 (5\frac{1}{2}-6)$ inches.

Neck and Shoulders: Work 52 (56-59), join another ball of yarn, bind off center 22 (24-26) in ribbing, work to end. Working each side with separate yarn, bind off 2 sts from neck edges every 2nd row 5 times and shape shoulders as on back when armholes are same length.

SLEEVES: With No. 7 needles, cast on 90 (98-106). Work pat, inc 1 st each side every 2nd row 10 times, working inc sts in pat. Work on 110 (118-126) to 4 inches from beg, or desired length to underarms.

Shape Cap: Bind off 8 (10-12) sts at beg of next 2 rows. Bind off 2 sts at beg of next 4 rows, 1 st at beg of next 24 (28-32) rows, 2 sts at beg of next 6 rows, 4 sts at beg of next 4 rows. Bind off remaining 34 sts in ribbing.

BELT: With 2 No. 5 needles and CC, cast on 12 sts. Work stockinette st for 28 (30-32) inches, or desired length, allowing for overlap. Bind off. From right side, work 1 row sc around belt, working 3 sc at each corner.

FINISHING: Block pieces to measurements and assemble.

Neck Border: With dp needles and CC from right side and beg at either shoulder seam, pick up around neck edge 86 (90-96) sts. Join and K for 2 inches. P next rnd for turning ridge. K for 2 inches. Bind off. Turn border at ridge to wrong side and sew bound-off edge to neck edge. Draw belt under belt loops, sew left end to a buckle.



Style No. 1028 Shown at left

Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

spinnerin Marvel Twist Wash Fit® or Nylaine Germantown Knitting Worsted (4-oz. skeins) 5 (6-7)

Needles: No. 7 OR SIZE TO GIVE GAUGE and 1 circular No. 5 for border.

Grosgrain ribbon to match yarn, 6 buttons

GAUGE: Pattern No. 2 12 sts = 2 inches, 6 rows = 1 inch

FINISHED MEASUREMENTS

Bust (buttoned) 36 (40-44) inches Back at underarms 19 (20½-21½) inches

Back at shoulders 14½ (15½-16½) inches

Each Front at underarm 9½ (10-11) inches

Sleeve at underarm 14 (15-16) inches

PATTERN NO. 1: Worked on multiple of 4 sts plus 2

Row 1 (right side): K 1, P 3, *K 2, rep from * to end.

Row 2: P 2, *K 2, P 2; rep from * to end.

Rep these 2 rows for Pat No. 1. **PATTERN NO. 2:** Worked on multiple of 8 sts plus 2.

Row 1 (right side): K 1, P 3, *K 2, P 6; rep from *, ending K 2, P 3, K 1.

Row 2: P 1, K 3, *P 2, K 6; rep from *, ending last rep P 2, K 3, P 1.

Rep these 2 rows for Pat No. 2.

PATTERN NO. 3

Stockinette St (P 1 row, K 1 row).

BACK: With No. 7 needles, cast on 114 (122-130). Work in Pat No. 1 for 6 inches, ending with Row 2. Change to Pat No. 2; work to 13 inches from beg, or desired length to underarms. Armholes: Bind off 6 sts at beg of next 2 rows. Dec 1 st each side every 2nd row 8 (9-10) times. Work on 86 (92-98) until armholes are $7\frac{1}{2}$ (8- $8\frac{1}{2}$) inches.

Shoulders: Bind off 10 sts at beg of next 2 rows, 8 (9-10) at beg of next 4 rows. Bind off 34 (36-38).

LEFT FRONT: With No. 7 needles, cast on 72 (76-80).

Row 1 (right side): *P 2, K 2; rep from * to end. Continue rib pat to 6

inches from beg, ending on wrong side.

Next row: P 6 (2-6), K 2, *P 6, K 2; rep from * to end.

Next row: *P 2, K 6; rep from *, ending P 2, K 6 (2-6).

Neck: Keeping pat as established, dec 1 st at end of next row (neck edge), place a marker in work. *Rep dec at same edge on 2nd row above, then on 4th row above. Rep from * to same length as back to armholes.

Armholes: Shape as on back AND AT SAME TIME continue to dec for neck as before until there are 32 (33-34) decs in all, shaping shoulder as on back when armhole is same length.

RIGHT FRONT: With No. 7 needles, cast on 72 (76-80).

Row 1 (right side): *K 2, P 2; rep from * to end. Continue ribbing as on left front, ending on wrong side.

Next row: *K 2, P 6; rep from *, ending P 6 (2-6). Complete to correspond to left front, reversing all shaping.

(continued on page 43)

Style No. 1029 Shown at right

Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Allround Wash Fit® or Wintuk Sport (2-oz. skeins) 3 (4-4) Crochet Hook: Aluminum Size F OR

SIZE TO GIVE GAUGE
GAUGE: 1 motif = 13/4 inches

FINISHED MEASUREMENTS

Bust 35 (381/2-42) inches

Back at shoulders with armhole bands 13½ (15¼-17) inches

PATTERN STITCH NO. 1

Row 1: Work 1 sc in 2nd ch from hook and in each ch to end. Ch 1, turn.

Row 2: Work 1 sc in each sc. Ch 1, turn.

Rep Row 2 for Pat No. 1.

PATTERN STITCH NO. 2: Worked on a multiple of 8 sts plus 5.

Row 1 (wrong side): Sc in first sc, *ch 5, skip 3 sc, sc in next sc; rep from * to end. Ch 1, turn.

Row 2: Sc in first sc, *5 sc in next ch-5 loop (5 sc bow made), 3 sc in next ch-5 loop, ch 5, turn, sl st in 3rd sc of 5 sc bow, turn; in new ch-5 loop, work 2 sc, ch 2, 2 sc; 2 sc in same

ch-5 loop with 3 sc; rep from *, ending 5 sc in last ch-5 loop, 1 sc in last sc, ch 5, turn, sl st in 3rd sc of 5 sc bow, turn, 3 sc in new ch-5 just made (½ bow), ch 1, turn.

Row 3: Sc in first sc, ch 5, skip first 5 sc bow, *sc between skipped 5 sc bow and beg of next bow (directly over sc of 2 rows below), ch 5, sc under ch-2 of next bow, ch 5; rep from *, ending ch 5, sc in last sc of row below. Ch 1, turn.

Row 4: Sc in first sc, 3 sc in next ch-5 loop, ch 5, turn, sl st in first sc of this row, *turn; in new ch-5 loop, work 2 sc, ch 2, 2 sc; 2 sc in same ch-5 loop with 3 sc, 5 sc in next ch-5 loop, 3 sc in next ch-5 loop, ch 5, turn, sl st in 3rd sc of 5 sc bow; rep from *, ending turn; in new ch-5 loop, work 2 sc, ch 2, 2 sc; 2 sc in same ch-5 loop with 3 sc, sc in last sc. Ch 1, turn.

Row 5: Sc in first sc, *ch 5, sc in first ch-2 sp, ch 5, sc between next two 5 sc bows; rep from *, ending ch 5, sc in last ch-2 sp. Ch 1, turn. Rep from Row 2 for Pat No. 2, taking care to keep continuity of pat when shaping.

BACK: Chain 78 (86-94) to measure 17½ (19¼-21) inches. Work Pat No. 1 until 5 rows are complete. Work Pat No. 2 on 10 (11-12) motifs to 16 inches from beg, or desired length to underarms, ending with Pat Row 2.

Armholes—Row 1: Work 1 sl st in each of 3 sc of ½ bow and in each of next 2 sc, sc between bows, ch 5, sc in ch-2 sp, continue Pat Row 3, ending sc in last ch-2 sp (½ motif left off each side). Ch 1, turn.

Row 2: Work 1 sl st in first sc and in each of 5 ch, sc in next sc, 3 sc in next ch-5 loop, ch 5, turn, sl st in first sc continue from * of Pat Row 4 to sc before last ch-5 loops, sc in this sc (½ motif left off each side). Ch 1,

Row 3: Work 1 sl st in each of first 3 sc and 2 sc of next bow, sc under ch-2 sp, *sc between next 2 bows, ch 5, sc in next ch-2 sp; rep from *, ending sc in last ch-2 sp (½ motif left off each side). Ch 1, turn.

(continued on page 46)



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Allround Wash Fit® or Wintuk Sport (2-oz. skeins) 5 (6-7)

Crochet Hook: Size F OR SIZE TO GIVE GAUGE

Needles: No. 4 and No. 5 OR SIZE TO GIVE GAUGE

12 buttons; grosgrain ribbon

GAUGE: Crochet—11 sts = 2 inches,

5 rows = 2 inches

Knitted—6 sts = 1 inch,

8 rows = 1 inch.

FINISHED MEASUREMENTS

Bust 36 (39-42) inches

Back at underarms 17 (1834-20) inches

Back at shoulders 13 (14½-16) inches Front at underarms 18¾ (20-21¾) inches

Sleeve at underarm 13 (14-15) inches

PATTERN NO. 1: Worked on a multiple of 8 dc plus 7 dc

Row 1 (wrong side): Work 1 dc in 3rd ch from hook and in each ch to end. Ch 2, turn.

Row 2: *Dc in each of 3 dc, ch 1, skip 1 dc, dc in each of next 3 dc, dc around post of dc of row below (raised dc); rep from *, ending dc in each of 3 dc, ch 1, skip 1 dc, dc in each of last 3 dc. Ch 2, turn.

Row 3: *Dc in each of 3 dc, ch 1, skip 1 ch, dc in each of next 3 dc, from right side of work, work dc around raised dc of row below; rep from *, ending dc in each of 3 dc, ch 1, skip 1 ch, dc in each of last 3 dc. Ch 2, turn.

Rep Rows 2 and 3 for Pat No. 1.

PATTERN NO. 2

Stockinette St (K 1 row, P 1 row).

Note: Back and front are worked in Pat No. 1 with careful attention to continuity of pat in shaping. Sleeves are worked in Pat No. 2.

BACK: With crochet hook, chain 97 (105-113) to measure 17½ (19-20½) inches.

Hem: Work dc in 2nd ch from hook and in each ch to end. 95 (103-111) dc. Work 2 rows of 1 dc in each st. Beg with Row 2 of Pat No. 1, work to 15 inches above hem, or desired length to underarms. Ch 1, turn. Armholes—Row 1: Work 1 sl st in each of 4 sts, work to last 4 sts, sl st in next st. Ch 1, turn.

Row 2: Skip sl st, work 1 sl st in each of 3 sts, work to last 3 sts, work sl st in next st. Ch 1, turn.

Rows 3 and 4: Skip sl st, work 1 sl st in each of 2 sts, work to last 2 sts, sl st in next st. Ch 1, turn.

Row 5: Skip sl st, work 1 sl st in first st, work to last st, sl st in last st. Ch 2, turn.

Work on 71 (79-87) sts until armholes are $4\frac{1}{2}$ (5-5 $\frac{1}{2}$) inches.

Shoulders—Rows 1, 2 and 3: Work 1 sl st in each of 6 sts, work to last 6 sts, sl st in next st, ch 1, turn, skip sl st.

Row 4: Work 1 sl st in each of 6 (8-10) sts, work to last 6 (8-10) sts, sl st in next st. Fasten off.

FRONT: Chain 105 (113-121) to measure 19 (20½-22¼) inches.

Working on 103 (111-119) sts, work same as back to armholes.

Armholes—Rows 1 and 2: Same as on back.

Rows 3, 4 and 5: Same as Row 3 on back.

Rows 6, 7 and 8: Same as Row 5 on back.

Work same as back to shoulders.

Shoulder and Neck—Row 1: Work 1 sl st in each of 6 sts, work pat over next 26 (29-32) sts, ch 1, turn.

Row 2: Work 1 sl st in each of 4 (5-4) sts, work to last 6 sts, sl st in next st, ch 1, turn.

Row 3: Skip sl st, work pat to last 2 (2-3) sts, sl st in next st, ch 1, turn.

Row 4: Skip sl st, work 1 sl st in each of 2 (2-3) sts, work to last 6 sts, sl st in next st, ch 1, turn. Work sl st in each st. Fasten off. Skip 7 (9-11) center sts. Join yarn in next st. Work 2nd side to correspond to first side.

RIGHT SLEEVE: With No. 4 needles, case on 68 (74-80). Work stockinette st for 1½ inches, ending with a K row. K next row for turning ridge. Change to No. 5 needles. Beg with K row, inc 1 st each side of the row and rep incs every ½ inch 4 times more. Work on 78 (84-90) to 4 inches above turning ridge, or desired length to underarm.


Shape Cap: Bind off 3 sts at beg of next 2 rows; 2 sts at beg of next 4 rows. Dec 1 st each side every 2nd row 6 (7-8) times. Bind off 2 sts at beg of next 8 (10-12) rows, 3 sts at beg of next 2 rows—30 sts on needle. Inc 1 st each side of next row.

Saddle Shoulder: Work on 32 sts for 34 inch.

Buttonhole row: Work 2 sts, bind off next 3 sts, work to last 5 sts, bind off 3 sts, work to end. On next row, cast on 3 sts over each set of bound-off sts. Rep buttonhole row every 1½ (1¾-2) inches twice more. Work until saddle shoulder is 4¼ (4¾-5¼) inches, ending with a P row at front edge. Bind off 16 sts at beg of next row, then 2 sts from same edge 8 times.

LEFT SLEEVE: Work to correspond to right sleeve, reversing shaping.

FINISHING: Block pieces to measurements. Work 3 rows sc on edges of back and front shoulders. From right side, work 1 row sc on front neck edge, ch 1, do not turn; working from left to right, work 1 row backward sc. Fasten off. Work 2 rows crochet in same way on back neck edge and 3 sides of each saddle shoulder. Overcast buttonholes. Sew underarm and sleeve seams. Sew sleeve caps to armholes, leaving saddle shoulders free. Face front and back edges of shoulders with ribbon. Sew buttons on front and back crochet edges of shoulders for buttoning saddle shoulders as shown in photograph. From wrong side and beg at either underarm seam, work 3 rows sc around lower edge for hem. Turn to wrong side and sew.





Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Allround Wash Fit® or Wintuk Sport (2-oz. skeins) 13 (15-16) MC and 1 each A and B

Needles: 1 pr. each No. 4 and No. 5 OR SIZE TO GIVE GAUGE and 1 circular needle each No. 4 and No. 5 for skirt

Long separating zipper for jacket; elastic for skirt

GAUGE: 6 sts = 1 inch, 8 rows = 1 inch

FINISHED MEASUREMENTS

Jacket: Bust 35 (39-43) inches

Back at underarms 17 (19-21) inches

Back at shoulders 14 (15-16) inches

Each Front at underarm 9 (10-11) inches

Sleeve at underarm 14 (14½-15¼) inches

Skirt: Lower edge 48 (52-56) inches Hipline (7 inches below waistline) 36 (40-44) inches

Waistline 26 (30-34) inches

striped pattern: Work stockinette st (K 1 row, P 1 row) as follows— 2 rows A, 2 rows B; carry yarn not in use loosely along edge of work.

Jacket

BACK: With No. 4 needles and B, cast on 102 (114-126). Work 10 rows stockinette st for hem. Do not break yarn. Join A, change to No. 5 needles, work 10 rows striped pat. Break off A and B. With MC, work to 15½ (16-16½) inches above hem, or desired length to underarms.

Armholes: Bind off 6 (7-8) sts at beg of next 2 rows. Dec 1 st each side every 2nd row 3 (5-7) times. Work on 84 (90-96) until armholes are 7½ (8-8½) inches, ending with a K row.

sts, join 2nd ball MC, bind off center 16 (18-20) sts, work to end. Work each side with separate yarn. From armhole edges, bind off 6 (6-7) sts every 2nd row 3 (1-3) times, 7 (7-8) sts 1 (3-1) times AND AT SAME TIME, from neck edges, bind off 3 sts 3 times.

RIGHT FRONT: With No. 4 needles and B, cast on 65 (71-77) sts. Work hem and striped pat as on back. With A, bind off 11 sts. Break A and B. Change to No. 5 needles. With MC, work on 54 (60-66) sts to same length as back to armholes, ending with a K row.

Armhole: Bind off 6 (7-8) sts at beg of next row. Dec 1 st at armhole edge every 2nd row 6 (8-10) times. Work on 42 (45-48) until armhole is $5\frac{1}{2}$ (6-6 $\frac{1}{2}$) inches, ending with a P row.

Neck and Shoulder: Bind off 4 (5-6) sts from front edge once, then 3 sts 3 times. Dec 1 st at neck edge every 2nd row 4 times, shaping shoulder as on back when armhole is same length.

LEFT FRONT: With No. 4 needles, cast on 54 (60-66). Work hem and striped pat as on back. Break off A and B. Change to No. 5 needles; complete to correspond to right front, reversing shaping.

SLEEVES: With No. 4 needles and MC, cast on 54 (58-62). Work 9 rows, K next row on wrong side for hemline. Change to No. 5 needles. Beg with a K row, work to 2 inches above hemline, ending with a P row. Place a marker at each side of 2 center sts.

First inc row: K to first marker, insert left needle from front to back under thread between last st knitted and next st on left needle, forming a loop on left needle, K in back of this loop (1 st inc), sl marker, K 2, sl marker, inc 1 st, K to end.

Continue to inc 1 st each side of 2 center sts (as in first inc row) every 1 inch 14 times more. Work on 84 (88-92) to 17 inches above hemline, or desired length to underarm.

Shape Cap: Bind off 6 (7-8) at beg of next 2 rows. Dec 1 st each side every 2nd row 14 (17-20) times, every row 4 (2-0) times. Bind off 3 sts at beg of next 4 rows. Bind off 24 sts.

FINISHING: Block pieces to measurements and assemble. Turn hems, sew to wrong side. With MC from right side, work 1 row sl st on front edges of MC rows, taking care not to draw work.

Neckband: With No. 5 needle and A, cast on 10 sts for overlap. With same needle and A and beg at right front edge, pick up around neck edge 86

(90-94), cast on 1 st. P 1 row. Join B, work striped pat for 8 rows. Break off A. Change to No. 4 needles. With B, work 11 rows for facing. Bind off loosely. Turn facing to wrong side, sew bound-off edge to first row of band. Sew in zipper. Close edges of neckband and lower band with snap fasteners.

Skirt

Note: Length is planned for 22 inches from hemline to waistline. Adjust by working more or fewer inches between first 3 dec rnds. Always take length measurements from hemline.

With No. 4 circular needle and MC, cast on 288 (312-336) sts. Join with care not to twist sts. Place marker on needle to indicate beg of rnd and sl marker every rnd.

Rnd 1: *K 23 (25-27), P 1; rep from * around (12 panels). Keeping panels as established, work 1 inch and mark for hem.

Change to No. 5 needles. Work to 5 inches.

First dec rnd: K 2 tog, *K to within 2 sts of P st, K 2 tog thru back loops, P 1, K 2 tog; rep from * to within 2 sts of last P st, K 2 tog thru back loops (22 decs).

Continue in this way to dec 1 st at each side of each P st (having 2 sts less between P sts after each dec rnd) every 5 inches twice more. Piece should measure 15 inches from beg, or 7 inches less than desired length. Work on 216 (240-264) sts to 17 inches.

4th dec rnd: K tog the P st and next K st (12 decs).

Knit on 204 (228-252) sts to 18 inches.

5th dec rnd: *K 15 (17-19), K 2 tog; rep from * around-12 decs.

Continue to dec 12 sts in a rnd (having 1 st less between decs in each dec rnd) every 1 inch 3 times more. K around on 156 (180-204) to 22 inches from beg, or desired length to waistline. Change to No. 4 needles. P 1 rnd for turning ridge. K 10 rnds for facing. Bind off loosely.

FINISHING: Block to measurements. Turn, sew hem at lower edge. Cut elastic to waist measurement, sew ends tog. Turn and sew facing at waistline over elastic to wrong side.



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Favorite Wash Fit® or Wintuk Fingering (1-oz. skeins) 7 (8-9) MC and 1 CC for Short Sleeve Pullover, 10 (11-12) MC and 1 CC for Cardigan, 2 each MC and CC for Beret

Needles: No. 1 and No. 3 OR SIZE TO GIVE GAUGE and Circular No. 1 for Cardigan and 1 set dp No. 1 for Beret

4 buttons for Cardigan

GAUGE: 7 sts = 1 inch, 10 rows = 1 inch

FINISHED MEASUREMENTS

Pullover: Bust 36 (40-44) inches

Back at shoulders 13 (14-15) inches

Sleeve at underarm 13 (13½-14) inches

Cardigan: Bust (buttoned) 37 (41-45) inches

Back at underarms 18 (20-22) inches

Each Front at underarm 10 (11-12) inches

Sleeve at underarm 14 (151/4-161/2) inches

PATTERN STITCH FOR PULLOVER: Worked on a multiple of 22 (24-26) sts plus 17 (19-21).

Note: Always sl sts as if to P.

Rows 1 and 3: Knit.

Row 2 and All Even-Numbered Rows: Purl.

Row 5: K 17 (19-21), *K 2 tog, yo, K 1, thru back loops K 2 tog, K 17 (19-21); rep from * to end.

Row 7: K 16 (18-20), *K 2 tog, yo, K 3, yo, thru back loops K 2 tog, K 15 (17-19); rep from *, ending K 16 (18-20).

Row 9: K 18 (20-22), *yo, sl 2, K 1, pass 2 sl sts over the K 1, yo, K 19 (21-23); rep from *, ending K 18 (20-22).

Row 11: Knit.

Row 12: Purl.

Rep last 2 rows 6 times more.

Row 25: K 6 (7-8); rep from * of Row 5, ending K 6 (7-8).

Row 27: K 5 (6-7); rep from * of Row 7, ending K 5 (6-7).

Row 29: K 7 (8-9); rep from * of Row 9, ending K 7 (8-9).

Rows 31 thru 44: Rep Rows 11 and 12 seven times.

Rep these 44 rows for pat, taking care to keep continuity when shaping.

Pullover

With No. 1 needle and MC, cast on 127 (139-151).

Row 1: K 1, *P 1, K 1; rep from * to end.

Row 2: P 1, *K 1, P 1; rep from * to end.

Rep these 2 rows for 1 inch, ending with Row 2. Change to No. 3 needles. K 1 row, P 1 row. Drop MC. With CC, work stockinette st (K 1 row, P 1 row) for 4 rows. Break off CC. With MC, work pat to 14 (14½-15) inches from beg, or desired length to underarms.

Armholes: Bind off 7 (8-9) at beg of next 2 rows; 3 sts at beg of next 4 rows. Dec 1 st each side every 2nd row 5 (7-8) times. Work on 91 (97-105) until armholes are 7 (71/2-8) inches.

Neck and Shoulders: Work 38 (40-43), place center 15 (17-19) sts on a holder, join 2nd ball MC, work to end. Work each side with separate yarn. Bind off from armhole edges 7 (7-8) sts twice, then 7 (8-8) sts twice AND AT SAME TIME bind off from neck edges 4 sts twice, then 2 (2-3) sts once.

FRONT: Work same as back until armholes are 4½ (5-5½) inches.

Neck and Shoulders: Work 39 (41-44), place center 13 (15-17) sts on a holder, join 2nd ball yarn, work to end. Bind off from neck edges 4 sts once, 3 sts once, 2 sts once. Dec 1 st at neck edges every 2nd row 2 (2-3) times. Work on 28 (30-32) sts to same length as back to shoulders, then shape shoulders as on back.

steves: With No. 1 needles and MC, cast on 74 (78-82). Work stockinette st for 1 inch, ending with a K row. K next row for turning ridge. Change to No. 3 needles. Beg with a K row, work stockinette st for 1 inch, ending

with a P row. K 1 row, inc 8 sts evenly spaced. P 1 row on 82 (86-90). Drop MC. With CC, work 4 rows stockinette st. Break off CC. With MC, continue stockinette st, inc 1 st each side of next row and repeating incs every 4th row 4 times more.

Work on 92 (96-100) sts to 3 inches above turning ridge.

Shape Cap: Bind off 7 (8-9) sts at beg of next 2 rows. Dec 1 st each side every 2nd row 13 (16-19) times, every row 6 (4-2) times. Bind off 3 sts at beg of next 4 rows. Bind off 28 sts.

FINISHING: Block pieces to measurements. Sew left shoulder seam. With No. 3 needles and MC from right side, pick up across back of neck 46 (48-50) including sts on holder and pick up on front of neck 76 (80-84) including sts on holder. K next row for turning ridge. Work stockinette st (beg with a K row) for 8 rows. Bind off loosely. Sew right shoulder, underarm and sleeve seams. Set in sleeves. Turn neck and sleeve facings at ridges to wrong side and sew in place.

Cardigan

Note: Except for ribbed border at lower edge and ribbing in pocket borders, cardigan is worked in stockinette st (K 1 row, P 1 row).

BACK: With No. 1 needles and MC, cast on 127 (139-153).

Row 1: K 1, *P 1, K 1; rep from * to end.

Row 2: P 1, *K 1, P 1; rep from * to end. Rep these 2 rows for 1 inch. Change to No. 3 needles. Work stockinette st to 14 (14½-15) inches from beg, or desired length to underarms, ending with a P row.

Ragian Armholes: Bind off 6 (7-9) at beg of next 2 rows.

Row 3: K 3, K 2 tog thru back loops, K to last 5 sts, K 2 tog, K 3.

Row 4: Purl.

Rep last 2 rows 39 (42-45) times. Place 35 (39-43) on a holder.

POCKET LININGS (Make 2): With No. 3 needle and MC, cast on 37 sts. Work for 3 inches, place sts on a holder.

(Continued on page 45)



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Mona (50-gr. balls) 5 (6-7) and 1 for purse

Crochet Hook: Steel Size 0 OR SIZE TO GIVE GAUGE

Purse Frame

GAUGE: 1 motif = $2\frac{1}{3}$ inches, 9 rows = 2 inches

FINISHED MEASUREMENTS

Bust 33 (37-42) inches

. Back at shoulders 14 (16-19) inches

PATTERN STITCH: Worked on a multiple of 14 chains plus 5.

Row 1: Dc in 3rd ch from hook and in each of next 2 ch (3 dc group made), *ch 3, skip 3 ch, 1 sc in each of next 5 ch, ch 3, skip 3 ch, dc in each of next 3 ch; rep from * to end. Ch 4, turn.

Row 2: 3 dc in ch-3 sp, *ch 3, skip 1 sc, 1 sc in each of next 3 sc, ch 3, (3 dc in next ch-3 sp) twice; rep from *, ending ch 3, 3 dc in last ch-3 sp, ch 3, dc under turning ch-2. Ch 3, turn.

Row 3: Dc in first ch-3 sp, ch 3, 3 dc in next ch-3 sp, *ch 3, skip 1 sc, dc in next sc, ch 3, 3 dc in next ch-3 sp, ch 3, 1 dc in sp between next 2 groups, ch 3, 3 dc in next ch-3 sp; rep from *, ending ch 3, dc under turning ch-3. Ch 1, turn.

Row 4: 2 sc in sp, *ch 3, (3 dc in next sp) twice, ch 3, sc in next sp, sc in next dc, sc in next sp; rep from *, ending ch 3, sc in last sp, sc in last dc. Ch 1, turn.

Row 5: Sc in each of 2 sc, sc in sp, *ch 3, 3 dc in sp between groups, ch 3, sc in next sp, 1 sc in each of next 3 sc, sc in next sp; rep from *, ending ch 3, sc in last sp, sc in each of next 2 sc. Ch 1, turn.

Row 6: Sc in first sc, sc in next sc, *ch 3, (3 dc in next sp) twice, ch 3, skip 1 sc, sc in each of next 3 sc; rep from *, ending ch 3, sc in each of last 2 sc. Ch 2, turn.

Row 7: 3 dc in first sp, *ch 3, 1 dc in sp between next 2 groups, ch 3, 3 dc in next sp, ch 3, skip 1 sc, 1 dc in next sc, ch 3, 3 dc in next sp; rep from *, ending ch 3, 3 dc in last sp, ch 3, dc in last sc. Ch 3, turn.

Row 8: 3 dc in first sp, *ch 3, sc in next sp, sc in next dc, sc in next sp, ch 3, (3 dc in next sp) twice; rep from *, ending ch 3, 3 dc under turning ch. Ch 2, turn.

Row 9: 1 dc in each of first 3 dc, *ch 3, sc in next sp, 1 sc in each of next 3 sc, sc in next sp, ch 3, 3 dc in sp between next 2 groups; rep from *, ending ch 3, dc in each of last 3 dc. Ch 4, turn. Rep from Row 2 for pat, taking care to keep continuity of pat when shaping.

Blouse

FRONT: Chain 103 (117-131) to measure approx. 17 (19½-21½) inches. Work pat on 7 (8-9) motifs to 13 inches from beg, or desired length to underarms, ending with Pat Row 2. Ch 1, turn.

Armholes: Work 1 sl st in each of first 3 ch, 3 dc, 3 ch and 1 sc; ch 3, dc in next sc, 3 dc in next sp, continue Pat Row 3 to center of last 3 sc group, ending ch 3, dc in center sc (1/2 motif left off for each armhole). Work even on 6 (7-8) motifs until armholes are 6 inches. Mark off center motif for neck and continue pat on 1 side only: Work across 2½ (3-3½) motifs, turn, work to armhole edge, turn, work across 2 (21/2-3) motifs, turn, work to armhole edge. Work 2 rows even. There are 2 $(2\frac{1}{2}-3)$ motifs for each shoulder. Fasten off. Skip center motif at neck, join yarn and work 2nd side to correspond to first side.

BACK: Work same as front until armholes are 4 inches.

Divide for back opening: Work 3 (3½-4) motifs and continue working on one side only to 2 rows less than front armhole, ending at armhole edge.


Next row: Work across 2 (2½-3)

motifs, leaving 1 motif for neck. Turn, work to armhole edge. Fasten off. Join yarn at center edge (beg of back opening) and work 2nd side to correspond to first side.

FINISHING: Block pieces to measurements. Sew underarm and shoulder seams. From right side, work sc on lower edge, working 5 sc in each ch-3 sp and 1 sc in each sc and dc. Ch 1, turn. Work 1 sc in each sc. Join: fasten off. Work 2 rnds of sc around each armhole, first rnd from right side and turning at end of each rnd, holding armhole in to desired size. Work 5 rnds of sc around neck in same way. From right side, work 1 row sc on edges of back opening, forming 1 buttonloop on right edge of opening at neck and 2 others spaced evenly below. Steam edges. Sew on buttons.

Pocketbook

Measure width of frame. On a chain 2 inches wider than frame, work pat to desired length. Work 2 rows sc on sides. Steam piece. Gusset (make 2): Chain 14 and work triangular piece in sc to fit side of folded purse, allowing for depth of frame. Cut lining to fit all pieces, allowing for seams. Assemble lining and purse and sew to frame, holding in extra fullness.





Style No. 1034 Shown at left

Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Frostlon Petite (1-oz. balls) 8 (9-10)

Needles: No. 3 and No. 5 OR SIZE TO GIVE GAUGE

GAUGE: 6 sts = 1 inch, 6 rows = 1 inch

FINISHED MEASUREMENTS

Bust 34 (38-42) inches

Back at shoulders 14 (15-16) inches

Sleeve at underarm 13½ (14-14½) inches

PATTERN STITCH: Worked on a multiple of 4 sts.

· Note: Always sl sts as if to P.

Row 1 (right side): K 1, P 1, *K 2, P 2; rep from *, ending P 1, K 1.

Row 2: P 1, K 1, *P 2, K 2; rep from *, ending K 1, P 1.

Row 3: P 1, *K 2 tog, yo twice (take yarn twice around needle), sl 1, K 1, psso; rep from *, ending K 2 tog, yo, K 1.

Row 4: P 1, K in back of yo loop, *P 2, K in back of next yo loop, K in front of next yo loop; rep from *, ending P 2.

Row 5: K 2, *P 2, skip next st, K next st, leave on left needle, K the skipped st, drop both sts from left needle; rep from *, ending P 2.

Row 6: *K 2, P 2; rep from * to end.

Row 7: K 1, yo, *sl 1, K 1, psso, K 2 tog, yo twice; rep from *, ending yo twice, sl 1, K 1, psso, P 1.

Row 8: K 1, P 1, rep from * of Row 4, ending K in front of yo loop, P 1.

Row 9: K 1, P 1, *skip next st, insert right needle behind skipped st, K next st thru back loop, leave on left needle, K skipped st, drop both sts from left needle, P 2; rep from *, ending skip next st, K next st thru back loop, K skipped st.

Row 10: * P 2, K 2; rep from * to end. Rep from Row 3 for pat, taking care to keep continuity of pat when shaping.

Note: Blouse, except for borders, is worked in pat st.

BACK: With No. 3 needles, cast on 104 (116-128). Rib in K 1, P 1 for 1½ inches. Change to No. 5 needles. Work pat to 14 (14½-15) inches from beg, or desired length to underarms.

Armholes: Bind off 6 (8-10) at beg of next 2 rows. Dec 1 st each side every 2nd row 4 (6-6) times. Work on 84 (88-96) until armholes are 5 (5½-6) inches.

Divide for back opening: Work 40 (42-46), K 2, join another ball yarn, K 2, work pat to end. Keeping 2 sts at center edges in garter st (K every row) and remaining sts in pat, work until armholes are 7 (71/2-8) inches.

Shoulders and Neck: From armhole edges, bind off 5 (6-6) sts twice, 5 (5-6) sts twice, AND AT SAME TIME, from neck edges, bind off 12 sts once, 4 (4-6) once, 3 once and 2 once.

FRONT: Work same as back until armholes are 4 (4½-5) inches.

Neck and Shoulders: Work 35 (37-39), tie in 2nd ball yarn, bind off center 14 (14-18) in pat, work to end. Working each side with separate yarn, bind off 5 sts from neck edges once, 3 sts once, 2 sts twice. Dec 1 st at neck edges every 2nd row 3 times. Work on 20 (22-24) sts, shaping shoulders as on back when armholes are same length.

(continued on page 47)

Style No. 1035 Shown at right

Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Frostlon Petite (1-oz. balls) 6 (7-8)

Crochet Hook: Size E OR SIZE TO GIVE GAUGE

Needles: No. 5

GAUGE: Crochet—3 motifs = 2 inches,

2 rows = 1 inch

Knitted—6 sts = 1 inch,

7 rows = 1 inch

FINISHED MEASUREMENTS

Bust 36 (40-44) inches
Back at shoulders 14 (15-16) inches

PATTERN STITCH: Worked on a multiple of 3 plus 5 chains.

Row 1: (Yo, draw up a loop in 4th ch from hook) twice, yo and thru 5 loops to form eye (½ pat made), ch 1, skip 1 ch, (yo, draw up a loop in next ch) twice, *skip 2 ch, (yo, draw up a loop in next ch) twice, yo and thru 9 loops to form eye (1 pat made), ch 2, (yo, draw up a loop in same ch as last half of last pat) twice; rep from *, end (yo, draw up a loop in

same ch as last half of last pat) twice, yo and thru 5 loops to form eye, ch 1, skip 1 ch, dc in last ch. Ch 3, turn.

Row 2: (Yo, draw up a loop in first eye) twice, yo and thru 5 loops, *ch 2, (yo, draw up a loop in same eye as last half pat) twice, skip ch-2, (yo, draw up a loop in next eye) twice, yo and thru 9 loops; rep from *, end ch 1, dc under turning ch. Ch 3, turn. Row 3: Work ½ pat in ch-1 sp, ch 2, (yo, draw up a loop in first eye) twice, (yo, draw up a loop in next eye) twice, yo and thru 9 loops; rep from * of Row 2, end yo and thru 9 loops, ch 1, dc under turning ch. Ch 3, turn. Rep Rows 2 and 3 for pat, taking care to keep continuity of pat when shaping.

BACK: Chain 83 (92-101) to measure 18 (20-22) inches. Work on 26½ (29½-32½) pats to 14 (15-16) inches, or desired length to underarms, ending with Pat Row 3. Ch 3, turn.

Armholes—Row 1: (Yo, draw up a loop in first eye) twice, (yo, draw up

a loop in next eye) twice, yo and thru 9 loops, ch 2, (yo, draw up a loop in same eye) twice, continue pat to 2nd eye from end, complete a pat in this eye, ch 2, (yo, draw up a loop in same eye) twice, yo and thru 5 loops, skip last eye, ch 1, dc under turning ch (½ pat dec each side). Ch 3, turn.

Row 2: (Yo, draw up a loop in 2nd eye) twice, yo and thru 5 loops, ch 2, (yo, draw up a loop in same eye) twice, (yo, draw up a loop in next eye) twice, yo and thru 9 loops, ch 2, continue pat, end (yo, draw up a loop in last eye) twice, yo and thru 9 loops, ch 1, dc under turning ch (½ pat dec each side). Ch 3, turn. Rep these 2 rows 2 (3-3) times.

For large size only: Rep Row 1 once more.

Work on 20½ (21½-22½) pats until armholes are 7 (7-8) inches, end with Pat Row 2. Ch 1, turn.

Place a marker in 7th (7th-8th) eye from each end.

(continued on page 45)



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Mona (50-gr. balls) 12 (14-16) MC and 1 CC

Crochet Hook: Size G OR SIZE TO GIVE GAUGE

Needles: No. 6 OR SIZE TO GIVE GAUGE

Long placket zipper

GAUGE: Crochet—5 sts = 1 inch, 5 rows = 1 inch Knitted—5 sts = 1 inch, 23 rows = 2 inches

FINISHED MEASUREMENTS

Bust 36 (40-44) inches

Back at shoulders 14 (15-16) inches

Sleeve at underarm 13 (14-15) inches

CROCHET PATTERN: Worked on an even number of sts.

Row 1: Draw up a loop in 2nd ch from hook, draw up a loop in next ch, yo and thru 3 loops, *ch 1, draw up a loop in next ch, draw up a loop in next ch, yo and thru 3 loops (1 pat made); rep from * to end. Ch 1, turn.

Row 2: Draw up a loop in first st, draw up a loop in ch-1 sp, yo and thru 3 loops, *ch 1, draw up a loop in next st, draw up a loop in next ch-1 sp, yo and thru 3 loops; rep from *, end draw up a loop in last st, draw up a loop in turning ch-1, yo and thru 3 loops. Ch 1, turn.

Rep Row 2 for pat.

knitted pattern: Work garter st (K every row) as follows—
MC 6 rows, CC 2 rows, break off CC,
MC 19 rows, Bind off loosely.

BACK: Chain 91 (101-111) to measure 18 (20-22) inches. Work crochet pat on 90 (100-110) sts to 27½ (28-28½) inches from beg, or desired length to underarms. Ch 1, turn.

Armholes—Row 1: Work 1 sl st in each of 6 (8-10) sts, ch 1, work pat to last 6 (8-10) sts, ch 1, turn.

Row 2: Work 1 sl st in each of 4 sts, ch 1, work pat to last 4 sts, ch 1, turn. Work pat on 70 (76-82) sts until armholes are 7 (7½-8) inches. Ch 1, turn.

Shoulders—Row 1: Work 1 sl st in each of 4 sts, ch 1, work pat to last 4 sts, ch 1, turn.

Rep last row 3 times.

Row 5: Work 1 sl st in each of 4 (6-8) sts, work to last 4 (6-8) sts, sl st in next st. Fasten off.

FRONT: Work same as back to 12 inches from beg, or 15½ (16-16½) inches less than back to armholes.

Divide for front opening as follows-

Left Side: Work 46 (50-56) sts. Continue pat on these sts only until same length as back to armholes.

Armhole—Row 1: Work 1 sl st in each of 6 (8-10) sts, ch 1, turn.

Row 2: Work to last 4 sts, ch 1, turn. Work pat on 36 (38-42) sts until armhole is 5 ($5\frac{1}{2}$ -6) inches, end at front edge.

Neck and Shoulder—Row 1: Work 1 sl st in each of 6 (6-8) sts, work to end, ch 1, turn, work to neck edge. Work sl st across 3 sts from neck edge every 2nd row twice, then 2 sts 2 (2-3) times AND AT SAME TIME, when same length as back, shape shoulder to correspond to back shoulder.

Right Side: Skip 4 sts of last complete row, join yarn, work pat over 40 (46-50) to underarm edge. Work same as left side until armhole is $3\frac{1}{2}$ (4- $4\frac{1}{2}$) inches, end at front edge.

Neck—Row 1: Work sl st over 0 (2-2) sts, work to end, ch 1, turn, work to neck edge. Complete neck and shoulder to correspond to left side.

SLEEVES: Chain 65 (71-77) to measure 13 (14-15) inches. Work pat for 2 inches.

Shape Cap—Row 1: Same as Row 1 of armholes on back.

Row 2: Skip first st and ch-1, work pat to 2nd st from end, skip 2nd st and ch, draw up a loop in last st, draw up a loop under turning ch, yo and thru 3 loops (2 sts decreased each side).

Continue to decrease 2 sts each side every 4th row 5 (6-7) times more.

Next row: Work sl st over 2 sts, work to last 2 sts, ch 1, turn. Rep last row once. Fasten off.

POCKETS (Make 2): Chain 31 to measure 6 inches. Work pat for 4 inches.

Pocket Border: With MC and needles from right side, pick up 30 sts across last row. Work knitted pat for 27 rows. Bind off loosely.

Sleeve Borders: Pick up 64 (70-76) sts. Work knitted pat.

Right Front Border: Beg at lower edge of opening, pick up 95 (100-105) on front edge to neck. Work knitted pat.

FINISHING: Block pieces to measurements and assemble. Work 1 row sc on left edge of front opening. Turn all borders in half to wrong side and sew bound-off edges to picked-up rows. Join top of front border. Sew ½ double thickness of lower edge of front border to skipped sts at beg of opening, other half to left side of front. Sew in zipper so that closing will be directly under CC stripe of right front border.

Collar: With MC and beg 1 inch from inside edge of right front border, pick up 85 (90-95) sts around neck edge, ending 2 inches from outside edge of left front opening. Work knitted pat for 27 rows, bind off loosely. Turn in half and sew bound-off edge to picked up row. Weave ends. Sew pockets as shown in photograph.



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Frostlon Petite (1-oz. balls) 8 (9-10)

Crochet Hook: Aluminum Size E OR SIZE TO GIVE GAUGE

GAUGE: 4 sc = 1 inch

FINISHED MEASUREMENTS

Bust 36 (40-44) inches

Back at shoulders 14 (15-16) inches

Sleeve at underarm 13 (14-15) inches

PATTERN STITCH (Worked on an even number of sts)

Row 1: Work 1 sc in 2nd ch from hook and in each ch across. Ch 1, turn.

Row 2: Work 1 sc in each sc. Ch 3, turn.

Row 3: Yo, draw up a loop in first sc, draw up a loop in next sc, yo and thru all 4 loops on hook; * ch 1, yo, draw up a loop in next sc, draw up a loop in next sc, yo and thru all loops; rep from * to end. Ch 3, turn.

Row 4: Working thru back loops only, yo, draw up a loop in 3rd ch from hook, draw up a loop in next ch-1, yo and thru all loops; * ch 1, yo, draw up a loop in same ch-1, draw up a loop in next ch-1, yo and thru all loops; rep from *, end yo, draw up a loop in same ch-1, draw up a loop in top of turning ch-3, yo and thru all loops. Ch 3, turn.

Row 5: Working in 3rd ch and under ch-1 spaces, rep Row 4.

Row 6: Working thru back loops of ch-1, rep Row 4. Ch 1, turn.

Row 7: Work 1 sc under turning ch-1, * 2 sc in each ch-1 space, rep from *, end 1 sc in top of turning ch. Ch 1, turn.

Row 8: Work 1 sc in each sc. Ch 1, turn.

Rep from Row 3 for pattern, taking care to keep continuity when shaping.

BACK: Ch 73 (81-89). Work pat Row 1 72 (80-88) sc. Continue pat to 15 inches from beg, or desired length to underarm, end with Pat Row 7.

Armholes: SI st across 4 (6-8) sc, ch 1, work 1 sc in each of next 64 (72-80) sc, leaving 4 (6-8) sc. Ch 3, turn.

Next row: Yo, draw up a loop in next sc, draw up a loop in next sc, yo and thru all loops; continue from * of Row 3 (2 sts decreased at beg of row).

Next row: Yo, draw up a loop in first ch-1 space, draw up a loop in next ch-1 space, yo and thru all loops; continue from * of Row 4, end yo, draw up a loop in same ch-1, draw up a loop in top of turning ch-3, yo and thru all loops (2 sts decreased at beg of row). Ch 3, turn.

Next row: Same as last row, working under ch-1 spaces. Last dec row: Same as last row, working thru back loops of ch-1. Continue in pat on 56 (60-64) sts until armholes are 7 (7½-8) inches. Ch 1, turn.

Shoulders: SI st across 10 sts, work pat to last 10 sts. Ch 1, turn. SI st across 9 (10-12) sts, work pat to last 9 (10-12) sts. Fasten off.

pat on 36 (40-44) sts same as back, shaping armhole to correspond. Work on 28 (30-32) sts until armhole is 5 (5½-6) inches, end at front edge. Ch 1, turn.

Neck: SI st across 6 sts, work pat to end of row. Decrease 2 sts at neck edge (as on armhole) every 2nd row twice AND AT SAME TIME, when armhole measures same as back, shape shoulder to correspond.


RIGHT FRONT: Work same as Left Front, reversing all shaping.

SLEEVES: Ch 37. Work first 7 rows of pat. Inc Row: Work 2 sc in each of first 2 sc, work to last 2 sts, work 2 sc in each of last 2 sc. Rep inc row every 12 rows 3 (4-5) times. Work on 52 (56-60) sts to 17 inches from beg, or desired length to underarm, end with Pat Row 7.

Shape Cap: SI st across 4 (6-8) sc, ch 1, work 1 sc in each sc to last 4 (6-8) sts. Ch 3, turn. Work 2 (0-2) rows even.

*Next Row: Dec 2 sts at beg of next 2 rows as before. Work 2 (3-3) rows even. Rep from * 2 (3-3) times. Fasten off.

FINISHING: Block pieces to measurements and assemble. From right side and beg at underarm seam, work 1 row sc around entire sweater, spacing sts to keep edges flat and working 3 sc in each of 4 corners. Join with sl st. DO NOT TURN. Ch 1, rep last row twice. Fasten off. Work 3 rows sc around lower edge of sleeves.





Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Allround Wash Fit® or Wintuk Sport (2 oz. skeins) 22 (24-26)

Crochet Hook: Size F OR SIZE TO GIVE GAUGE

GAUGE: Pattern St. No. 2 6 sts = 1 inch, 6 rows = 1 inch

FINISHED MEASUREMENTS

Bust 38 (42-46) inches (buttoned) Back at underarms 18 (20-22) inches Back at shoulders 15 (16-17) inches Each Front at underarm 11 (12-13) inches

Sleeve at underarm 14 (15-16) inches

PATTERN STITCH NO. 1: Worked on a multiple of 4 sts plus 1.

Row 1 (right side): Dc in 4th ch from hook and in each of next 2 ch, yo hook twice, *skip the 3 dc just worked, with hook on top of work insert from back to front thru next ch at right of first dc, draw up loop, yo and thru 2 loops 3 times (tr worked across 3 dc), skip 1 ch, dc in each of next 3 ch; rep from *, end tr across last 3 dc, dc in in last ch. Ch 2, turn.

Row 2: Skip first dc and tr, *dc in each of next 3 dc, yo twice, insert hook as before in top of skipped tr, draw up loop, complete tr, skip next tr of row below; rep from *, end tr across last 3 dc, dc under turning ch-3. Ch 2, turn.

Rep Row 2 for Pat No. 1.

PATTERN STITCH NO. 2

Row 1: Sc in first dc, *ch 1, skip tr, sc in next dc, ch 1, skip 1 dc, sc in next dc; rep from *, end sc in last dc. Ch 1, turn.

Row 2: Sc in first sc, *ch 1, sc in next sc; rep from * to end. Ch 1, turn.

Rep Row 2 for Pat No. 2.

BACK: Chain 111 (123-135) to measure $18\frac{1}{2}$ ($20\frac{1}{2}$ - $22\frac{1}{2}$) inches. Work Pat No. 1 on 109 (121-133) sts to 27 ($27\frac{1}{2}$ -28) inches from beg, or 1 inch less than desired length to underarms. Work Pat No. 2 on 109 (121-133) sts for 1 inch.

Armholes—Row 1: Work 1 sl st in each of 6 (8-10) sts, ch 1, work pat 2 to last 6 (8-10) sts, sl st in next st, ch 1, turn.

Row 2: Skip sl st, sc in first sc, skip ch-1, sc in next sc (1 st decreased), *ch 1, sc in next sc, continue pat to 2nd sc from end, sc in next sc, skip ch-1, sc in last sc (1 st decreased), ch 1, turn.

Row 3: Draw up a loop in each of

first 2 sts, yo and thru 3 loops (1 st decreased), ch 1, continue pat to last 2 sts, draw up a loop in each of last 2 sts, yo and thru 3 loops (1 st decreased), ch 1, turn.

Rep last 2 rows 1 (1-2) times more. Work on 89 (97-101) until armholes are 8 (8½-9) inches.

Neck and shoulders—First Side—Row 1: Work 41 (43-45) sts, ch and turn. Row 2: Work 1 sl st in each of 6 sts, work to last 10 sts, sl st in next st, ch and turn.

Row 3: Skip sl st, sl st in each of next 10 sts, work to last 4 sts, sl st in next st. Fasten off.

2nd Side: Skip center 7 (11-11) sts of last complete row. Join yarn in next st, complete to correspond to first side.

LEFT FRONT: Chain 67 (73-79) to measure $11\frac{1}{2}$ ($12\frac{1}{2}$ - $13\frac{1}{2}$) inches. Work same as back on 65 (71-77) sts to armhole.

Armhole and Neck—Row 1: Work 1 sl st in each of 6 (8-10) sts, ch 1, work to end. Dec 1 st at armhole edge every row 10 times. Work on 49 (53-57) sts until armholes are 6 (6½-7) inches, end at front edge.

Next row: Work 1 sl st in each of 10 (12-14) sts, ch 1, work to end. Dec 1 st at neck edge every row 8 times AND shape shoulder as on back when armholes are same length.

Mark places for 3 buttons with first marker ½ inch above beg of Pat No. 2, 3rd marker 2 rows below neck edge, 2nd spaced midway between.

RIGHT FRONT: Work to correspond to left front, reversing shaping and forming buttonholes opposite markers as follows: Beg at front edge, work sc in first sc, ch 3, skip ch-1, sc and ch-1, sc in next sc, continue pat to end. On next row, work to ch-3, skip 1 ch, sc in next ch, skip next ch, sc in last sc.

SLEEVES: Chain 66 (72-78) to measure $11 (11\frac{1}{2}-12)$ inches.

Row 1: Sc in 2nd ch from hook, *ch 1, skip 1 ch, sc in next ch; rep from * to end.

Work Pat No. 2 on 65 (71-77) sts for $1\frac{1}{2}$ inches.

*First inc row: 2 sc in first sc, ch 1, skip ch-1, continue pat to last sc, 2 sc in last sc (1 st inc each side).

Work even for 11/2 inches.

2nd inc row: Sc in first sc, ch 1, sc in next sc, ch 1, continue pat to last 2 sc, sc in next sc, ch 1, sc in last sc (1 st inc each side).

Work even 11/2 inches.

Rep from * 4 times. Work on 85 (91-97) sts to 17 inches from beg, or desired length to underarm.

Shape Cap—Row 1: Same as Row 1 of back armholes.

Dec 1 st each side every row 10 (8-6) times, every 2nd row 8 (11-14) times, ch 1, turn.

Next row: Work 1 sl st in each of 3 sts, work to last 3 sts, sl st in next st, ch 1, turn, skip sl st.

Rep last row 3 times more. Fasten

FINISHING: Block pieces to measurements and assemble. From right side and beg at top left front edge, work so to lower edge, 3 so at corner, continue so on lower edge, 3 so at corner, so on right front edge to neck, 3 so at corner, place marker in work, 101 (105-109) so on neck edge to right front edge, place marker, 3 so at corner. Join with a sl st, fasten off.

collar: Beg at marker at right neck edge, work Row 1 of Pat No. 1 (skipping 1 sc instead of 1 ch) to marker at left neck edge. Work 5 more rows of Pat No. 1. Fasten off.

From right side, work 2 rows sc on sides and outside edge of collar, working 3 sc at each corner. From wrong side, work 1 row sc on front edges and lower edge of coat, working 3 sc at each corner.

Buttons: Ch 5, join with a sl st, ch 2. Rnd 1: Work 12 dc in ring. Join this and all rnds with a sl st and ch 2. Rnds 2, 3 and 4: *Yo, insert hook from front to back around dc of previous rnd, yo, draw up a loop, complete dc (dc worked around base of dc); rep from * around.

After joining last rnd, fasten off, leaving an end for sewing. Stuff with extra yarn, draw sts tog tightly. Sew to left front at markers.





Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Mona (50-gr. balls) 3 (4-4) MC and 2 (3-3) each A and B
Needles: No. 5 OR SIZE TO GIVE GAUGE
4 buttons

GAUGE: 6 sts = 1 inch, 8 rows = 1 inch

FINISHED MEASUREMENTS

Bust 37 (41-45) inches (buttoned)
Back at underarms 18 (20-22) inches
Back at shoulders 14 (15-16) inches
Each Front at underarm 9 (10-11) inches

Sleeves at underarm 12 (13-14) inches Except for ribbing, entire sweater is worked in stockinette st (K 1 row, P 1 row) following the color sequence.

COLOR SEQUENCE: 18 rows A, 18 rows B, 18 rows C

BACK: With MC, cast on 108 (120-132). Rib in K 1, P 1 for 4½ inches. Change to stockinette st and beg with Color A, work until 15½ inches from beg.

Armholes: From side edges bind off 5 (6-7) sts once; 3 sts once; 2 sts once; then dec 1 st 2 (4-6) times. Work on 84 (90-96) sts until armholes measure 7½ (8-8½) inches.

Shoulders: From armhole edges bind off 7 (7-8) sts 4 (2-4) times; 0 (8-0) sts 0 (2-0) times. Bind off remaining 28 (30-32).

LEFT FRONT: With MC, cast on 54 (60-66). Work same as back until 14½ inches from beg, ending with P row.

Neck: K to last 2 sts, K 2 tog. Mark

as first neck dec. Rep dec at end of every 2nd K row 13 (14-15) times AND AT SAME TIME, when same length as back to underarm, shape armhole to correspond to back. When armhole measures same as back, shape shoulder to correspond.


RIGHT FRONT: Work same as Left Front, reversing all shaping.

sts. Rib in K 1, P 1 for 1 inch. (NOTE: Work 10 rows with MC before changing to Color A.) Work in stockinette st, inc 1 st each side every 4th row 5 (6-7) times. Work on 72 (78-84) sts until 5½ inches from beg, ending with same row as on back.

Cap: Bind off 5 (6-7) sts at beg next 2 rows; dec 1 st each side every 4th row 3 times; every 2nd row 10 (12-14) times; bind off 2 sts at beg next 6 rows. Bind off 24 sts.

FINISHING: Block pieces to measurement (allowing for front band). Assemble, matching stripes. BAND: With MC, starting at lower edge of Right Front, pick up 88 sts to neck marker; 62 (66-70) sts to shoulder; 28 (30-32) sts across back of neck; 62 (66-70) sts to other neck marker; 88 sts to lower edge of Left Front. Entire band is worked in K 1, P 1 rib as follows: work 3 rows, ending at lower right.

Buttonhole Row: Work 4 sts, bind off next 3 sts, * work until 23 sts are on needle from bound-off sts; bind off next 3 sts, rep from * twice, work to end. On next row, cast on 3 sts over bound off sts. Work 6 rows. Rep buttonhole rows. Work 3 rows. Bind off in ribbing. Sew bound-off sts to picked-up sts. Overcast buttonholes. Steam band lightly and sew on buttons.



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Mona (50-gr. balls) 21 (22-23)

Crochet Hook: Steel No. 0 OR SIZE TO GIVE GAUGE

Grosgrain ribbon

GAUGE:

Pat No. 1—6 dc = 1 inch, 3 rows = 1 inch Pat No. 2—Width of 1 pat = 2 inches

FINISHED MEASUREMENTS

Skirt:

Lower edge and hipline 36 (40-44) inches

Jacket:

Bust (buttoned) 34 (39-42) inches Back at underarms 17 (19-21) inches Back at shoulders 14 (15-16) inches Each Front at underarm 9 (10½-11) inches

Sleeve at underarm 12½ (13½-14½) inches

PATTERN STITCH NO. 1: Worked on a multiple of 4 dc plus 3.

Row 1 (right side): Dc in first dc, *ch 1, skip 1 dc, dc in next dc; rep from * to end. Ch 2, turn.

Row 2: Dc in first dc, *dc in ch-1 sp, dc in next dc; rep from * to end. Ch 2, turn.

Row 3: Dc in each of first 3 dc, *ch 1, skip 1 dc, dc in each of next 3 dc; rep from * to end. Ch 2, turn.

Row 4: Dc in each dc and in each ch-1 sp. Ch 2, turn.

Rep these 4 rows for Pat No. 1, taking care to keep continuity of pat when shaping.

PATTERN STITCH NO. 2: Chain 13 loosely.

Row 1: Work 1 dc in 4th ch from hook and in each ch to end—10 dc. Ch 1, turn.

Row 2: Sc in each of first 3 dc, ch 4 loosely, skip 4 dc, sc in each of last 3 dc. Ch 1, turn.

Row 3: Sc in first sc, 13 dc under ch-4, sc in last sc. Ch 2, turn.

Row 4: Skip so and 2 dc, dc in next dc, (ch 2 loosely, skip 1 dc, dc in next dc) 4 times, ch 2, sc under turning ch-2. Ch 1, turn.


Row 5: Sc in first ch-2 sp, *skip dc, 2 sc in next ch-2 sp; rep from *, ending 1 sc under turning ch-2. Ch 1, turn.

Row 6: Sc in each of first 3 sc, ch 4 loosely, skip 4 sc, sc in each of last 3 sc. Ch 1, turn.

Rep from Row 3 for Pat No. 2.

To dec 1 dc: Yo, draw up a loop in st, draw up a loop in next st, yo and thru 2 loops, yo and thru 3 loops.

To inc 1 dc: Work 2 dc in 1 st.



Skirt

BACK: Chain 110 (122-134) to measure 18½ (20½-22½) inches. Work 1 dc in 4th ch from hook and in each ch to end—107 (119-131) dc. Ch 2, turn. Work Pat 1 to 12 inches from beg, or 10 inches less than desired length to waistline, ending with Pat Row 2 or 4. Dec 1 dc each side of next row and rep decs every ¾ inch 7 times more, every ½ inch 7 times. Work pat on 77 (89-101) sts to 22 inches from beg, or desired length to waistline. Fasten off.

FRONT: Work same as back.

FINISHING: Block pieces to measurements. Sew seams. From right side, work 3 rows sc on waistline over round elastic. Fasten off. Draw elastic to waist measurement and secure ends. From right side, work 1 row backward sc (from left to right) on lower edge.

Jacket

BACK: Ch 106 (118-130) to measure 17½ (19½-21½) inches. Work 1 dc in 4th ch from hook and in each ch to end—103 (115-127) dc. Ch 2, turn. Work Pat No. 1, dec 1 dc each side every 1 inch 6 times. Work on

91 (103-115) sts to 6½ inches from beg, or desired length to waistline. Mark for waistline. Work ½ inch even. Inc 1 st each side of next row and rep incs every 1 inch 6 times. Work on 103 (115-127) sts to 14 (14½-15) inches from beg, or desired length to underarms, ending with Pat Row 2 or 4. Ch 1, turn.

Armholes: Work 1 sl st in each of 6 (8-10) sts, ch 2, work pat to last 6 (8-10) sts; do not work in last 6 (8-10) sts. Ch 2, turn. Dec 1 st each side every row 3 (4-5) times. Work on 85 (91-97) sts until armholes are 7½ (8-8½) inches, ending with Pat Row 2 or 4. Ch 1, turn.

Shoulders: Work 1 sl st in each of first 9 (10-11) sts. Ch 2. Continue pat to last 9 (10-11) sts, sl st in each of last 9 (10-11) sts. Ch 1, turn.

Next row: Work 1 sl st in each of 9 (10-11) sl sts and next 9 (10-11) sts, ch 2, continue pat to within 9 (10-11) sts of last sl st, work 1 sl st in each of these 9 (10-11) sts. Ch 1, turn.

Next row: Work 1 sl st in each of 9 (10-11) sl sts and next 10 sts, ch 2, continue pat to within 10 sts of last sl st, ch 2, sl st in next st. Fasten off.

LEFT FRONT: Ch 58 (66-70) to measure 9½ (10½-11½) inches. Work 1 dc in 4th ch from hook and in each ch to end—55 (63-67) dc. Ch 2, turn, work Pat No. 1, dec 1 st at underarm edge every 1 inch 6 times. Work on 49 (57-61) sts to same length as back to waistline. Work ½ inch even. Inc. 1 st at underarm edge on next row and rep inc at same edge every 1 inch 5 times. Work even until piece measures 13 (13½-14) inches from beg, or 1 inch less than back to armholes, ending at front edge.

Neck and Armhole: Dec 1 st at front edge on next row and rep dec at same edge every 2nd row AND AT SAME TIME, when same length as back to armholes, shape armhole as on back. Continue to dec 1 st at neck edge every 2nd row until there are 6 (6-8) neck decs, then dec 1 st at neck edge every row 12 (15-12) times AND AT SAME TIME shape shoulder to correspond to back when armhole is same length. Mark places for 4 buttons with each marker on a Pat Row 1, top marker just below neck edge, other 3 spaced successively 11 rows below.

(continued on page 47)



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Allround Wash Fit® or Wintuk Sport (2-oz. skeins) 8 (9-10)

Crochet Hook: Aluminum Size F OR SIZE TO GIVE GAUGE

Needles: Circular and 1 pair No. 5
OR SIZE TO GIVE GAUGE

7 buttons

GAUGE: Crochet—9 dc = 1 inch, 7 rows = 2 inches Knitted—6 sts = 1 inch, 8 rows = 1 inch

FINISHED MEASUREMENTS

Chest 40 (44-48) inches (buttoned)
Back at underarms 19 (21-23) inches
Front (each half at underarm) 11 (1213) inches

Sleeve at underarm 15½ (16½-17½) inches

CROCHET PATTERN STITCH: Worked on a multiple of 4 sts plus 2.

Row 1: Work dc in 3rd ch from hook and each ch to end. Ch 1, turn.

Row 2: Sc in each of first 2 dc, *ch 2, skip 2 dc, sc in each of next 2 dc; rep from * to end. Ch 2, turn.

Row 3: Dc in each of first 2 sc, *2 dc under ch-2, dc in each of next 2 sc; rep from * to end. Ch 1, turn.

Rep last 2 rows for pat, taking care to keep continuity when shaping.

BACK: Chain 88 (96-104) to measure 19 (21-23) inches. Work pat on 86 (94-102) sts to 15 inches from beg, or desired length to underarms, ending with Pat Row 3.

Raglan Armholes—Row 1: Work 1 sl st in each of 8 dc, ch 1, sc in each of next 2 sts; rep from * of Pat Row 2 to last 8 dc, sl st in next st, ch 2, turn.

Row 2: Yo, draw up a loop in first sc, draw up a loop in next sc, yo and thru 2 loops, yo and thru 3 loops (1 dc decreased); rep from * of Pat Row 3 to last 2 sc, decrease 1 dc, ch 1, turn.

Row 3: Beg and ending row with 1 sc, work pat. Ch 2, turn.

Row 4: Yo, draw up a loop in first sc, draw up a loop under ch-2, yo and thru 2 loops, yo and thru 3 loops (1 dc decreased), dc under same ch-2, continue pat to last ch-2, 1 dc under ch-2, yo, draw up loop under same ch-2, draw up loop in last sc, complete dc decrease. Ch 3, turn.

Row 5: Skip 2 dc, sc in each of next 2 sc, continue pat to last 2 dc, ch 2, skip 2 dc, sc under turning ch. Ch 2, turn.

Row 6: Dc under ch-2, dc in each of next 2 dc, 2 dc under next ch-2, continue pat, ending 1 dc under turning ch-3. Ch 1, turn.

Row 7: Sc in each of 3 dc, ch 2, skip 2 dc, continue pat, ending sc in each of last 3 dc. Ch 2, turn.

Row 8: Work a dc decrease over first 2 sc, continue pat, ending with a dc decrease over last 2 sc. Ch 1, turn.

Row 9: Same as Pat Row 2.

Rep last 8 rows until there are 14 (16-18) decrease rows and 42 (46-50) sts in row. Dec 2 sts each side every 2nd row 3 times. Fasten off.

RIGHT FRONT: Chain 52 (56-60). Work same as back on 50 (54-58) sts to raglan armholes, ending with Pat Row 3.

Ragian Armhole and Neck: Work 1 sl st in each of 8 sts, work to end. Dec 1 st at armhole edge (as on left side of back) every 2nd row until there are 11 (13-15) dec rows, ending at front edge.

Next row: Work 1 sl st in each of 8 (10-12) sts, work to end. Continue to shape armhole as on back AND AT SAME TIME, on rows beg at front edge, work sl st over 5 sts once, 3 sts twice, 2 sts once. Fasten off last st.

LEFT FRONT: Work to correspond to right front, reversing all shaping.

SLEEVES: Chain 56 (60-64) to measure 13 (13½-14) inches. Work pat on 54 (58-62) sts for 2 inches, ending with Pat Row 2. Inc 1 st each side of

next row and rep incs every 8th row 7 times more. Work on 70 (74-78) sts to 17 inches from beg, or 1 inch less than desired length, ending with Pat Row 3.

Ragian Cap: Shape same as ragian armholes on back (14 sts left). Fasten off.

FINISHING: Block pieces to measurements.

Sleeve Borders: With straight needle from right side, pick up 54 (58-62) sts on lower edge. Beg with a P row, work stockinette st (P 1 row, K 1 row) for 1 inch, ending with a K row. K next row for hemline. Beg with a K row, work 1 inch more. Bind off loosely.


Sew raglan caps to back and front armholes, matching rows. Sew sleeve seams.

Front and Neck Border: With circular needle from right side and beg at lower right front edge, pick up 132 (138-144) to neck edge, place a marker on needle, pick up 108 (114-120) around neck edge, place a marker on needle, pick up 132 (138-144) on left front edge.

Do not join Work back and forth in stockinette st, inc 1 st each end and each side of each marker every K row 3 times. K next row on P side for turning ridge. Beg with a K row, continue stockinette st, dec 1 st each end and each side of markers every K row 3 times. P 1 row. Bind off loosely.

Lower Border: Beg at left front edge, pick up 240 (264-288) to right front edge. Work stockinette st, inc 1 st each side every K row 3 times. K next row for hemline. Beg with a K row, continue stockinette st, dec 1 st each side every K row 3 times. P 1 row. Bind off loosely.

Weave tog the ends of front and lower borders to form mitred corners. Turn hems and facing to wrong side and sew bound-off edges to picked-up rows. Sew buttons to right front, using openings in Pat Row 2 for buttonholes, as shown in photograph.



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Allround Wash Fit® or Wintuk Sport (2-oz. skeins) 7 (8-9)

Needles: No. 4 and No. 5 OR SIZE TO GIVE GAUGE

Steel crochet hook No. 0 OR SIZE TO GIVE GAUGE

GAUGE: Stockinette st on No. 5,
6 sts = 1 inch,
8 rows = 1 inch
Crochet pat—5 sts = 1 inch,
5 rows = 1 inch

FINISHED MEASUREMENTS

Chest 42 (46-50) inches

Back at shoulders (without bands)

14½ (15½-16½) inches

NOTE: Back is knit in stockinette st (K 1 row, P 1 row). Front is worked in crochet pattern.

BACK: With No. 4 needles, cast on 126 (138-150) sts. Rib in K 1, P 1 for 2 inches. Purl next row for hemline. Continue rib for 2 inches more. Change to No. 5 needles and stockinette st. Work to 16 inches from hemline, or desired length to underarm.

Armholes: Bind off 4 (5-6) sts beg next 6 rows. Dec 1 st each side every 2nd row 7 times. Work on 88 (94-100) sts until armholes are 10½ (11-11½) inches.

Shoulders: Bind off 7 sts beg next 4 rows; 6 (7-8) sts beg next 4 rows. On remaining 36 (38-40) sts with No. 4 needles rib in K 1, P 1 for 1½ inches. Work hemline on right side. Rib 1½ inches more. Bind off loosely in rib.

FRONT: Ch 105 (115-125) to measure 21 (23-25) inches.

Row 1: Sc in 2nd ch from hook, * dc in next ch, sc in next ch, rep from *, end dc in last st. Ch 1, turn.

Row 2: * Sc in dc, dc in sc, rep from * to end. Ch 1, turn. Rep Row 2 for pat. Work to 14 inches, or 2 inch shorter than back from hemline to armholes.

Left Side—Neck: Work 50 (55-60) sts, draw up a loop in each of next 2 sts, yo and thru 3 loops (decrease made). Keep continuity of pat when shaping. Ch 1, turn, work back. Rep decrease at neck edge every 2nd row

2 (2-0) times; every 4th row 13 (14-16) times AND AT SAME TIME, when same length as back from top of rib to underarm, ending at side edge, shape armhole as follows:

Armhole: SI st across first 3 sts from underarm edge 3 (3-4) times. Decrease 1 st at armhole edge every 2nd row 6 (8-8) times. Work until armhole measures same as back and there are 21 (23-25) sts, ending at armhole edge.

Shoulder: SI st across 7 sts, work to end of row and back. SI st across 7 (8-9) sts, work to end of row. Ch. turn and work to armhole edge. Rep last 2 rows once. Fasten off.

Right Side: Join yarn at center of last complete row. Draw up a loop in first st, draw up a loop in next st, yo and thru all loops (decrease made). Work same as Left Front, reversing all shaping.


Rib Band: With No. 4 needles, from right side, along foundation chain, pick up 126 (138-150) sts. Rib in K 1, P 1 for 2 inches, end with wrong side row. Purl next row on right side for hemline. Continue rib for 2 inches. Bind off loosely in rib.

Front Neckband: With No. 4 needles from right side and beg at shoulder, pick up along left neck edge 66 (70-74) sts, place marker on needle, pick up 1 st at center, place marker on needle, pick up 66 (70-74) sts along right neck edge.

Row 1: K 1, P 1 to within 2 sts of first marker, K 2 tog, sl marker, K 1, sl marker, K 2 tog, P 1, K 1 to end.

Row 2: Work even. Rep these 2 rows, knitting or purling 2 tog at each side of center st as required to keep rib even, until band is 1½ inches. End with wrong side row. P next row on right side for turning ridge. Rib same number of rows as before, inc 1 st at each side of center st every 2nd row. Bind off loosely in rib.

FINISHING: Seam shoulders. Armhole Bands: With No. 4 needle, from right side and beg at underarm edge, pick up 158 (162-166) sts around armhole. Work same as back of neck band. Seam sides. Turn facings at lower edge, armholes and neck to wrong side and sew. Block.



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

skeins): For Sweater 17 (19-21)
MC and 1 each A and B
For Socks, add 4 MC

Needles: For Sweater, No. 5 and No. 7 OR SIZE TO GIVE GAUGE and 1 dp or cable needle

For Socks, 1 set dp No. 6 OR SIZE TO GIVE GAUGE

Steel crochet hook No. 2 Separating zipper

GAUGE (Blocked): For sweater,

5 sts = 1 inch,

7 rows = 1 inch

For socks,

6 sts = 1 inch,

8 rows = 1 inch

FINISHED MEASUREMENTS

Chest 42 (46-50) inches
Back at shoulders 17 (18-19) inches
Sleeve at underarm 15 (16-17) inches
NOTE: Keep continuity of pattern
when shaping.

BACK: With No. 5 needles and MC, cast on 97 (107-117). Work in stockinette st (K 1 row, P 1 row) for 2 inches, ending with K row. Knit next row for hemline. Beg with a K row, continue to 2 inches above hemline. Change to No. 7 needles.

Row 1: *P 2, K 3; rep from *, ending P 2.

Row 2: *K 2, P 3; rep from *, ending K 2.

Row 3: Work established rib across 2 (7-12) sts, *slip next 2 sts to dp needle, hold at back of work, K next st, K 2 from dp (twist), P 2, K 3, P 2, K 3, P 2; rep from *, ending twist, rib across 2 (7-12) sts.

Row 4: Same as Row 2.

Rep these 4 rows for pat. Work to 16 inches above hemline, or desired length to underarm.

Armholes: Bind off 4 (5-6) at beg next 2 rows. Dec 1 st each side every 2nd row 2 (3-5) times. Work on 85 (91-95) until armholes are 9½ (10-10½) inches.

Shoulders: Bind off 9 (11-12) at beg next 2 rows; 9 sts at beg next 4 rows. Place remaining 31 (33-35) on holder.

RIGHT FRONT: With No. 5 needles, and MC, cast on 57 (62-67) sts. Work facing and hem as on back. Change to No. 7 needles.

Rows 1 and 2: Same as on back.

Row 3 (beg at front edge): P 2, K 3,
P 2, continue from * of Row 3 on

back.

Row 4: Same as Row 2. Rep these 4

rows for pat. Work to same length as back to underarm, ending at side edge.

Armhole: Bind off 4 (5-6) sts at beg of next row. Dec 1 st every 2nd row 2 (3-5) times. Work on 51 (54-56) until armhole is 6½ (7-7½) inches, ending at front edge.

Neck: Bind off 10 sts once; 3 sts 3 times. Dec 1 st every row 5 (6-7) times AND AT SAME TIME, shape shoulder as on back when armhole is same length.

LEFT FRONT: Work same as Right Front, reversing pat and all shaping.

sleeves: With No. 5 needles and MC, cast on 37 (42-47) sts. Work stockinette st for 11 rows. Knit next row for hemline. (When changing colors, always beg with a P row.) Continue stockinette st working 3 rows MC, 2 rows A, 2 rows B, 2 rows A, 1 row MC. (This completes cuff.) Change to No. 7 needles.

Row 1: K 0 (3-0), * P 2, K 3, rep from *, ending P 2, K 0 (3-0).

Row 2: Knit the K sts, Purl the P sts. Row 3: Work rib pat across 2 (5-7), work from * of Row 3 on back over 33 sts, rib to end.

Row 4: Same as Row 2. Rep these 4 rows for pat. Inc 1 st each side, working inc sts in pat, every 4th row 10 times; every 6th row 8 times. Work on 73 (79-83) to 18 inches above hemline, or desired length to underarm.

Shape Cap: Bind off 4 (5-6) sts beg next 2 rows. Dec 1 st each side every 4th row 2 (3-4) times; every 2nd row 13 times. Bind off 2 sts beg next 6 rows. Bind off remaining sts.

FINISHING: Block pieces to measurements and assemble. Neckband: From right side, with No. 5 needles and MC, beg 2 inches from right front edge, around neck edge pick up 84 (90-96) sts, ending 2 inches from left front edge. P 1 row. Beg with a K row, work 2 rows A, 2 rows B, 2 rows A, 3 rows MC. Knit next row for turning ridge. Work 10 rows. Bind off. Turn collar, cuffs and lower edge at ridge to wrong side and sew. Blind stitch short ends of collar. From right side, with MC and beg at lower edge of right front, work sc on front edge, spacing sts to keep edge flat, 3 sc at corner, sc to beg of collar. Work sc on Left Front and neck, being certain to have same number of sts. Sew in zipper.


socks: With 2 dp needles and MC, cast on 45 sts. Work same as sleeve cuff, end with P 1 row MC. Divide sts on 3 needles. Mark beg of rnds as center back. Join, being careful not to twist sts. Rnds 1 and 2: P 1, * K 3, P 2, rep from *, end K 3, P 1. Rnd 3: Rib 6 sts, work from * of Row 3 on back over 33 sts, end rib 6 sts. Rnd 4: Same as Rnd 1. Rep these 4 rnds for pat. Work to 8 inches above hemline, or desired length to top of heel.

Heel: Work pat across 11 sts, turn, P 11, then P 11 from 3rd needle. Put remaining sts on one needle for instep.

Row 1: * With yarn at back, sl 1, K 1, rep from * to end.

Row 2: Sl 1, P to end. Rep these 2 rows 11 times. Turn Heel—Row 1: Sl 1, K 11, K 2 tog, K 1, turn. Row 2: Sl 1, P 4, P 2 tog, P 1, turn. Row 3: Sl 1, K 5, sl 1, K 1, psso, K 1, turn. Row 4: Sl 1, P 6, P 2 tog, P 1, turn. Row 5: Sl 1, K 7, sl 1, K 1 psso, K 1, turn.

Row 6: Sl 1, P 8, P 2 tog, P 1, turn. Continue in this manner, working 1 st more each time, until all sts have been worked, ending with a P row and 12 sts on needle. Next row: K 6 sts to center of heel. With No. 1 needle, K remaining 6 sts and with same needle pick up and K 12 sts along side of heel. With No. 2 needle, work pat across 23 instep sts. With No. 3 needle, pick up and K 12 sts on other side edge of heel and K the 6 sts to center of heel to same needle. Mark end of rnd. There are 18 sts on each heel needle. Starting at center of heel, shape gusset. Rnd 1: On first needle, K to last 3 sts, K 2 tog, K 1; work pat across instep sts on second needle; on third needle, K 1, sl 1, K 1, psso, K to end of needle. Rnd 2: Knit heel sts, work pat across instep sts. Rep these 2 rnds until there are 11 sts on both first and third needles. Foot: Work rnds, keeping instep pat, until foot measures 2 inches less than desired finished length, measuring from center back of heel, dec 1 st at center of instep on last row. Shape toe-Rnd 1: On first needle, K to last 3 sts, K 2 tog, K 1; on second needle, K 1, sl 1, K 1, psso, K to last 3 sts, K 2 tog, K 1; on third needle, K 1, sl 1, K 1, psso, K to end of needle. Rnd 2: Knit. Rep these 2 rnds until there are 4 sts on each heel needle, ending with first so there are 8 sts on each of two needles. Weave sts tog. Weave edges of cuff. Turn hem to wrong side (over elastic if desired) and sew. Block lightly.



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

skeins) 26 (30-34)

Needles: No. 8 OR SIZE TO GIVE GAUGE and 1 set dp No. 8

GAUGE (with 2 strands):

5 sts = 1 inch,6 rows = 1 inch

FINISHED MEASUREMENTS

Chest 42 (46-50) inches Width of back (above armhole shaping) 17½ (18-19) inches Width of sleeve at underarm 16 (17-17½) inches

STRANDS OF YARN. Keep continuity of pat when shaping.

FRONT: Cast on 104 (116-124) sts. Rib in K 1, P 1 for 2 inches, inc 1 st on last row.

Pat Row 1: P 3 (9-4) sts, * K 9, P 9, rep from *, ending K 9, P 3 (9-4) sts.

Pat Row 2: Knit the K sts, Purl the P sts. Rep these 2 rows for pat.

Work to 16 inches from beg, or desired length to underarm.

Armholes: Bind off 5 (6-7) sts beg next 2 rows. Dec 1 st each side every 2nd row 4 (7-8) times. Work on 87 (91-95) sts until armholes are 6 (6½-7) inches. Dec 1 st each side every row 4 times.

Next row: Bind off 32 (34-36) sts; work until there are 15 sts on needle; bind off last 32 (34-36) sts. Place remaining sts on holder for front of neck.

BACK: Work same as Front, binding off all sts on last row.

sts. Rib in K 1, P 1 for 4 inches. P next row, inc 12 sts evenly spaced across row. Work in stockinette st (K 1 row, P 1 row), inc 1 st each side every 4th row 12 times. Work on 80 (84-88) sts until 18 inches from beg, or desired length to underarm.

Shape Cap: Bind off 5 (6-7) sts beg next 2 rows. Dec 1 st each side every 4th row 1 (2-3) times; every 2nd row 17 times. Inc 1 st each side *every* row 4 times.

Saddle Shoulder: Work on 42 sts for 4 (4½-5) inches, ending with a K row.

BACK YOKE: P 21 sts, put remaining sts on holder. Dec 1 st at beg of every K row 5 times. Work on 16 sts until length of saddle is 834 (9-9½) inches. Place sts on holder.

FRONT YOKE: Place 21 sts on needle, join yarn to beg at inner edge. Bind off 9 sts, P to end. At inner edge, bind off 3 sts twice, 2 sts once. Dec 1 st every row 4 times. Fasten off.

LEFT SLEEVE: Work same as Right Sleeve, reversing saddle shaping.

FINISHING: Block pieces to measurements. Weave sts tog of back yoke. Seam front of sleeve caps and saddles to front, ending at sts on holder. Seam back of sleeve caps and saddles to back, with yoke seam at center. Seam sleeves and sides.

Neckband: With dp needles from right side, beg at center back, pick up 88 (94-100) sts around neck, including sts on holder. Mark beg of rnds. Join and rib in K 1, P 1 for 3 inches. Bind off loosely in ribbing. Turn to wrong side and sew bound-off edge to neck edge.

1/2 Back 1/2 Front Right Armhole



Directions are for small size. Changes for medium and large sizes are in parentheses.

MATERIALS

SPINNERIN Allround Wash Fit® or Wintuk Sport (2-oz. skeins) 9 (10-11)

Needles: No. 3 and No. 5 OR SIZE TO GIVE GAUGE

Crochet Hook: No. 1

5 large buttons, 2 small buttons

GAUGE: 6 sts = 1 inch,8 rows = 1 inch

FINISHED MEASUREMENTS

Chest (buttoned) 41½ (45½-49½)

Back at underarms 20 (22-24) inches Back at shoulders 171/2 (181/2-19)

Front (each half at underarm with facing) 13 (14-15) inches

Sleeve at underarm 16 (16-17) inches

PATTERN STITCH FOR FRONT: Worked on 22 sts.

Row 1 (right side): P 2, *K next 3 sts thru back loop of each st, P 2; rep from * to end.

Row 2: K 2, *P 3, K 2; rep from *

Rep these 2 rows for pat.

Note: Except for the 22-st pat stripe in each half of front, jacket is worked in stockinette st (K 1 row, P 1 row).

BACK: With No. 3 needles, cast on 120 (132-144). Work 13 rows, ending with a K row. K next row for hemline. Change to No. 5 needles. Beg with a K row, work to 16 inches above hemline, or desired length to underarm.

Armholes: Bind off 4 (6-8) at beg of next 2 rows. Dec 1 st each side every 2nd row 4 (5-7) times. Work on 104 (110-114) until armholes are 9 (91/2-10) inches.

Shoulders: Bind off 5 (6-6) at beg of next 10 (2-2) rows, 9 (6-6) at beg of next 2 (10-10) rows. Bind off 36 (38-42).

POCKETS (Make 2): With No. 5 needles, cast on 24 sts. Work stockinette st for 2 inches. Place sts on a holder.

POCKET FLAPS (Make 2): With No. 5 needles, cast on 2 sts. K 1 row, P 1

Row 3: K in front and back of first st, P in front and K in back of next st (4 sts).

Row 4: Purl.

Row 5: K 1, yo, K to last st, yo, K 1. Row 6: Purl.

Rep last 2 rows once.

Row 9: K 1 yo, K 2, bind off next 2 sts, K to last st, yo, K 1.

Row 10: P, casting on 2 sts over bound-off sts.

Rep Rows 5 and 6 until there are 24 sts. Place sts on a holder.

RIGHT FRONT: With No. 3 needles, cast on 60 (66-72) sts. Work hem and hemline as on back, cast on 19 sts for front border and facing. Change to No. 5 needles.

Next row: K 9, sl 1 as to P (for turning ridge), K 34 (36-38), work Pat Row 1 over next 22 sts, K to end.

Next row: P 13 (17-21), work Pat Row 2 over next 22 sts, P to end. Always slipping the 10th st from front edge on K rows and keeping 22 sts in pat as established with remaining sts in stockinette st, work even to same length as back to underarm, ending with a K row.

Armhole and Neck: Bind off 4 (6-8) at beg of next row.

Next row: K 9, sl 1, K 9, K 2 tog thru back loops (neck dec), work to last 2 sts, K 2 tog (armhole dec). Continue to dec 1 st at armhole edge every 2nd row 4 (5-7) times AND AT SAME TIME dec 1 st for neck as before every 4th row until armhole is 2 (2½-3) inches, ending at armhole edge.

Next row: Work to pat st, bind off 22 sts of pat for pocket opening, work to end.

Continuing neck dec, join pocket and flap on next row as follows: With K side facing, place sts of 1 pocket on a spare needle and sts of 1 flap on another spare needle in same way. With P side of flap in front of K side of pocket, then hold K side of pocket in back of P side of front. Insert right needle in first st of flap and pocket and next st of front, K these 3 sts tog, K each of next 22 sts of flap and pocket tog, K last st of flap and pocket and next st of front tog, work to end. Working all sts in stockinette st, continue to dec for neck every 4th row until there are 9 (10-12) neck decs, then dec for neck every 6th row 8 times, shaping shoulder as on back when armhole is same length. On remaining 19 sts, continue stockinette st, slipping center st as before, for 3 (31/4-31/2) inches. Place sts on a holder.

Mark places for the 5 large buttons on front with first marker 1/2 inch above hemline, 5th marker ½ inch below first neck dec, other 3 spaced evenly between.

LEFT FRONT: Work hem as on back, cast on 19 sts for front border and facing. K next row for hemline. Change to larger needles.

Next row: K 13 (17-21) work Pat Row 1 over next 22 sts, K 34 (36-38), sl 1, K 9.


Continue to work to correspond to right front, forming double buttonholes opposite markers as follows: Beg at underarm edge, work to last 16 sts. bind off next 5, K until 2 sts from bind-off, sl 1, K 2, bind off next 5, K to end.

On the next row, cast on 5 over each set of bound-off sts. When dec for neck, K 2 tog thru front loops.

SLEEVES: With No. 3 needles, cast on 56 (62-68). Work hem and hemline as on back. Change to No. 5 needles. Inc 1 st each side every 1 inch 17 times. Work on 90 (96-102) to 18 inches above hemline, or desired length to underarms.

Shape Cap: Bind off 4 (6-8) at beg of next 2 rows. Dec 1 st each side every 2nd row 7 (8-11) times, every row 18 (18-16) times. Bind off 2 sts at beg of next 4 rows. Bind off 24.

FINISHING: Block pieces to measurements and assemble. Weave ends of neckband tog. Turn front facings to wrong side at sl st and sew in place. Sew free edge of neckband to right side of back neck edge. Turn and sew hems. Weave lower edges of front facings to top of hem. Sew sides and lower edges of pockets to wrong side of fronts. From right side, work 1 row sc on side edges of each pocket flap with sc, ch 1, sc over the 2 cast-on sts. Overcast buttonholes of flaps; sew small buttons in place. Overcast buttonholes in left front thru double thickness of border and facing; sew buttons at markers.





Pointers for Afghan Stitch

GENERAL INFORMATION: Afghan Stitch is worked with a special hook called, obviously, an Afghan Hook. These hooks come in various sizes, so that different weights of yarn may be used and different gauges obtained. It requires 2 half rows to form 1 row of Afghan Stitch. All rows are worked from the right side and the work is never turned. It is always wise to count the number of stitches on the needle every few rows.

A swatch should always be made to determine gauge and this piece should be at least 6 inches square. Afghan stitch, especially when worked for the first time, has a tendency to become tighter, so a little practice work first will be well worth while.

 PLAIN AFGHAN STITCH. This can be worked on any number of sts. Make a chain of desired number of sts.

Row 1—First Half: Skip the first ch from hook. * Insert hook thru next ch, yo hook, draw yarn thru ch to form a loop on hook, retain loop on hook and rep from * across ch. There will be the same number of loops on hook as number of chains.

Row 1—Second Half: Yo hook and draw thru first loop, * yo and draw thru 2 loops; rep from *

across row until 1 loop is left on hook. This loop is first st of next row.

NOTE: Vertical sts will be referred to as bars.

Row 2—First Half: Insert hook under 2nd bar, yo, draw yarn thru bar to form loop on hook, retain loop on hook, continue drawing up a loop thru each bar across row.

Row 2—Second Half: Same as 2nd half of Row 1.

Rep row 2 for plain afghan st.

2. INCREASING AND DECREASING.

All decreasing is worked in first half of row.

a. To decrease 1 st at beg of a row: Insert hook under the 2nd and 3rd bars, yo and draw up 1 loop.

b. To decrease at end of a row: Draw up loops to last 3 bars of row, insert hook under next 2 bars, draw up 1 loop, draw up a loop under last bar.

- c. To decrease within a row: Insert hook under 2 bars to decrease 1 st, under 3 bars to decrease 2 sts, draw up 1 loop.
- d. To increase 1 st at beg of row: Insert hook in ch between first and second bar, draw up a loop.
- e. To increase 1 st at end of row: Insert hook in ch between last 2 bars, draw up a loop.

f. To increase 1 st within a row: Insert hook in ch between any 2 sts, draw up a loop.

3. TO BIND OFF.

* Insert hook under bar, yo and draw loop thru bar and loop on hook (1 sl st worked); rep from * for desired number of sts.

4. SHOULDER SHAPING.

a. To shape right shoulder: Bind off specified number of sts, pick up desired number of loops, work off loops. For other rows of shaping, bind off specified number of sts.

b. To shape left shoulder: Pick up loops to within specified number of sts to be bound off, work off loops. For other rows of shaping, work to specified number of sts before first group of sts not worked. When shaping is complete, bind off all unworked sts, by working sl sts under bars left at end of rows.

5. PURLED AFGHAN STITCH.

Row 1: Work plain afghan stitch (No. 1).

Row 2—First Half: * Bring yarn to front, hold below next st with thumb of left hand, insert hook from right to left under bar, draw yarn thru bar (1 purl st); rep from *.

Row 2—Second Half: Work off loops as in plain afghan st.


CHART STYLE 1002 Loop on hook 0 -Repeat these 11 rows 0 0 0 1 1 1 1 0 0 0 1 1 1 0 0 0 1 1 1 1 1 0 0 O 0 0 1 0 0 0 1 1 0 0 End medium size here

- End small and large sizes here

1=1 Afghan stitch 0=YO, skip 1



CONTINENTAL ANNIVERSARY COLLECTION





Vintage Patterns Dazespast (re-mastered eBooks)

Dazespast

Original Vintage Knitting Crochet, Sewing & Needle Art Patterns and Books eBay Store: mooreruby 817

Free Vintage Patterns for Everyone

<u>Livin a Vintage Lifestyle and Lovin It</u> (Facebook)

Follow Us on Pinterest or the Vintage Patterns Blog

Email: ruby@dazespast 315.543.9189/Fax same