

MINERVA

Stitches and Styles





The James Lees and Sons Company (Minerva Yarns) is the largest manufacturer of hand-knitting yarns in the world— They therefore buy at better prices than anybody else— Their overhead is lower, as they make all their yarns in their own plants—

So you can easily see there is only one way anyone can sell you yarn cheaper,—and that's by going beyond THE DANGER LINE into unsafe inferior quality.

You simply can't beat Minerva prices without getting on dangerously thin ice.



CHALFONT

No. 802 ONE PIECE HEATHER SPORTS YARN DRESS

Size 16

1 Pr. No. 2 Athena Noninflammable
Needles—14 inch

Scale: K. 1, P. 1 ribbing

11 sts. to 1 inch

9 rows to 1 inch

P. Panel

8 sts. to 1 inch

9 rows to 1 inch

Moss St.

8 sts. to 1 inch

13 rows to 1 inch

1 No. 2 Steel Circular Needle—29 inch

1 No. 1 Athena Noninflammable Cro-
chet Hook

1 Double Point Needle

MINERVA HEATHER SPORTS YARN

Natural No. 1975 9 Balls

Chart symbols explained on page 42.

SKIRT: (No chart) With circular needle, cast on 672 sts. Join, being careful not to twist sts. and work around as follows: ** (K. 1, P. 1) 8 times, K. 18, P. 22, repeat from ** 11 times more. Work in this manner for 2 inches. Next round, decrease in each P. 22 panel as follows: P. 1, P. 2 tog., P. 19 (12 sts. decreased—21 sts. remaining in each P. panel—660 sts.). Work even for 1 inch. Next round, decrease in each K. 18 panel as follows: K. 15, K. 2 tog., K. 1 (17 sts. remaining in each K. panel—648 sts.). Work 1 inch even. Next round, decrease 1 st. in each P. panel as follows: P. 1, P. 2 tog., P. 18 (20 sts. in each P. panel—636 sts.). Work 1 inch even. Next round, decrease 1 st. in each K. panel as follows: K. 14, K. 2 tog., K. 1 (16 sts. in each K. panel—624 sts.). Continue to work decreasing rounds in this manner (decreasing P. and K. panels alternately) every inch until there are 564 sts. on needle (about 10 inches from start), then every 1/2 inch until there are 336 sts. on needle (19 1/2 inches from start—4 sts. in K. panels—8 sts. in P. panels). Work even for 1/2 inch,

then work next round as follows: Work to a K. 4 panel and slip these sts. on a double point needle and hold in front of work. P. first st. from double point needle tog. with first st. on left hand needle (first st. in P. panel). Continue around in this manner, working the 4 sts. of K. panels tog. with first 4 sts. of P. panels (288 sts. on needle). Next round, * work 16 sts. in rib as before, P. 8, repeat from * around. Work 6 inches even. Bind off.

BLOUSE: Follow chart for Right Front, working in pattern as follows (right side of work): P. 4, (K. 1, P. 1) 7 times, * K. 1, P. 9, (K. 1, P. 1) 7 times, repeat from * once more, ending K. 1, P. 5.

Next row, K. 5, (P. 1, K. 1) 7 times, * P. 1, K. 9, (P. 1, K. 1) 7 times, repeat from * once more, ending P. 1, K. 4.

Repeat these 2 rows for pattern, being careful to keep pattern even when increasing and decreasing.

At the same time, 3 inches from start, begin Moss St. border at front edge as follows (right side of work): K. first st., work across row. Work 1 more st. in Moss St. every 5th row 9 times, then every 4th row 10 times more (61 sts. on needle—20 sts. at front edge being worked in Moss St.). When work measures 5 inches straight up from bound off sts. at underarm (wrong side of work), decrease across row as follows: Work 3 sts., work 2 tog.,

* work 1, work 2 tog., repeat from * 10 times more, work across row (49 sts.). Now work all sts. in Moss St. and continue to follow chart

Work Left Front to correspond, having increases and decreases on opposite sides.

Follow chart for Back and work in pattern as follows (right side of work): P. 4, (K. 1, P. 1) 7 times, * K. 1, P. 9, (K. 1, P. 1) 7 times, repeat from * 4 times more, K. 1, P. 4.


Next row, K. 4, (P. 1, K. 1) 7 times, * P. 1, K. 9, (P. 1, K. 1) 7 times, repeat from * 4 times more, P. 1, K. 4.

Repeat these 2 rows for pattern.

When work measures 5 inches straight up from bound off sts. at underarm, decrease across row as follows: Work 7 sts., work 2 tog., * work 2 sts., work 2 tog., repeat from * 27 times, work last 8 sts. (100 sts.). Now work remainder of back in Moss St. following chart.

Follow chart for Sleeves. Work even in Moss St. for 3 inches, then increase across row as follows: Work 1 st., increase in next st., * work 4 sts., increase in next st., repeat from * 9 times more, work 3 sts., increase in next st., work last st. (69 sts.). Now work in pattern as follows: P. 3, (K. 1, P. 1) 7 times, * K. 1, P. 9, (K. 1, P. 1) 7 times, repeat from * once, K. 1, P. 3.

(Continued on page 40)





GLENWOOD

No. 803 FEATHERWEIGHT KNITTING WORSTED JACKET

Size 16

- 1 Pr. No. 8 Athena Nonflammable
Needles—14 inch
Scale: 8 sts. to 1 inch
6 rows to 1 inch
1 No. 8 Athena Nonflammable Cro-
chet Hook

MINERVA FEATHERWEIGHT KNIT- TING WORSTED

Strawberry No. 734 8 Skeins
or
4 Skeins Minerva Spanish Knitting
Worsted

Chart symbols explained on page 42.

The entire jacket is worked in pat-
tern.

PATTERN: Multiple of 2 sts.


Row 1—(Right side) * Insert right
needle in back of 2nd st. on left
needle, K. it but do not slip it off
needle, K. first st. on left needle,
slip both sts. off tog., repeat from *
across row.

Row 2—P. 1, * insert right needle
in front of 2nd st. on left needle,
P. it but do not slip it off needle,
P. first st. on left needle, slip both
sts. off tog., repeat from * across
row, ending P. 1.

Repeat these 2 rows for pattern.

Follow chart for Right Front. Work
sets of 2 buttonholes each 4 sts.
from front edge, 5 sts. wide and 14
sts. apart. To work buttonholes, see
page 42.

Work Left Front to correspond,
omitting buttonholes and having in-
creases and decreases on opposite
sides.



Follow chart for Back and Sleeves.

Follow chart for Pocket. When
work measures $5\frac{1}{2}$ inches from
start, P. 1 row on right side of
work, then continue in pattern
working next row in Row 1 of pat-
tern (right side of pattern is now
reversed for pocket flap). Make 2.

Finishing, see page 42. Work 2
rows S. C. around all edges of jacket
and pockets. Sew pockets in place.
Tape waistline to 29 inches.



OVERBROOK

No. 804 QUALITY KNITTING WORSTED JACKET

Size 16

1 No. 6 Steel Circular Needle—24 inch

Scale: 5 sts. to 1 inch

8 rows to 1 inch

1 No. 4 Athena Nonflammable
Crochet Hook

MINERVA QUALITY KNITTING WORSTED

Jockey Green No. 1644 14 Skeins

Chart symbols explained on page 42.

The entire jacket is worked in pattern with pocket borders and armhole edge of sleeve (indicated on charts by dotted lines) worked in Garter St.

PATTERN: Multiple of 4 sts. plus 3.

Work 1 rib (2 rows) of Garter St.

Row 1—K. 1, * slip 1, K. 3, repeat from * across row, ending slip 1, K. 1.

Row 2—P. 1, * slip 1, P. 3, repeat from * across row, ending slip 1, P. 1.

Repeat Row 1 and Row 2 once more.

Row 5—P.

Row 6—Same as Row 2.


Row 7—Same as Row 1.

Repeat Row 6 and Row 7 once more.

Row 10—K.

Repeat these 10 rows for pattern.

Follow chart for Right Front.



Work Right Sleeve to correspond, reversing decreases.

Follow Chart for Back.

Follow chart for Pockets, working first and last $\frac{3}{4}$ inch (5 ridges) in Garter St. The first 4 sts. from each edge are always worked in Garter St. Make 2.

Finishing, see page 42. Sew seams in tops of sleeves. Sew sleeves in place; sew underarm seams. Sew pockets in place. Fold decreased edge of lapel facings to dotted line and tack in place. Work 1 row S. C. around neck, bottom of jacket and pocket openings. Tape shoulders, armholes, neck and front edges with matching seam binding.

Work Left Front to correspond, having increases and decreases on opposite sides.

Follow chart for Left Sleeve. Decreases at armhole edges are made inside the 4 st. Garter St. borders.





FAIRFIELD

No. 806

SHETLAND FLOSS CARDIGAN

Size 16

1 Pr. No. 1 Athena Nonflammable

Needles—14 inch

Scale: 8 sts. to 1 inch

12 rows to 1 inch

1 No. 1 Athena Nonflammable Cro-

chet Hook

MINERVA SHETLAND FLOSS

Canary No. 599 10 Balls

or

Soldier Blue No. 595..... 10 Balls

or

7 Skeins Minerva Featherweight Knit-
ting Worsted

Chart symbols explained on page 42.

The cardigan is worked in pattern with border at bottom of sleeves (indicated on chart by dotted lines) worked in Moss St. Decreases at front edge are made inside 11 st. Moss St. border by K. tog. the 12th and 13th st. from edge.

The slip st. gained in each K. 2 rib on row 3 of pattern has not been counted in scale or in figures of chart. When increasing and decreasing therefore, do not count this slip st. as a separate st. (i.e. work the slip st. and 2 other sts. tog. to decrease 1 st. and each time increases form a K. 2 rib—being careful to keep pattern even—work a slip st. as in Row 3, thus the 2 K. sts. only, count as increased sts.).

PATTERN: Multiple of 5 sts. plus 2 for back, sleeves and pockets.

Row 1—* K. 2, P. 3, repeat from * across row, ending K. 2.


Row 2—P. 2, * K. 3, P. 2, repeat from * across row.

Row 3—* K. 1, with left hand needle pick up thread between the 2 K. sts. and K. 1 on this thread, K. 1, P. 3, repeat from * across row, ending K. 1, with left hand needle pick up thread between the 2 K. sts. and K. 1 on this thread, K. 1.

Row 4—P. 1, slip next st., P. 1, * K. 3, P. 1, slip next st., P. 1, repeat from * across row.

Row 5—* K. 3, P. 3, repeat from * across row, ending K. 3.

Row 6—Same as Row 4.



Row 7—* K. 1, slip next st., K. 1, P. 3, repeat from * across row, ending K. 1, slip next st., K. 1.

Row 8—Same as Row 4.

Row 9—Same as Row 5.

Row 10—Same as Row 4.

Repeat from Row 7 for pattern.

PATTERN: Multiple of 5 sts. for fronts.

Repeat between *'s only in pattern as given above.

Follow chart for Right Front, working first 11 sts. from front edge in Moss St. Buttonholes are 4 sts. from edge and 3 sts. wide. To work buttonholes, see page 42.

Work Left Front to correspond, omitting buttonholes and having increases and decreases on opposite sides.

Follow chart for Back.

Follow chart for Right Sleeve. After working Moss St. border at bottom of sleeve, decrease 1 st.

Work Left Sleeve to correspond, reversing shaping at underarm

Cast on 37 sts. for Pocket. Work even in pattern for 5 inches. Bind off. Make 2.

Finishing, see page 42. Work 1 row S. C. around pockets, front and neck edges. Sew pockets in place as illustrated with K. ribs in horizontal position. Using 6 strands of yarn, work a 52-inch Monk's Cord, see page 42 and weave through waist as illustrated.

GLENDALE

(Continued from page 10)

once more, hold yarn at back of work, slip next 2 sts. as if to P., work Row 3 of pattern for right front across row, ending repeat between *'s twice.

Row 4—With Colonial Blue 1, P. 4, * hold yarn at front of work, slip next 2 sts. as if to P., P. 12, repeat from * across row, ending P. 4 instead of P. 12.

Repeat Rows 1 to 4 inclusive 5 times more, then repeat Rows 1 and 2 once more.

Row 27—With Tuscan Grape, P. across row.

Row 28—With Tuscan Grape, K. across row.

Repeat these 28 rows for pattern.

JACKET: Follow chart for Right Front.

Work Left Front to correspond, having increases and decreases on opposite sides.

Follow chart for Back.

Follow chart for Sleeves, working as follows: Cast on with Tuscan Grape, P. 1 row; K. 1 row; then continue in pattern.

Cast on 42 sts. for Pocket for right front and working in pattern repeat between **'s of pattern for back, repeating pattern 3 times (depth of pocket 3 blocks). Make another

(Continued on page 14)



HAVELOCK

No. 807

SPANISH KNITTING WORSTED CARDIGAN

Sizes 16 and 20

1 Pr. No. 2 Athena Nonflammable Needles—14 inch

1 Pr. No. 3 Athena Nonflammable Needles—14 inch

Scale: $6\frac{1}{2}$ sts. to 1 inch

9 rows to 1 inch

1 No. 2 Athena Nonflammable Crochet Hook

MINERVA SPANISH KNITTING WORSTED

Sand No. 1226.....3 Skeins each
or

6 (7) Skeins Minerva Featherweight Knitting Worsted

Chart symbols explained on page 42.

The cardigan is worked in Stockinette St. on No. 3 needles with borders (indicated on charts by dotted lines) worked in K. 2, P. 2 ribbing on No. 2 needles. The first 6 sts. from front edge are always worked in Stockinette St. with the next 2 sts. worked in a P. rib.

Follow instructions as written for size 16, substituting instructions in italics for size 20.

RIBBING PATTERN: Multiple of 4 sts. plus 2.

Row 1—P. 2, * K. 2, P. 2, repeat from * across row.

Row 2—K. 2, * P. 2, K. 2, repeat from * across row.

Repeat these 2 rows for pattern.




Follow chart for Right Front, working in ribbing as follows:

Row 1—K. 6, work Row 1 of ribbing pattern.

Row 2—Work Row 2 of ribbing pattern, ending P. 6.

Repeat these 2 rows for 7 (8) inches. Buttonholes are 3 sts. wide and 2 sts. from front edge. To work buttonholes, see page 42. When work measures 7 (8) inches from start, changing to Stockinette St. and No. 3 needles, work next row as follows: K. 6, P. 2, * K. 3, increase in next st., repeat from * 9 times more, ending K. 4 (62 sts.).

(Continued on page 16)



GLENDAL

(Continued from page 12)

pocket to correspond for left front. With Tuscan Grape, cast on 17 sts for Band and working in Stockinette St. (P. side right side), work even

for $10\frac{1}{2}$ inches. Then work a set of 2 buttonholes 2 sts. from edge, 4 sts. wide and 5 sts. apart. To work buttonholes, see page 42. Work 5 more sets of buttonholes $21\frac{1}{2}$ inches apart. Work even until work measures 83 inches from start, bind off.

Finishing, see page 42. Sew band to jacket as illustrated. Fold back and tack in place. Tape shoulder seams and waistline.

SKIRT: Follow chart for skirt. Cast on sts. with Tuscan Grape, P. 1 row; K. 1 row; then begin pattern. Make second piece in same manner.

Finishing, see page 42. Work a casing inside at waistline. To work casing, see page 42.



GARDEN CITY

No. 808 MANUET CARDIGAN

Size 16

- 1 Pr. No. 6 Athena Nonflammable
Needles—14 inch
- 1 Pr. No. 10½ Athena Nonflammable
Needles—14 inch
- Scale: Stockinette St.
3½ sts. to 1 inch
5 rows to 1 inch
Cable = 2½ inches
- 1 No. 10 Athena Nonflammable Cro-
chet Hook
- 1 Double Point Needle
- MINERVA MANUET
Scarlet No. 923 7 Skeins

Chart symbols explained on page 42.

The cardigan is worked in Cable Pattern and Stockinette St. on No. 10½ needles with K. 1, P. 1 ribbing at waist (indicated on chart by dotted lines) worked on No. 6 needles.

CABLE PATTERN: 14 sts.

Row 1.—P. 1, K. 12, P. 1.

Row 2—K. 1, P. 12, K. 1.

Repeat these 2 rows 2 times more.

Row 7—P. 1, slip next 3 sts. on a double point needle and hold in back of work, K. 3, then K. the 3 sts. from double point needle, slip next 3 sts. on a double point needle and hold in front of work, K. 3, K. the 3 sts. from double point needle, P. 1.

Row 8—K. 1, P. 12, K. 1.

Repeat these 8 rows for pattern.

Follow chart for Right Front, working as follows: Work first 8 sts. in Stockinette St., next 14 sts. in Cable Pattern and last 12 sts. in Stockinette St.

When work measures 1¾ inches straight up from bound off sts. at underarm, on Row 7 of Cable Pattern, work as follows: K. across to last st. in Stockinette St. section and K. this st. tog. with P. 1 st. of cable panel, slip next 3 sts. on a double point needle and hold in back of work, K. 3, (K. 1, K. 2 tog.) from double point needle, slip next 3 sts. on a double point needle and hold in front of work, K. 2 tog., K. 1, K. 3 sts. from double point needle, K. 2 tog., K. across row. Work all sts. in Stockinette St. for remainder of front.

Work Left Front to correspond, having increases and decreases on opposite sides.

Follow chart for Back working in Stockinette St. Work 2½ inch waistband in ribbing (indicated on chart by dotted lines) on No. 6 needles.

Follow chart for Sleeves, working first and last 10 sts. in Stockinette St. and center 14 sts. in Cable Pattern. All increased sts. are worked in Stockinette St.

Finishing, see page 42. Sew 7 st. bound-off edge to adjacent edge of saddle forming darts. Sew sleeves in place. Work 2 rows S. C. on all edges.

HAVELOCK

(Continued from page 14)


(K. 6, P. 2, K. 1, * increase in next st., K. 3, repeat from * 10 times more, ending K. 3 [67 sts.].) Continue to follow chart. Decreases along front edge are made inside P. 2 rib (K. 10th and 11th st. tog.). Place sts. at underarm on st. holders. When work measures 6½ inches straight up from underarm, continuing to work 6 sts. at front edge in Stockinette St. and discontinuing P. 2 rib, work in Garter St. for ½ inch. Place the 29 (31) sts. of shoulder on a st. holder and work remaining 8 sts. as before.

Work Left Front to correspond, omitting buttonholes and having decreases on opposite sides. When work measures 7 inches straight up from underarm, place all sts. on a st. holder.

Follow chart for Back working in ribbing pattern for first 7 (8) inches. Then change to No. 3 needles and Stockinette St. and work next row as follows: K. 6, increase in next st., * K. 3, increase in next st., repeat from * 18 times more, ending K. 7. (K. 2, increase in next st., [K. 5, increase in next st.] 2 times, * K. 4, increase in next st., [K. 5, increase in next st.] 2 times, repeat from * 4 times more, ending K. 2 [120 sts.].) Continue to follow chart. Place 6 sts. of each underarm on st. holders. Weave shoulder seams, leaving 8 sts. at neck edge of left front shoulder on st. holder.

For Sleeves, pick up 90 sts. (78 sts. around armhole and 6 sts. of front and back from st. holders), and follow chart.

Finishing, see page 42. Sew neck band to back of neck, weaving sts. tog. at left shoulder edge. Work 1 row S. C. around neck and front edges. Face inside front edges with grosgrain ribbon.





Missing Page

Missing Page

CANNELTON

No. 810
VELVEEN REDINGOTE
Size 16

- 1 Pr. No. 0 Athena Noninflammable Needles—14 inch
- 1 Pr. No. 1 Athena Noninflammable Needles—14 inch
Scale: 9 sts. to 1 inch
14 rows to 1 inch
- 1 No. 0 Steel Circular Needle—29 inch
- 1 No. 1 Steel Circular Needle—29 inch
Scale: 9 sts. to 1 inch
- 1 No. 1 Athena Noninflammable Crochet Hook


MINERVA VELVEEN

Flag Blue No. 1170 15 Balls

Chart symbols explained on page 42.

The redingote is worked in Stockinette St. with Moss St. borders.

SKIRT: (No chart) With No. 1 circular needle cast on 576 sts. and working back and forth in Stockinette St., work even for 2 inches. Decrease on next row as follows (right side of work): K. 45, put a marker on needle, * K. 2 tog., K. 52, put a marker on needle, repeat from * 8 times more, K. 2 tog., K. 43 (566 sts.). Work 2 inches even and decrease on next row on opposite side of each marker. Work a decreasing row every inch 2 times more, decreasing on alternate sides of markers (536 sts.). * Work even for 1 inch, decrease 1 st. on each side of each marker on next row (20 sts. decreased). Work even for 1 inch, decrease 1 st. on alternate side of each marker on next row (10 sts. decreased). Repeat from * 5 times more (356 sts.). ** Work even for 1 inch, decrease 1 st. on alternate sides of each marker on next row. Repeat from ** 5 times more. Work even for 1 inch and decrease on next row as follows: (Decrease 1 st. on each side of first marker, decrease 1 st. on alternate side of next marker) 2 times, decrease 1 st. each side of next 2 markers, (decrease 1 st. on alternate side of next marker, decrease 1 st. on each side of following marker) 2 times (280 sts.). Change to No. 0 needle and work even for 1 inch. (Skirt should measure 26



inches from start.) Bind off.

BLOUSE: Follow chart for Right Front. Cast on sts. with No. 0 needles and work even for 1 inch then change to No. 1 needles and increase as follows: Work 18 sts., (K. 2, increase in next st.) 3 times, * K. 3, increase in next st., repeat from * 9 times more, (K. 2, increase in next st.) 3 times (92 sts.). Buttonholes are 14 sts. wide and 2 sts. from front edge. To work buttonholes, see page 42. Decreases at front edge are made by working 18th and 19th st. tog.

Work Left Front to correspond, omitting buttonholes and having decreases on opposite sides.

Follow chart for Back. Cast on sts. with No. 0 needles and work even for 1 inch. Change to No. 1 needles and increase as follows: K. 6, increase in next st., * K. 3, increase in next st., repeat from * 28 times more, K. 5 (158 sts.).

Follow chart for Sleeves.

With No. 1 needles, cast on 3 sts. for Belt and working in Moss St. increase 1 st. at right edge every other row 16 times. Work even until work measures 58 inches. Then decrease in same manner as increases were made on opposite side of belt. Bind off remaining 3 sts.

With No. 1 needles, cast on 41 sts. for Pocket and work even in Moss St. for $\frac{3}{4}$ inch. Now continuing to work first and last 7 sts. in Moss St. and center 27 sts. in Stockinette St., work even for $4\frac{1}{4}$ inches. Work all sts. in Moss St. for $\frac{3}{4}$ inch. Bind off. Make 2.

With No. 1 needles, cast on 41 sts. for Pocket Flap and work even in Moss St. for $\frac{3}{4}$ inch. Now continuing to work first and last 7 sts. in Moss St. and center 27 sts. in Stockinette St. work even for $1\frac{1}{4}$ inches. Bind off. Make 2.

With No. 1 needles, cast on 23 sts. for Button Coverings and work even in Moss St. for 10 inches; bind off. With No. 1 needles, cast on 18 sts. and work even in Stockinette St. for 8 inches; bind off.

With No. 1 needles, cast on 19 sts. for Front Facing and work even in Moss St. for 29 inches. Work a buttonhole in same manner as right front. Work 2 more buttonholes $2\frac{1}{2}$ inches apart. Work even until facing measures 89 inches. Bind off.

Finishing, see page 42. Weave
(Continued on page 24)



DEERING

No. 811

TWO PIECE VELVEEN DRESS

Size 16

1 No 2 Steel Circular Needle—29 inch
for skirt and yoke
Scale: 8 sts. to 1 inch

1 Pr. No. 2 Athena Noninflammable
Needles—14 inch
Scale: 8 sts. to 1 inch
12 rows to 1 inch

1 No. 2 Athena Noninflammable Cro-
chet Hook

MINERVA VELVEEN

Viking Blue No. 1162 9 Balls
or

18 balls Minerva Featherdown

Chart symbols explained on page 42.

BLOUSE: (No chart for yoke)

With circular needle, cast on 111 sts. for yoke, working back and forth in Stockinette St., work even for $\frac{1}{2}$ inch. Next K. row, work as follows: K. 9, * increase in next st., K. 3, repeat from * across row, ending increase in next st., K. 9 (135 sts.). Work even for $\frac{1}{2}$ inch. Next K. row, work as follows: K. 8, * increase in next st., K. 4, repeat from * across row, ending increase in next st., K. 11 (159 sts.). Work even for $\frac{1}{2}$ inch. Next K. row, work as follows: K. 10, * increase in next st., K. 5, repeat from * across row, ending increase in next st., K. 10 (183 sts.). Increase 24 sts. in same manner each increasing row every $\frac{1}{2}$ inch 2 times more, then every $\frac{3}{4}$ inch 2 times (279 sts.). Work should measure 4 inches from start. Now join sts., increase 1 st. at joining, and working around on needle, with double strand of yarn, K. 1 round, P. 1 round (forming ridge), drop extra strand of yarn; then K. 2 rounds. Next round, work as follows: * K. 9, increase in next st., (K. 11, increase in next st.) 5 times, repeat from * around row (304 sts.). K. 1 round. Now with double strand of yarn, K. 1 round, P. 1 round (ridge), drop extra strand of yarn, K. 2 rounds; then on next round, increase 24 sts. in same manner as before, having 1 more st. between the increases. K. 1

round. Now with double strand of yarn, work a ridge, drop extra strand of yarn. K. 2 rounds; then on next round, increase 24 sts. in same manner as before (352 sts.). K. 1 round. Now work a ridge in same manner as before, K. 4 rounds. Work another ridge.

With neck opening at center back, divide sts. on st. holders as follows: 64 sts. for each sleeve, 112 sts. for front and back.


Slip 56 sts. of left back yoke from st. holder, attach yarn at armhole edge and work as follows: K. 6, turn; P. back; K. 11, turn; P. back; K. 16, turn; P. back. Continue in this manner, working 5 more sts. every K. row until all 56 sts. are being worked, ending with a K. row. Slip other 56 sts. of back (right back yoke) and work to correspond. Now working on all sts. of back, follow chart for remainder of back. When work measures 14 inches from cast on sts. at underarm, work a ridge (K. 2 rows with double strand), * work 4 rows Stockinette

St., work a ridge, repeat from * 3 times more. Bind off using double strand of yarn.

Slip 56 sts. of right front yoke from st. holder, attach yarn at armhole edge and work sts. in same manner as for back. At the same time, when 36 sts. are being worked, increase 1 st. at armhole edge; increase another st. at armhole edge when 46 sts. are being worked. When all sts. have been worked (58 sts. on needle), slip 56 sts. of left front yoke from st. holder and work in same manner as right front. Join sts. of front (116 sts.) and follow chart for remainder of front. When work measures 14 inches from cast on sts. at underarm, work in same manner as for back.

Pick up 64 sts. of Right Sleeve and work following chart. When sleeve measures $17\frac{1}{2}$ inches, decrease across next K. row as follows: K. 18, K. 2 tog., * K. 4, K. 2 tog., repeat from * across row, ending K. 18 (112 sts.). Work 1 inch even.

(Continued on page 24)





CAMILLA

No. 812

TWO PIECE MINAL ZEPHYR SUIT

Size 16

1 Pr. No. 1 Athena Nonflammable

Needles—14 inch

Scale: 8 sts. to 1 inch

12 rows to 1 inch

MINERVA MINAL ZEPHYR

Slip-over—

Heaven Blue No. 1513..... 3 Skeins

Skirt—

Heaven Blue No. 1513..... 4 Skeins

Total 7 Skeins

or

Liberty Blue No. 1523..... 7 Skeins

Chart symbols explained on page 42.

The entire suit is worked in pattern. The skirt is made in 2 pieces, each piece having 5 gores separated by P. 2 ribs.

PATTERN: Multiple of 10 sts.

Row 1—* K. 5, Y. O., K. 1, Y. O. twice, K. 1, Y. O. 3 times, K. 1, Y. O. twice, K. 1, Y. O., K. 1, repeat from * across row.

Row 2—K. across row, slipping all Y. O. off needle without K. them.

Rows 3 and 4—K. across row.

Row 5—* Y. O., K. 1, Y. O. twice, K. 1, Y. O. 3 times, K. 1, Y. O. twice, K. 1, Y. O., K. 6, repeat from * across row.

Row 6—Same as Row 2.

Rows 7 and 8—Same as Rows 3 and 4.

Repeat these 8 rows for pattern.


Follow charts for Front, Back and Sleeves.

Finishing, see page 42. Sew a 4 inch slide fastener in each shoulder. Sew sleeves in place, gathering extra fullness at top.

SKIRT: (No chart.) Cast on 262 sts. and work as follows: * P. 2, work across next 50 sts. in pattern, repeat from * 4 times more, P. 2 (the P. 2 ribs will be worked for remainder of skirt). Work in

this manner for 3 inches. Next row, * P. 2, K. 2 tog., work over 46 sts. in pattern, K. 2 tog., repeat from * 4 times more, P. 2. Continue working in this manner (decreasing 1 st. each side of each of the pattern gores—10 sts. decreased each time) and work a decreasing row every 2 inches 7 times more (182 sts. on needle—17 inches from start), then every inch 7 times more (112 sts.—24 inches from start). Work even until work measures 26 inches from start. Bind off. Make 2.

Finishing, see page 42. Sew side seams. Work a casing for elastic at waistline. To work casing, see page 42.



CANNELTON

(Continued from page 20)

blouse to skirt. Sew pockets and pocket flaps in place. Tack band around back of neck. Machine stitch front facings to fronts and around neck. Cover 1½ inch buttonmolds, having Moss St. piece in center. Tape waist in to 31 inches. Work 1 row S. C. on all edges. Redingote may be lined.

DEERING

(Continued from page 22)

Decrease on next K. row as follows: K. 17, K. 2 tog., * K. 3, K. 2 tog., repeat from * across row, ending K. 18 (96 sts.). Work 1 inch even. Decrease across next K. row as follows: K. 17, K. 2 tog., * K. 2, K. 2 tog., repeat from * across row, ending K. 17 (80 sts.).

Work Left Sleeve in same manner. With double strand of yarn, cast on 40 sts. for Cuff, K. 4 rows, then drop 1 strand of yarn, * K. 1 row, P. 1 row; with double strand of yarn, K. 2 rows, drop 1 strand of yarn, repeat from * 2 times more, with double strand of yarn, bind off. Make 2.

Finishing, see page 42. Work 2 rows S. C. around neck and back opening, having 5 small buttonholes in crocheted edge. Work 5 small crocheted buttons.

SKIRT: Follow chart working as follows: Cast on sts. with double strand of yarn, K. 1 round, P. 1 round; drop 1 strand of yarn, * K. 4 rounds; with double strand of yarn, K. 1 round, P. 1 round, drop 1 strand of yarn, repeat from * 3 times more. Five inches from start, decrease as follows: * K. 43, K. 2 tog., repeat from * around (440 sts. remaining). Work 1 inch even, then decrease as follows: * K. 42, K. 2 tog., repeat from * around (430 sts. remaining). Decrease in this manner at points indicated on chart by number of sts. remaining after each decreasing round. (There will be 1 st. less between the decreases each decreasing round—10 sts. decreased.) Finishing, see page 42. Work a casing for elastic. To work casing, see page 42.



OXFORD

No. 813 ONE PIECE ZEPHRON ZEPHYR DRESS

Size 16

1 Pr. No. 2 Athena Nonflammable
Needles—14 inch

Scale: 17 sts. to 2 inches
13 rows to 1 inch

1 No. 2 Steel Circular Needle—29 inch
Scale: 17 sts. to 2 inches

MINERVA ZEPHRON ZEPHYR
Cactus Green No 359..... 26 Skeins

Chart symbols explained on page 42.

The dress is worked in pattern with yoke, collar and flaps worked in woven st. pattern.

PATTERN: Multiple of 6 sts. plus 4 for blouse.

Row 1—P. 1, K. 2, * P. 4, K. 2, repeat from * across row, ending P. 1.

Row 2 (right side of work)—Yarn in front, slip 1, P. 2, ** * K. 1, pass yarn to front of work, slip next st. as if to P., pass yarn to back of work *, repeat between *'s once more (4 sts. woven pattern), P. 2, repeat from ** across row, ending K. 1.

Row 3—Same as Row 1

Row 4—K. 1, P. 2, ** * Pass yarn to front of work, slip next st. as if to P., pass yarn to back of work, K. 1*, repeat between *'s once more (4 sts. in woven pattern, alternated), P. 2, repeat from ** across row, ending slip 1.

Repeat these 4 rows for pattern.

For pattern for blouse yoke (multiple of 2 sts.), P. all sts. on Rows 1 and 3 of pattern as given, repeat between *'s across row for Rows 2 and 4.

PATTERN: Multiple of 6 sts. for skirt.

Round 1—K. 2, * P. 2, K. 4, repeat from * around, ending P. 2, K. 2.

Round 2—* K. 1, pass yarn to front of work, slip next st. as if to P. *, ** P. 2, repeat between *'s twice, repeat from ** around, ending P. 2, repeat between *'s once.

Round 3—Same as Round 1.

Round 4—* Pass yarn to front of work, slip next st. as if to P., pass yarn to back of work, K. 1 *, ** P. 2, repeat between *'s twice, repeat from ** around, ending P. 2, repeat between *'s once.

Follow chart for Front, being careful to keep pattern even as increases are made at sides. One half inch straight up from bound off sts. at underarm (Row 1 of pattern), begin working pattern for blouse yoke on center 2 sts. Then every 4th row start working 1 more K. 2 rib either side of center rib in same manner as center rib until all ribs are part of yoke pattern (all sts. being worked in woven pattern). At the same time, divide sts. for front opening at point indicated on chart (130 sts. on needle—70 sts. for right shoulder). Buttonholes are 4 sts. wide and 3 sts. from front edge. To work buttonholes,

see page 42. When beginning left shoulder, cast on 10 sts. at front edge for underlap.

Follow chart for Back, beginning yoke in same manner as for front.


Follow chart for Sleeves.

Follow chart for Collar, working in pattern same as for yoke.

Follow chart for Flaps, working in pattern same as for yoke. When work measures $\frac{3}{4}$ inch from start (24 sts. on needle), work a buttonhole 10 sts. from edge, 4 sts. wide. Make 4.

Finishing, see page 42.

SKIRT: Follow chart for skirt, working in pattern as follows:
* Slip a marker on needle, work 114 sts., repeat from * around. Decrease 2 inches from start as follows:
* Marker, K. 2 tog., work 110 sts.,
(Continued on page 28)





OXFORD

(Continued from page 26)

K. 2 tog., repeat from * around (448 sts.). Work 2 inches even, then decrease as follows: * Marker, K. 2 tog., work 108 sts., K. 2 tog., repeat from * around (440 sts.). Decrease in this manner on each side of each of the 4 markers at points indicated on chart by number of sts. remaining after each decreasing round.

Finishing, see page 42. Join blouse and skirt. Sew collar and pocket tabs in place. Work casing for elastic, see page 42.

start, dec across row as follows: K. 5, K. 2 tog., * K. 2, K. 2 tog., repeat from * 22 times more, K. 5. Work in ribbing for remainder of sleeve.

Pick up 132 sts. around neck and work in ribbing for $\frac{3}{4}$ inch.

Finishing, see page 42.

CARDIGAN: Follow chart for Right Front. Buttonholes are 4 sts. wide and 3 sts. from edge. To work buttonholes, see page 42. Place 8 sts. at underarm on a st. holder as on slip-over. At neck, bind off first 36 sts. and on remaining 22 sts. work in Garter St. for $\frac{3}{4}$ inch.

Work Left Front to correspond, omitting buttonholes and having decreases on opposite side.

Follow slip-over instruction and chart for Back, working a 2 inch ribbing border on back.

Follow chart for Sleeves, picking up sts. in same manner as for slip-over. At wrist, K. the 5th and 6th st. tog. across row 10 times; then work in ribbing for remainder of sleeve.

Pick up 140 sts. around neck and work in ribbing for $\frac{3}{4}$ inch, working a buttonhole on 4th row.

Finishing, see page 42. Face outside front edges with plaid ribbon.

NEW LONDON

No. 814 FEATHERDOWN TWIN SWEATER SET

Size 16

1 Pr. No. 2 Athena Nonflammable
Needles—14 inch

Scale: 8 sts. to 1 inch

11 rows to 1 inch

MINERVA FEATHERDOWN

Slip-Over Natural No. 1066 6 Balls

Cardigan Natural No. 1066.... 8 Balls

Total 14 Balls

Chart symbols explained on page 42.

The slip-over and cardigan are worked in Stockinette St. with borders (indicated on charts by dotted lines) worked in K. 2, P. 2 ribbing.



SLIP-OVER: Follow chart for Front. At underarm, place the first and last 8 sts. on st. holders. After binding off the 64 sts. at neck, work in Garter St. (plain knitting) on the 22 shoulder sts. for $\frac{3}{4}$ inch.

Follow chart for Back. At underarm place the first and last 8 sts. on st. holders.

Sew shoulder seams.

For Sleeve, pick up 128 sts. (112 sts. around armhole and 8 sts. of front and back from st. holders) and follow chart. At $4\frac{1}{2}$ inches from





MINERVA FEATHERDOWN

Slip-over
Canary No. 1068 4 Balls

Cardigan
Canary No. 1068 8 Balls

Total 12 Balls

or
7 Balls Minerva Velvée

Chart symbols explained on page 42.

The cardigan is worked on No. 2 needles in pattern with borders (indicated on charts by dotted lines) worked on No. 1 needles in K. 1, P. 1 ribbing. The first 12 sts. from front edge are worked in ribbing for entire length of cardigan. The slip-over is worked on No. 2 needles in Stockinette St. with borders (indicated on charts by dotted lines) worked on No. 1 needles in K. 1, P. 1 ribbing.

PATTERN: Multiple of 8 sts. for fronts.

Rows 1, 2, 3 and 4—* K. 4, P. 4, repeat from * across row.

Rows 5, 6, 7 and 8—* P. 4, K. 4, repeat from * across row.

Repeat these 8 rows for pattern.

PATTERN: Multiple of 8 sts. plus 4 for back.

Row 1—* P. 4, K. 4, repeat from * across row, ending P. 4.

Row 2—* K. 4, P. 4, repeat from * across row, ending K. 4.

Repeat Rows 1 and 2 once.

Row 5—Same as Row 2.

Row 6—Same as Row 1.

Repeat Rows 5 and 6 once.

Repeat these 8 rows for pattern.

PATTERN: Multiple of 8 sts. plus 4 for sleeves.

Row 1—* K. 4, P. 4, repeat from * across row, ending K. 4.


RANIER

Illustrated on next page.


No. 815 FEATHERDOWN TWIN SWEATER SET

Size 16

- 1 Pr. No. 1 Athena Noninflammable Needles—14 inch
- 1 Pr. No. 2 Athena Noninflammable Needles—14 inch
- Scale: Pattern—
8 1/2 sts. to 1 inch
12 rows to 1 inch
Stockinette St.
8 sts. to 1 inch
12 rows to 1 inch
- 1 Set No. 1 Athena Noninflammable Double Point Needles—7 inch
- 1 Set No. 2 Athena Noninflammable Double Point Needles—7 inch



(Continued on next page)



lows: P. 1, * K. 1, P. 1, repeat from * across row. Next row, K. 1, * P. 1, K. 1, repeat from * across row. Repeat these 2 rows for 1 inch, working a buttonhole $\frac{1}{2}$ inch from start.

Face inside front edges with gros-grain ribbon.

SLIP-OVER: Follow chart for Front, Back and Sleeves.

Finishing, see page 42. With No. 2 double point needles, pick up 150 sts. around neck and work in K. 1, P. 1 ribbing for $1\frac{1}{4}$ inches. Change to No. 1 double point needles and work in ribbing for $1\frac{1}{4}$ inches more. Bind off.

(Continued from previous page)

Row 2—* P. 4, K. 4, repeat from * across row, ending P. 4.

Repeat Rows 1 and 2 once.

Row 5—Same as Row 2.

Row 6—Same as Row 1.

Repeat Rows 5 and 6 once.

Repeat these 8 rows for pattern.

CARDIGAN: (Chart on page 29)

Follow chart for Right Front. Buttonholes are 6 sts. wide and 3 sts. from front edge. To work buttonholes, see page 42. At neck edge, do not bind off 12 sts., but place them on a st. holder.

Work Left Front to correspond, omitting buttonholes and having decreases on opposite sides.

Follow chart for Back.

Follow chart for Sleeves, beginning with Row 3 of pattern.

Finishing, see page 42. With No. 1 double point needles, slip the sts. of right front edge from st. holder, pick up 91 sts. around right neck edge, back and left neck edge, slip sts. of left front edge from st. holder (115 sts.) and work as fol-



BACONA

No. 816

MANUET TWIN SWEATER SET

Size 16

1 Pr. No. 10 Athena Nonflammable
Needles—10 inch for K. 1, P. 1
ribbing borders

1 Pr. No. 10½ Athena Nonflammable
Needles—14 inch

Scale: K. 2, P. 2 ribbing—

4 sts. to 1 inch

5 rows to 1 inch

Cable = 3 inches

1 No. 10 Athena Nonflammable Cro-
chet Hook

MINERVA MANUET

Cardigan—

Fern Green No. 914.... 7 Skeins

Slip-over—

Surf No. 912.... 5 Skeins

Total 12 Skeins

Chart symbols explained on page 42.

The cardigan and slip-over are worked in double cable and ribbing patterns on No. 10½ needles with borders (indicated on charts by dotted lines) worked in K. 1, P. 1 ribbing on No. 10 needles.

DOUBLE CABLE PATTERN: 16 sts.

Row 1—P. 2, K. 12, P. 2.

Row 2—K. 2, P. 12, K. 2.

Row 3—P. 2, slip next 3 sts. on a double point needle and hold in back of work, K. 3, K. the 3 sts. from double point needle, slip next 3 sts. on a double point needle and hold in front of work, K. 3, K. the

3 sts. from double point needle, P. 2.

Row 4—Same as Row 2.

Repeat these 4 rows for pattern.

RIBBING PATTERN: Multiple of 4 sts. for back and sleeves of cardigan.

Row 1—K. 1, *P. 2, K. 2, repeat from * across row, ending P. 2, K. 1.

Row 2—P. 1, *K. 2, P. 2, repeat from * across row, ending K. 2, P. 1.

Repeat these 2 rows for ribbing pattern.

RIBBING PATTERN: Multiple of 4 sts. for back and sleeves of slip-over.

Row 1—P. 1, *K. 2, P. 2, repeat from * across row, ending K. 2, P. 1.

Row 2—K. 1, *P. 2, K. 2, repeat from * across row, ending P. 2, K. 1.

Repeat these 2 rows for ribbing pattern.

CARDIGAN: (Chart on page 34)

Cast on 38 sts. for Right Front and work as follows:

Row 1—K. 2, *P. 2, K. 2, repeat from * once, work next 16 sts. in cable pattern, **K. 2, P. 2, repeat from ** across row.

Row 2—*K. 2, P. 2, repeat from * 2 times more, work next 16 sts. in cable pattern, P. 2, **K. 2, P. 2, repeat from ** across row.

Continue working in this manner, following chart. All increased sts. at side edge are worked in K. 2, P. 2 ribbing.

Work Left Front to correspond, having increases and decreases on opposite sides.

Follow chart for Back and Sleeves, working in ribbing pattern.

Finishing, see page 42. Work 1 row S. C. around bottom of cardigan and sleeves. Work 2 rows S. C. around neck and front opening. Sew invisibly a separating slide fastener in front opening.

(Continued on page 39)



MEADOW-BROOK

No. 817

SHETLAND FLOSS JACKET

Size 16

- 1 No. 1 Steel Circular Needle—24 Inch
- 1 No. 2 Steel Circular Needle—24 inch
- 1 No. 8 Steel Circular Needle—29 inch

Scale: Pattern

5½ sts. to 1 inch

1 repeat of pattern

(3 puffs) to 4½ inches

- 1 No. 2 Steel Crochet Hook

MINERVA SHETLAND FLOSS

- Seal Brown No. 537 5 Balls
- Surf No. 548 3 Balls
- Fern Green No. 549 3 Balls
- Copperglo No. 552 3 Balls

Total 14 Balls

Chart symbols explained on page 42.

Chart on page 34.

The entire jacket is worked in stripes of pattern and K. 1, P. 1 ribbing.

PATTERN STRIPING:

* With size 2 needle and Seal Brown, work 2 inches in K. 1, P. 1 ribbing.

Work puff striping as follows:

Row 1 (right side of work)—With No. 8 needle and double strand of Copperglo, K. across row, wrapping yarn around needle twice for first st. and 3 times for remainder of sts. (3 loops of 2 strands each for every st. except first st.).

Row 2—With No. 1 needle and double strand of Copperglo, P. across row, dropping wrapped loops between sts.

Row 3—With No. 1 needle and one strand of Copperglo, K. across row.

Row 4—With No. 1 needle and 1 strand of Copperglo, P. across row.

Repeat these 4 rows using Surf in place of Copperglo.

Repeat these 4 rows using Fern Green in place of Surf.

Repeat these 12 rows for puff pattern (forming 3 puffs, 1 puff each of Copperglo, Surf and Fern Green).

Repeat from * for pattern striping.

Follow chart for Back and Fronts. Working back and forth in pattern striping, work 2nd K. 1, P. 1 stripe (waist) on size 1 needle. On last K. row (K. row with Fern Green) of 2nd puff stripe, increase across row as follows: K. 12, increase in next st., * K. 23, increase in next st., repeat from * 6 times more, K. 11 (200 sts.). (P. back to complete pattern.) Work 2 more complete repeats of pattern following chart, then work remainder of back and fronts with Seal Brown on No. 2 needle in K. 1, P. 1 ribbing.

Follow chart for Sleeves. With size 2 needle and Seal Brown, work in K. 1, P. 1 ribbing for ¾ inch. Now begin pattern striping. Work 1 repeat of pattern striping, increasing

on last K. row of puff stripe (K. row with Fern Green) as follows: K. 3, increase in next st., * K. 4, increase in next st., repeat from * 7 times more, K. 2 (55 sts.). Work 1 more repeat of pattern, increasing on last K. row of puff stripe as follows: K. 3, increase in next st., * K. 5, increase in next st., repeat from * 7 times more, K. 3 (64 sts.). Work 1 more repeat of pattern, increasing on K. row of first puff stripe (K. row with Copperglo) as follows: K. 4, increase in next st., * K. 7, increase in next st., repeat from * 6 times more, K. 3 (72 sts.).—work should measure about 12½ inches from start). Work 1 more repeat of pattern; work remainder of sleeve in ribbing.

(Continued on page 34)



BAILEY'S BEACH

No. 818
SPORTS YARN BLAZER
Size 16

1 Pr. No. 3 Athena Nonflammable
Needles—14 inch
Scale: 8 sts. to 1 inch
11 rows to 1 inch

MINERVA SPORTS YARN
White No. 1400 5 Balls

Chart symbols explained on page 42.

Chart on page 34.

The blazer is worked in pattern with hems (indicated on charts by dotted lines) worked in Stockinette St.

PATTERN: Multiple of 4 sts.

Rows 1 and 2—* K. 2, P. 2, repeat from * across row.

Rows 3 and 4—K.

Rows 5 and 6—* P. 2, K. 2, repeat from * across row.

Rows 7 and 8—K.

Repeat these 8 rows for pattern.

Follow chart for Pocket Facing, working in Stockinette St. Place sts. on a st. holder. Make 2.

Follow chart for Pocket Flap, working in pattern. Place sts. on a st. holder. Make 2.

Follow chart for Right Front. When 1 inch Stockinette St. hem has been completed, P. 1 row on right side of work for turn of hem. Work in pattern for remainder of front. Work pocket opening 14 sts. from front edge, 48 sts. wide. On following row (wrong side of work), with wrong side of pocket facing nearest you and pocket flap sts. underneath, work pocket facing and flap sts. from st. holders, working 2 sts. at a time (one st. of facing and one st. of flap), continue across row. Work a buttonhole 1 inch above pocket opening 2 sts. from front edge and 6 sts. wide. To work buttonhole, see page 42. Continue to follow chart.

Work Left Front to correspond, omitting buttonhole and having increases and decreases on opposite sides.

Follow chart for Back. P. 1 row on right side of work 1 inch from start for turn of hem. Work in pattern for remainder of back. Place 36 sts. at back of neck on a st. holder.

Follow chart for Sleeves. P. 1 row on right side of work 1 inch from start for turn of hem. Work in pattern for remainder of sleeve.

Sew shoulder seams. Slip sts. at back neck edge from st. holder on needle, and working in pattern, pick up 5 sts. at the end of every row 8 times; then pick up 6 sts. at the end of every row 4 times more (100 sts.—all sts. picked up except the 20 lapel sts. each side). Working back and forth on these 100 sts., increase 1 st. each side; then increase 1 st. each side every 3rd row 7 times more. Work even for 6 rows. Bind off.

Finishing, see page 42. Turn all hems and sew. Face pocket flap with grosgrain ribbon. Machine stitch braid to edges as illustrated. Sew pocket facings to jacket. Tape shoulder seams and back of neck.



(Continued from page 32)





With size 2 needle and Seal Brown, cast on 7 sts. for Front Border and work in ribbing as follows:

Row 1—K. 1, * P. 1, K. 1, repeat from * across row.

Row 2—P. 1, * K. 1, P. 1, repeat from * across row.

Repeat these 2 rows for 18 inches.
Bind off. Make 2.

Finishing, see page 42. Sew ribbing bands to center front edges. Sew 18 inch separating slide fastener in place. Work 1 row S. C. around neck.



HEPBURN

No. 819

FEATHERWEIGHT KNITTING WORSTED CARDIGAN

Size 16

1 Pr. No. 2 Athena Noninflammable
Needles—14 inch for ribbing

1 Pr. No. 5 Athena Noninflammable
Needles—14 inch

Scale: Stockinette St.

6 sts. to 1 inch

9 rows to 1 inch

Pattern

6½ sts. to 1 inch

9 rows to 1 inch

MINERVA FEATHERWEIGHT KNITTING WORSTED

Colonial Blue 1 No. 725 6 Skeins
or

3 Skeins Minerva Spanish Knitting
Worsted

Chart symbols explained on page 42.

The front of cardigan is worked in pattern on No. 5 needles. The back and sleeves are worked in Stockinette St. on No. 5 needles with center 15 sts. of sleeves always worked in ribbing. The borders of cardigan (indicated on charts by dotted lines) are worked in K. 1, P. 1 ribbing on No. 2 needles.

PATTERN: Multiple of 2 sts.

Row 1—* K. 1, P. 1, repeat from *
across row.

Row 2—Same as Row 1.

Row 3—* P. 1, K. 1, repeat from *
across row.

Row 4—Same as Row 3.

Repeat these 4 rows for pattern.

Follow chart for Right Front working in pattern after 1 inch ribbing border has been completed.

Work Left Front to correspond, having increases and decreases on opposite sides.


Follow chart for Back working in Stockinette St. after 1 inch ribbing border has been completed.

Follow chart for Sleeves working as follows on No. 2 needles:

Row 1—* K. 1, P. 1, repeat from *
across row, ending K. 1.

Row 2—* P. 1, K. 1, repeat from *
across row, ending P. 1.

(Continued on next page)



NIOTO

No. 820

AFGHAN GERMANTOWN AFGHAN

About 48" x 60"

1 No. 11 Athena Wooden Crochet Hook

Scale: 8 sts. to 3 inches

(Worked loosely)

10 rows to 3 inches

MINERVA AFGHAN GERMAN- TOWN

Regency Pink No. 648	4 Skeins
Victoria Rose No. 649	4 Skeins
Regency Red No. 650	4 Skeins
Royal Wine No. 651	6 Skeins
Total	18 Skeins

No chart.

PATTERN: Multiple of 3 Ch. plus 2.

Ch. desired length, turn.

Row 1—Skip 1 Ch., 1 S. C. in each Ch. across, Ch. 1, turn.

Row 2—Work 1 S. C. in each st. (through both loops), Ch. 1, turn.

Row 3—* Work 1 S. C. in each of 2 sts., 1 D. C. around next st. in Row 1, drawing up the loops 1 inch to make a long st., repeat from * across row, ending 1 S. C., in each of last 2 sts., Ch. 1, turn.

Row 4—Same as Row 2.

Row 5—* Work 1 S. C. in each of 2 sts., 1 D. C. (long st.) around the long st. of previous row, repeat from * across row, ending 1 S. C. in each of last 2 sts., Ch. 1, turn.

Repeat Rows 4 and 5 for pattern.

With Royal Wine, Ch. 162 and working in pattern, work in color stripes as follows:

Royal Wine—6 rows.

*Regency Red—4 rows.

Victoria Rose—4 rows.

Regency Pink—6 rows.

Victoria Rose—4 rows.

Regency Red—4 rows.

Royal Wine—8 rows.

Repeat color stripes from * 4 times more (156 rows).

Work a row of S. C. with Royal Wine at each end.

With an 8 inch double strand, work fringe along each side, matching color in stripes.

HEPBURN

(Continued from previous page)

Repeat these 2 rows for 1 inch.

Change to size 5 needles and continue working center 15 sts. in ribbing for remainder of sleeve and remaining sts. in Stockinette St. Continue to follow chart for remainder of sleeve.

Finishing, see page 42. Sew saddle shoulder in place. With No. 2 needles, pick up 92 sts. around neck edge and work even in K. 1, P. 1 ribbing for 1 inch. Bind off. With No. 2 needles, pick up 160 sts. along right front edge. Work even in K. 1, P. 1 ribbing for 1/2 inch. Next row (right side of work) starting first buttonhole 4 sts. from lower right hand corner, work 8 buttonholes 5 sts. wide and 16 sts. apart. To work buttonholes, see page 42. Work 1/2 inch even. Bind off. Work left front border in same manner, omitting buttonholes. Face inside front edges with matching grosgrain ribbon.






ALLAIRE



RICHVILLE



REDWOOD



SLATON

REDWOOD No. 823 *Instructions on page 38.*
SLATON No. 824 *Instructions on page 38.*

ALLAIRE

No. 821 MANUET HAT

1 No. 8 Athena Noninflammable Crochet Hook

Scale: 5 S. C. to 1 inch
5 rows to 1 inch

MINERVA MANUET

Federal Blue No. 927	1 Skein
White No. 900	1 Skein
Total	2 Skeins

No chart.

CROWN: Start at center.

With Federal Blue, Ch. 3, join in ring.

Row 1—6 S. C. in ring.

Row 2—2 S. C. in each st. (through both loops).

Row 3—2 S. C. in each st. (24 sts.).

Now work, * 1 S. C. in each of 6 sts., 2 S. C. in next st., repeat from * until crown measures $5\frac{1}{2}$ inches in diameter, then work even for $3\frac{1}{2}$ inches. Break yarn.

TRIM: With White, Ch. 14, work 1 S. C. in 2nd Ch. from hook, * Ch. 1, skip 1 Ch., 1 S. C. in next Ch., repeat from * across Ch. (7 S. C.), Ch. 1, turn.

Row 2—1 S. C. in space of Ch. 1, * Ch. 1, 1 S. C. in next space, repeat from * across row (7 S. C.), Ch. 1, turn.

Repeat Row 2 for 17 inches, then decrease 1 st. at beginning of each row until all sts. are worked off, break yarn. Make another strip in same manner.

Work 1 row S. C. across the decreased point. Roll the two pieces loosely and sew to front of hat as illustrated or desired.

RICHVILLE

No. 822 MANUET PURSE

1 Pr. No. 15 Athena Wooden Needles—
14 inch

Scale: $3\frac{1}{2}$ sts. to 1 inch
6 rows to 1 inch
Tapestry Needle.

MINERVA MANUET

Federal Blue No. 927	1 Skein
Scarlet No. 923	1 Skein
Bisque Beige No. 916	1 Skein


Total 3 Skeins

No chart.

The purse is worked in pattern with the vertical stripes woven after the knitting is completed.

PATTERN: Multiple of 2 sts.

Row 1—* K. 1, yarn forward, slip
(Continued on next page)



—Judge

REDWOOD

Illustrated on page 37

No. 823

FEATHERDOWN SCARF

About 10" x 42"

- 1 Pr. No. 2 Athena Noninflammable
Needles—14 inch
Scale: $8\frac{1}{2}$ sts. to 1 inch
1 No. 2 Athena Noninflammable
Crochet Hook

MINERVA FEATHERDOWN

Canary No. 1068 4 Balls

No chart.

The entire scarf is worked in pattern with fringe at each end.

PATTERN: Multiple of 6 sts.

Row 1—* K. 3, P. 3, repeat from * across row.

Row 2—K. 2, * P. 3, K. 3, repeat from * across row, ending P. 3, K. 1.

Row 3—P. 2, * K. 3, P. 3, repeat from * across row, ending K. 3, P. 1.

Row 4—* P. 3, K. 3, repeat from * across row.

Row 5—Same as Row 3.

Row 6—Same as Row 2.

Row 7—Same as Row 1.

Row 8—P. 1, * K. 3, P. 3, repeat from * across row, ending K. 3, P. 2.

Repeat from Row 1 for pattern.

Cast on 84 sts. and work even in pattern for 42 inches. Bind off.

Do not block. With 2 strands, 8 inches long, double and knot fringe in every other st. across each end of scarf.

SLATON

Illustrated on page 37

No. 824

VESTA ZEPHYR HAT

- 1 Pr. No. 3 Athena Noninflammable
Needles—14 inch
Scale: 6 sts. to 1 inch

MINERVA VESTA ZEPHYR

Lovebird Blue No. 1708 2 Skeins
or

Scarlet No. 1719 2 Skeins

Starting at top of hat, cast on 26 sts. K. 1 row, P. 1 row, K. 1 row.

Row 4—P. 1 st., * insert right needle into next st. as if to K., place index finger and middle finger of right hand behind right needle, then with left hand, wrap yarn around fingers and needle twice wrapping away from yourself, then wrap yarn around needle only and K. off, repeat from * across row to last st.,

P. 1 (thus having a group of 3 loops on needle for every st. except the first and last).

Row 5—K. 1, then K. across row, K. tog. each group of 3 loops, K. last st.

Row 6—P. across row,

Row 7—* K. 2, increase in next st., repeat from * 7 times more, K. 2.

Row 8—P. across row.

Row 9—K. across row.

Repeat from Row 4 for pattern, repeating the increases 3 times more (having 1 st. more between the increases each time—58 sts. on needle).

On next increasing row of fringe, work as follows: * K. 4, increase 1 st., repeat from * across row, ending K. 3 (11 increases). Work in pattern until you have repeated this increase 4 times more (having 1 st. more between the increases each time—113 sts. on needle).

Work even until 12 fringes have been completed. Bind off.

Sew seam. Work 1 row S. C. around bottom edge of hat. The top is left open.

RICHVILLE

(Continued from previous page)

1, yarn back, repeat from * across row.

Row 2—* P. 1, yarn back, slip 1, yarn forward, repeat from * across row.

Repeat these 2 rows for pattern.

With Federal Blue, cast on 56 sts. and work in pattern. Work horizontal stripes as follows:

6 rows Federal Blue.

4 rows Scarlet.

4 rows Federal Blue.

4 rows Bisque Beige.

12 rows Federal Blue.

10 rows Scarlet.

4 rows Federal Blue.

CARISBROOK

Illustrated on cover

No. 800
MANITO BOX COAT

Size 16

1 Pr. No. 11 Athena Wooden Needles—
14 inch

Scale: $3\frac{1}{2}$ sts. to 1 inch
5 rows to 1 inch

1 No. 10 Athena Nonflammable Cro-
chet Hook

MINERVA MANITO

Sun Gold No. 1882 14 Skeins

Chart symbols explained on page 42.

The coat is worked in pattern with
pocket borders in Moss St.

PATTERN: Multiple of 3 sts. plus
1 for fronts.

Row 1—K. 1, * slip 1, K. 2, repeat
from * across row.

Row 2—* P. 2, slip 1, repeat from *
across row, ending P. 1.

Row 3—Same as Row 1.

Row 4—K.

Repeat these 4 rows for pattern.

PATTERN: Multiple of 3 sts. for
back.

Row 1—K. 1, slip 1, * K. 2, slip 1,
repeat from * across row, ending
K. 1.

Row 2—P. 1, * slip 1, P. 2, repeat
from * across row, ending slip 1,
P. 1.

Row 3—Same as Row 1.

Row 4—K.

Repeat these 4 rows for pattern.

PATTERN: Multiple of 3 sts. plus
2 for sleeves.

Row 1—K. 2, * slip 1, K. 2, repeat
from * across row.


Row 2—* P. 2, slip 1, repeat from *
across row, ending P. 2.

Row 3—Same as Row 1.

Row 4—K.

Repeat these 4 rows for pattern.

Follow chart for Pocket Facing,
working in Stockinette St. and plac-
ing sts. on st. holder. Make 2.



Follow chart for Right Front. Divide
sts. for vertical pocket opening as
follows: Work over 15 sts. from
front edge, place these sts. on st.
holder. Work even on remaining
sts. for 31 rows. Slip 15 sts. from
st. holder and work even for 30
rows. Join sts. and continue to fol-
low chart. There should be about 22
repeats of pattern to underarm.
Work knit-in pocket $1\frac{1}{2}$ inches
above underarm, 8 sts. from front
edge. Instead of binding off the 13
pocket sts., place these sts. on a st.
holder. To work knit-in pocket, see
page 42.

Slip the 13 sts. of pocket opening
from st. holder and work even in
Moss St. for 3 rows. Bind off.

Work Left Front to correspond hav-
ing decreases on opposite sides.

Follow chart for Back. There should

be about 22 repeats of pattern to
underarm.

Follow chart for Right Sleeve.
There should be about 20 repeats of
pattern to underarm.

Work Left Sleeve to correspond, re-
versing shaping at underarm.

Cast on 17 sts. for Vertical Pocket
Flap. Work even in Moss St. for 4
rows. Bind off. Make 2.

Cast on 10 sts. for Vertical Pocket
Facing. Work even in Stockinette
St. for 8 inches. Bind off. Make 2.
Finishing, see page 42. Tack facing
and border of horizontal pocket. To
finish vertical pocket, sew flap to
side of opening nearest the front
edge, sew facing to other side of
opening, tacking edges in place. Sew
invisibly in place a separating slide
fastener. Work 1 row S. C. around
neck.

CHALFONT

(Continued from page 4)

Next row, K. 3, (P. 1, K. 1) 7
times, * P. 1, K. 9, (P. 1, K. 1) 7
times, repeat from * once, P. 1, K.
3.

Repeat these 2 rows for pattern.

Follow chart for Collar, working in
Moss St.

Finishing, see page 42. Assemble
blouse and sew to skirt, matching
panels. Work casing for elastic at
waist. To work casing, see page 42.
Sew slide fastener in front. Tape
shoulder seams. Work 1 row S. C.
around all edges.

DACOMA

Illustrated on page 3

No. 801 MILADY AFGHAN AND SWEATER YARN JACKET

Size 16

1 Pr. No. 6 Athena Nonflammable
Needles—14 inch

Scale: 5 sts. to 1 inch
8 rows to 1 inch

1 No. 6 Athena Nonflammable Cro-
chet Hook

MILADY AFGHAN AND SWEATER YARN

Royal Blue No. 5763 14 Skeins

Chart symbols explained on page 42.

The jacket is worked in pattern with
flaps of simulated pockets worked
in Moss St.

PATTERN: Multiple of 7 sts. plus
3 for right front, left back and
right sleeve.

Row 1—* K. 5, Y. O., K. 2, pull
Y. O. over these K. 2 sts., repeat
from * across row, ending K. 3.

Row 2 and all even rows—P. back.

Row 3—K. 6, Y. O., K. 2, pull Y.
O. over, * K. 5, Y. O., K. 2, pull
Y. O. over, repeat from * across
row, ending K. 2.

Row 5—Y. O., K. 2, pull Y. O.
over, * K. 5, Y. O., K. 2, pull Y. O.
over, repeat from * across row, end-
ing K. 1.

Row 7—K. 1, Y. O., K. 2, pull Y.
O. over, * K. 5, Y. O., K. 2, pull
Y. O. over, repeat from * across
row.


Row 9—K. 2, Y. O., K. 2, pull Y.
O. over, * K. 5, Y. O., K. 2, pull
Y. O. over, repeat from * across
row, ending K. 6.

Row 11—K. 3, Y. O., K. 2, pull
Y. O. over, * K. 5, Y. O., K. 2,
pull Y. O. over, repeat from *
across row, ending K. 5.

Row 13—K. 4, Y. O., K. 2, pull
Y. O. over, * K. 5, Y. O., K. 2,
pull Y. O. over, repeat from *
across row, ending K. 4.

Row 14—P. back.

Repeat these 14 rows for pattern.



PATTERN: Multiple of 7 sts. plus
3 for left front, right back and left
sleeve.

(All references to Row 1 mean Row
1 of pattern for right front, left
back, and right sleeve.)

Row 1—K. 3, Y. O., K. 2, pull
Y. O. over, repeat between *'s of
Row 1 across row, ending K. 5.

Row 2 and all even rows—P. back.

Row 3—K. 2, Y. O., K. 2, pull
Y. O. over, repeat between *'s of
Row 1 across row, ending K. 6.

Row 5—K. 1, Y. O., K. 2, pull
Y. O. over, repeat between *'s of
Row 1 across row.

Row 7—Y. O., K. 2, pull Y. O.
over, repeat between *'s of Row 1
across row, ending K. 1.

Row 9—K. 6, Y. O., K. 2, pull Y.
O. over, repeat between *'s of Row
1 across row, ending K. 2.

Row 11—Repeat between *'s of
Row 1 across row, ending K. 3.

Row 13—K. 4, Y. O., K. 2, pull
Y. O. over, repeat between *'s of
Row 1 across row, ending K. 4.

Row 14—P. back.

Repeat these 14 rows for pattern.

Work first row after casting on K.

in back of sts. This gives an even
edge.

Follow chart for Right Front. But-
tonholes are 3 sts. wide. Work first
buttonhole 3 sts. from edge. Work
groups of 2 buttonholes as follows:
First group—3 sts. from edge, 4 sts.
between; second group—3 sts. from
edge, 14 sts. between; third group—
3 sts. from edge, 22 sts. between.
To work buttonholes, see page 42.

Work Left Front to correspond,
omitting buttonholes and having in-
creases and decreases on opposite
sides.

Follow chart for Right Back. Work
Left Back to correspond, having in-
creases and decreases on opposite
sides.

Follow chart for Right Sleeve. Work
Left Sleeve to correspond, reversing
shaping at underarm.

Follow chart for Pocket Flap, work-
ing in Moss St. Make 2.

Finishing, see page 42. Sew center
back seam. Work 1 row S. C.
around neck and front edges. Face
inside front edges with 1/2 inch gros-
grain ribbon. Sew pocket flaps to
jacket 3 inches from front edge and
7 inches above lower edge as illus-
trated. Tape back waist line to 13 1/2
inches.

GENERAL INSTRUCTIONS

SYMBOLS USED ON CHARTS

Each block of chart represents one square inch.

I—means to Increase 1 st. at point indicated.
I—1R-8—means to Increase 1 st. every row, 8 times.
I—2R-8—means to Increase 1 st. every 2nd row, 8 times.
I— $\frac{1}{2}$ "-8—means to Increase 1 st. every $\frac{1}{2}$ inch, 8 times.

D—means to Decrease.
B—means to Bind off.
C—means to Cast on.
C-4-2R-10—means to Cast on 4 sts. every 2nd row, 10 times.
B-4-2R-10—means to Bind off 4 sts. every 2nd row, 10 times.

ABBREVIATIONS USED IN KNITTING AND CROCHET INSTRUCTIONS

K.—Knit	Tog.—Together
P.—Purl	St.—Stitch
Ch.—Chain	Slip St.—Slip Stitch
S. C.—Single Crochet	Y. O.—Yarn Over
H. D. C.—Half Double Crochet	
D. C.—Double Crochet	
Tr. C.—Treble Crochet	
P.S.S.O.—Pass Slip Stitch Over Knit Stitch.	

BUTTONHOLES: Bind off the given number of stitches, this same number of stitches to be cast on, on the next row directly over the bound off sts. Work around buttonholes in Button-hole St.

To make crocheted buttonholes—Ch. the desired number of sts., skip the same number of sts. on previous row and on next row, work over the Ch. sts.

KNIT-IN POCKETS: Work pocket facing (back of pocket) ending with a K. row and put sts. on a st. holder. Work pocket opening, binding off pocket sts. on a K. row. On next row, work across to pocket opening, work pocket sts. from st. holder and continue across row. After garment is completed, sew edges of facing to garment.

Knit-in pockets in a raglan started at the neck: Work to pocket opening, slip pocket sts. on a st. holder, cast on the same number of sts. and continue to follow chart. When garment is completed, pick up sts. from st. holder and work the required number of inches. Sew edges of facing to garment.

MARKERS: When the instructions say slip a marker on needle, use a small safety pin, or a tied loop of yarn in contrasting shade, slip on right hand knitting needle, and on next row, slip from one needle to the other and continue work.

TO MITER V NECK: After picking up necessary number of sts. around neck opening, decrease at point of V by K. 2 tog., 2 times every row.

MONK'S CORD: Cut yarn of sufficient length and number of strands required, divide into two groups and fasten together at one end. Make a slip loop on forefinger of left hand with one strand near point of joining, holding slip knot between thumb and second finger, * insert forefinger of right hand through loop from back or left side and draw up a loop of other strand. Keeping this loop on right forefinger, change slip knot to right hand, dropping loop off left forefinger, and draw first strand taut, closing first loop. Repeat from * inserting left forefinger in back of loop and continue to alternate in this manner.

WHEN KNITTING 2 PARTS OF A GARMENT that correspond, it is advisable to work them at the same time on the same needle, using 2 balls of yarn.

CAUTION—NEEDLES: Always clean your needles before working. This prevents a dark line in your work.

POMPONS: Wind yarn around cardboard slightly larger than

the size of pompon desired. Slip from cardboard, tie securely in center and clip both ends, then trim in shape of ball.

TASSELS: Wind yarn around cardboard slightly larger than the size of tassel desired. Tie firmly at one end, slip from card and wind yarn several times around the loops near the top. Trim the ends evenly.

FINISHING A NEW GARMENT

BLOCKING: Using rust proof pins, pin each piece wrong side out, on a pressing board in exactly the line you wish to retain. Use a damp cloth and moderately hot iron, press lightly, allowing the steam to go through the garment. Lay it on a flat surface until thoroughly dry. The skirt may be blocked in the same manner or on a Skirt Blocker which has been adjusted to the proper measurements.

JOINING: Sew pieces together, being careful that the edges meet evenly. Be careful to match rows wherever possible, easing in any extra fullness. In sewing in the sleeves be sure to ease the fullness toward the top. When sewing seams in a skirt, place on a flat surface and pin edges evenly, then sew tightly to prevent sagging. Another method of sewing the garment together is to pin edges, easing in any extra fullness, then sew a narrow dressmaker's seam, using a back st. Press seams lightly.

TAPING: To insure the shoulders retaining their fit, it is advisable where possible, to tape the shoulder seams.

BEADING: Fasten yarn, Ch. 5, * skip 2 sts., 1 D. C. in next st., Ch. 2, repeat from * around edge of garment, fasten yarn in 3rd Ch. of the Ch. 5.

CASING FOR ELASTIC (inside at waistline): Fasten yarn, * Ch. 5, skip 2 sts., 1 slip st. in st. $\frac{1}{2}$ inch below next st., Ch. 5, skip 2 sts., 1 slip st. in next st. $\frac{1}{2}$ inch above, repeat from *.

EDGES: The bottom of skirt and edges of blouse, sleeves, collar and pocket openings are generally finished with several rows of S. C., when no other border is used. When crocheting around bottom of skirt, work first row, skipping every 6th st. Work all other rows in every stitch. With slashed skirt, continue crocheting along edges of slash and face with matching grosgrain ribbon. Sew underlap in place.

WASHING:

Take measurements or make an accurate chart. Make suds in LUKEWARM water using mild alkali free flakes such as Ivory Soap Flakes. If the water is hard, better results can be obtained by using a good water normalizer such as Calgon. Squeeze suds through fabric. **DO NOT RUB.** Handle gently; do not lift out of water, as the weight of wet garment will stretch it. Keep garment supported by the hands when squeezing out water. Rinse thoroughly three times in LUKEWARM Calgonized water (hard water normalized by Calgon). Squeeze out as much water as possible, **DO NOT TWIST OR WRING,** and roll in dry turkish towels to absorb excess moisture. Shape garment, wrong side out, according to measurements, and pin to chart using rustproof pins. Ribbing should be eased in so that it will fit as snugly as when new. Never dry in sun or excessive heat. When garment is dry, if necessary, press like a new garment.

Never hang a handknit on a clothes hanger or hook. Always lay the article flat when not in use.

MINERVA INTERCHANGEABLE YARNS

INTERCHANGEABLE GROUP No. 1

Cuddle Yarn (2 fold— $\frac{3}{4}$ oz. ball) 100% Virgin Wool	About 183 yds. to ball.
Featherdown (3 fold—1 oz. ball) 100% Virgin Wool	About 256 yds. to ball.
Lustre Crepe Wool and Rayon (2 fold—1 oz. ball) Novelty Yarn—60% Virgin Wool, 40% Rayon	About 170 yds. to ball.
Velveen (2 fold—2 oz. ball) Novelty Yarn—65% Virgin Wool, 35% Rayon	About 300 yds. to ball.

INTERCHANGEABLE GROUP No. 2

Featherweight Knitting Worsted (3 fold—2 ounce skein) 100% Virgin Wool	About 233 yds. to skein.
Featherweight Heather Yarn (3 fold—2 ounce skein) 100% Virgin Wool	About 233 yds. to skein.
Shetland Floss (2 fold—1 oz. ball) 100% Domestic Virgin Wool	About 157 yds. to ball.
Spanish Knitting Worsted (4 fold—4 oz. skein) 100% Domestic Virgin Wool	About 490 yds. to skein.

INTERCHANGEABLE GROUP No. 3

Afghan Germantown (4 fold—2 oz. skein) 100% Virgin Wool	About 210 yds. to skein.
Germantown (4 fold—1 oz. ball) 100% Virgin Wool	About 105 yds. to ball.
Pompadour (2 fold—1 oz. ball) 68% Virgin Wool, 32% Rayon	About 128 yds. to ball.
Tapestry Yarn (4 fold) 100% Virgin Wool	About 40 yds. to skein.
Quality Heather Yarn (4 fold—2 oz. skein) 100% Virgin Wool	About 140 yds. to skein.
Quality Knitting Worsted (4 fold—2 oz. skein) 100% Virgin Wool	About 140 yds. to skein.
Quality Ombre Yarn (4 fold—2 oz. skein) 100% Virgin Wool	About 140 yds. to skein.

INTERCHANGEABLE GROUP No. 4

Chalimar 100% Cotton	About 800 yds. to skein.
Mellosheen 100% Cotton	About 700 yds. to skein.

INTERCHANGEABLE GROUP No. 5

Heather Sports Yarn (3 fold—2 oz. ball) 100% Virgin Wool	About 373 yds. to ball.
Pompadour Light Weight (2 fold—1 oz. ball) 76% Virgin Wool, 24% Rayon	About 210 yds. to ball.
Saxony (4 fold— $\frac{3}{4}$ oz. ball) 100% Virgin Wool	About 125 yds. to ball.
Sports Yarn (3 fold—2 oz. ball) 100% Virgin Wool	About 373 yds. to ball.

NON-INTERCHANGEABLE GROUP

A-A Crochet Cotton 100% Cotton	About 800 yds. to tube.
Hearthstone Rug Yarn (3 fold—1 oz. skein) 100% Virgin Wool	About 19 yds. to skein.
Kerman Rug Yarn (4 fold—1 oz. skein) 50% Domestic Virgin Wool, 50% Rayon	About 15 yds. to skein.
Manito (2 fold—2 oz. skein) 100% Virgin Wool	About 70 yds. to skein.
Manuet (2 fold—2 oz. skein) 100% Virgin Wool	About 125 yds. to skein.
Manuet Heather (2 fold—2 oz. skein) 100% Virgin Wool	About 125 yds. to skein.
Minal Zephyr (3 fold—2 oz. skein) 100% Virgin Wool	About 443 yds. to skein.
Needlepoint Yarn (4 fold— $\frac{1}{2}$ oz. skein) 100% Virgin Wool	About 34 yds. to skein.
Saxony (2 fold— $\frac{3}{4}$ oz. ball) 100% Virgin Wool	About 250 yds. to ball.
Saxony (3 fold— $\frac{3}{4}$ oz. ball) 100% Virgin Wool	About 165 yds. to ball.
Sock Yarn (4 fold—1 oz. skein) 100% Virgin Wool	About 201 yds. to skein.
Vesta Zephyr (2 fold—2 oz. skein) Novelty Yarn—100% Virgin Wool	About 200 yds. to skein.
Zephron Zephyr (2 fold—1 oz. skein) Novelty Yarn—78% Virgin Wool, 22% Rayon.	About 126 yds. to skein.

JAMES LEES & SONS COMPANY

Bridgeport, Penna.

NEW YORK OFFICE: 230 Fifth Avenue

CHICAGO OFFICE: 37 S. Wabash Ave.

LOS ANGELES OFFICE: 722 S. Los Angeles St.



[Vintage Patterns Dazespast](#) (re-mastered eBooks)

[Dazespast](#)

Original Vintage Knitting Crochet, Sewing & Needle Art Patterns and Books
eBay Store: mooreruby817

Free Vintage Patterns for Everyone
[Livin a Vintage Lifestyle and Lovin It](#) (Facebook)

[Follow Us on Pinterest](#) or the [Vintage Patterns Blog](#)

Email: ruby@dazespast
315.543.9189/Fax same